

Tenaya is a slim, transitional design with gentle radius features which makes it perfect for today's contemporary kitchens. This beautiful design includes features that make it a pleasure to use and easy to maintain. The LED modules included with this hood are the latest in LED cooktop illumination technology specially designed to operate in the elevated temperatures of cooking - offering bright lighting and lasting up to 25 times as long as a standard bulb and greater reliability than typical replacement LED bulbs.

SIZE	BLACK	STAINLESS	WHITE	GREASE FILTERS (replacement)	NON-DUCTED FILTERS
30 in.	TEN230BL	TEN230SS	TEN230WW	HPFAMM30 (Type "C1" / "C2")	HPF30 (Type "Xc")
36 in.	TEN236BL	TEN236SS	TEN236WW	HPFAMM36 (Type "D1" / "D2")	HPF36 (Type "Xd")
42 in.	---	TEN242SS	---	HPFAMM42 (Type "E1" / "E2")	HPF42 (Type "Xe")

PERFORMANCE								
Duct Orientation	Size	Damper	Sones			CFM		
			Normal	Medium	High	Normal	Medium	High
Vertical - Rectangular	3¼ in. x 10 in.	Included	1.2	3.0	5.5	150	200	280
Horizontal - Rectangular	3¼ in. x 10 in.	Included	1.2	3.0	5.5	110	160	250
Round - Vertical	7 in.	Sold Separately	1.5	3.0	5.5	160	210	300

FEATURES	
Control type	3-speed Capacitive Touch
Delay off	no
Filter Clean Reminder	yes
Heat Sentry™	no
ADA Capable	yes
Lighting	2-level LED (included)
Grease Filters	Micro Mesh (Qty. 2)
Installation Hardware	EZ1 Bracket
ENERGY STAR®	no
Recirculation	Non-ducted filters sold separately


**AC INPUT**  
120 V, 60 Hz - 0.65 AMPS

OPTIONAL ACCESSORIES	
7-in. Round Damper	BP87Q
ADA Wiring Kit	HAWRK3
Make-up Air Dampers	MD6TU, MD8TU and MD10TU


**MOUNTING HEIGHT**  
18 in. to 24 in. from cooktop to bottom of hood

**LIMITED WARRANTY**  
1-year  
3-year (LED modules only)  
(See installation manual for full warranty text.)

**FOR INDOOR USE ONLY**



Dimensions shown in inches.



HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.