

Integrated Column Refrigerator, 24", Water


Series 11 | Integrated
Panel Ready | Left hinge



- Install it separately or pair with another Column for seamless integration – this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
 - Internal water dispenser for convenient access to fresh, chilled water
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	23 3/4"
Depth	24"



FEATURES & BENEFITS

- Variable temperature zones**
Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.
- Internal water dispenser**
This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a

continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & match
Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever energy
ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design quality
<>

Perfect fit
<>

SPECIFICATIONS

Accessories		
24" Stainless steel toe kick		AKRS2404
42" Stainless steel toe kick		AKRS4204
48" Stainless steel toe kick		AKRS4804
54" Stainless steel toe kick		AKRS5404
60" Stainless steel toe kick		AKRS6004
66" Stainless steel toe kick		AKRS6604
72" Stainless steel toe kick		AKRS7204

78" Stainless steel toe kick	AKRS7804	LED ceiling lighting	•	SKU	26167	
84" Stainless steel toe kick	AKRS8404	LED side lighting	•			
Contemporary round handle	AHS-RD84	SmartTouch interface at	•			
Contemporary square handle	AHD3-RD84	Soft-close fruit and vegetable	•			
Hinge change (from left hinge	848188	Stackable bottle holders	4	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020		
Hinge change (from right hinge	848187					
Joiner kit	AJ-RS84LR	Performance				
Professional round flush handle	AHP3RDSF	ActiveSmart™ technology	•			
Professional round handle kit	AHC-RD84	Dual evaporator	•			
Professional square handle kit	AHV2-RD84	Frost free	•			
Replacement water filter	FWC3	Humidity control system	•			
Square fine aluminium handle	AHD5RDSF	Inverter controlled compressor	•			
Square fine black handle kit	AHD5RDSFB	Sabbath mode	•			
Stainless steel door panel	24" Left hinge RD2484L4D	Variable food modes	Pantry; Fridge; Chill			
		Variable temperature zones	2			
Capacity		Power requirements				
Volume	12.4cu ft	Rated current	10A			
Volume refrigerator	12.4cu ft	Supply frequency	60Hz			
		Supply voltage	115V			
Consumption		Product dimensions				
Energy rating	Energy star	Depth	24"			
		Height	84"			
		Width	23 3/4"			
Features		Warranty				
Adjustable door shelves	4	Parts and labor	2 years			
Adjustable glass cantilevered	•	Sealed system parts and labor	additional 3 years			
Covered door shelves	1					
Door alarm	•					
Fruit and vegetable bins	4					
Gallon door shelves	1					
LED bin lighting	•					

Other product downloads available at fisherpaykel.com



User Guide



Energy Label



Installation Guide



Installation Guide



Install Guide - Water Filter Replacement



Specification Guide Integrated Column Refrigerator



Data Sheet Integrated Column Refrigerator



Data Sheet Integrated Column Fridge Dual Install (18" + 24")



Data Sheet Integrated Column Fridge Dual Install (24" + 24")



Data Sheet Integrated Column Fridge Dual Install (24" + 30")



Planning Guide Integrated Columns



Key Purchase Decisions Integrated Columns



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com