

R2-S653

Alpine R-Series Pro 3-Way Component Speaker Set



PRODUCT OVERVIEW

The Next-Generation R-Series sound system line features the same “Loud and Fun” experience now certified for High-Resolution Playback.

PRODUCT FEATURES

Hi-Res Certified – The Next-Generation R-Series Speakers are Hi-Res Audio Certified and able to reproduce up to 40kHz frequency response. This ultra-wide bandwidth brings music even closer to the original source while the classic R-Series design maintains the “loud and fun” performance quality that long-time fans have come to enjoy.

Pro Performance - The Next-Generation R-Series speakers now come in upgraded ‘Pro’ models in addition to the standard model lineup. The pro models utilize a highly rigid, die-cast aluminum basket that eliminates flexing and resonance during playback to ensure the highest quality sound performance.



Glass-Fiber Reinforced Cone – The new lightweight and rigid glass fiber-reinforced cone material allows for extreme movement and low distortion which results in an incredibly accurate and clean sound during playback.

Upgraded Mid-Bass – The Next-Generation R-Series speakers utilize a ferrite magnet, different from the neodymium from previous generations, and a larger motor structure that contributes to more mid-bass during the playback.

Flexible Application – Magnesium, hard-dome tweeters contribute to the “loud and fun” R-series sound signature and feature a swivel-mount design for optimal listening positioning and threaded removable housing for flexible factory applications.

R2-S653

Alpine R-Series Pro 3-Way Component Speaker Set



MAIN FEATURES

- Hi-Res Audio Certified
- Glass Fiber Reinforced Cone
- Die-Cast Aluminum Basket
- Ferrite Magnet Structure
- High-Amplitude Multi-Roll (H.A.M.R.) Surround
- 2 Premium-Grade Full Passive Crossover Networks
- Magnesium Hard-Dome Tweeters with Swivel Mount

Design and Threaded Removable Housing

- Protective Open Mesh Grille Pair Included

TECH SPECS

- **Woofers Size:** 6.5"
- **Midrange Size:** 3"
- **Tweeter Size:** 1"
- **Maximum Peak Power:** 300W
- **Maximum RMS Power:** 100W
- **Frequency Response:** 65Hz - 40kHz (Hi-Res)