

# KPF36UWH

Product family Hood

Hood Type Decorative wall hood

Design Chimney Extraction Vented

MaterialStainless steelStainless steel typeBrushed

EAN code 8017709246297

Hood width 36 "



### **Aesthetic**

AestheticsPortofinoSilkscreen colorSilverColorWhiteLogoApplied

### **Controls**

Control setting Control knobs Control knobs Portofino

No. of controls 2 Controls color Stainless steel effect

## **Programs / Functions**

Speed levels 4

### **Technical Features**

\*Ö\*

No. of lights 2 No. of filters 3

LightingLEDAnti-grease filtersStainless steel

Light power 2 W Vent outlet 150 " Light color temperature 4000 °K Minimum distance from 30 "

scale (°K) gas cooktop

Maximum extraction 577.5 CFM Minimum distance from 26 "

capacity at free mode electric cooktop

Motor power 455 W

· Non-return valve Yes



	Extraction rate [CFM]	Noise level [dB(A)]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	75

## **Electrical Connection**

**Electrical connection** 

495 W

Frequency (Hz)

60 Hz

rating

Voltage 120 V

Power supply cable

39 3/8 "

length

## Also available

Available colors

Black, Stainless steel, Anthracite, Yellow, Green, Available colors

KPF36UBL-X-AN-YW-OG-


RD-OR


## **Optional accessories**


**Charcoal filter** 

FLTK-1

Red, Orange









## Not included accessories





Round Charcoal filters (kit 2 pieces)



#### **KITALLFC**

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



# Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.