QUICK REFERENCE GUIDE > OR36SDG4X1

Gas Range, 36", 5 Burners

Series 7 | Contemporary

Stainless Steel



Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with large 4.9 cu ft total capacity and three functions

DIMENSIONS

Height	35 3/4 - 37 1/4"	
Width	35 7/8"	
Depth	25 1/4"	

FEATURES & BENEFITS

PERFORMANCE POWER

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

DESIGN QUALITY

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

LARGE CAPACITY

The large 4.9 cu ft capacity for this range gives you plenty of space to cook multiple dishes at the same time.

EASY CLEANING

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories 2-pc grill system (Broil pan and Broil pan Broil rack Chromed shelf runners 1 set Full extension telescopic 2 sets (part 578744)

Small pot support 1 (part 533981 cast)

Accessories (sold separately)	
Kick strip, stainless steel	KICKOR36X
Burner ratings	
Dual wok burner inner/outer	1000 - 18000BT
Dual wok burner inner/outer	1000 - 18000BT
Maximum burner power	18000 BT
Semi-rapid burner (LPG)	1500 - 7600BT
Semi-rapid burner (natural	1500 - 8000BT
Total cooktop power	62000 BT
Triple ring wok burner (LPG)	6100 - 12000BT
Triple ring wok burner (natural	6100 - 14000BT

Capacity

Shelf positions	7
Total capacity	4.9cu ft
Usable capacity	3.8cu ft

Cleaning

Acid resistant graphite enamel
Dishwasher proof grates
Removable oven door
Removable shelf runners

Controls

_aser etched graphics •

Gas Requirements

QUICK REFERENCE GUIDE > OR36SDG4X1

Supply Pressure (LPG)	11" W.C.P	Depth	25 1/4"
Supply Pressure (natural gas)	4" W.C.P	Height	35 3/4 - 37 1/4"
		Width	35 7/8"
Oven features			
Auto re-ignition system	•	Rangetop features	
Concealed element	•	Hob rail	•
Convection	•	LPG/Natural gas compatible	•
Electronic ignition	•	Sealed range top	•
Full extension telescopic	•		
Internal light	4 x 25W halogen (2 side & 2	Rangetop Performance	
Soft open/close door	•	Number of burners	5
Storage drawer	•		
		Safety	
Oven functions		ADA compliant	
Bake	•	Advanced cooling system	•
Convection bake	•	Anti-tilt bracket	•
Maxi Broil	•	Balanced oven door	•
Number of functions	3	CoolTouch door	•
	Full extension telescopic	Full extension telescopic	2 sets (part 578744)
Oven performance		Full extension telescopic	•
Bake power	17000 BTU	Non-tip shelves	•
Broil	13000 BTU	Spill containment	5/8 gallon
CoolTouch door	Quadruple glazed		
		Warranty	
Power requirements		Parts and labor	2 years
Amperage	15A		
Supply frequency	60Hz		
Supply voltage	120V	SKU	82761

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Product dimensions

QUICK REFERENCE GUIDE > OR36SDG4X1 Date: 28.04.2023 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



User Guide Freestanding Range



Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com