



24" Built-In Dishwasher

Dishwasher

Available Products: FDPC4314AB, FDPC4314AS, FDPC4314AW

Available Colors: Black, Stainless Steel, White

Version: 05/23

Product Specifications

Dishwasher

| | |
|----------------------------------|--------------|
| Automatic Temperature Control | Yes |
| Detergent Dispenser | Yes |
| Filter Material | Plastic |
| Filter Trap | Removable |
| Filtered Water | 100 % |
| Hard Food Disposer or Filtration | Yes |
| Motor Speeds | Single-Speed |
| Place Setting Capacity | 14 |
| Rinse Aid Dispenser | Yes |
| Smart Soil Sensor | Yes |
| Lower Spray Arm | Bi-Beam |
| Middle Spray Arm | Bi-Beam |
| Upper Spray Arm | Spray Arm |
| Tub Color | Midnight Ink |
| Tub Design | Tall Tub |
| Tub Material | Plastic |
| Wash Levels | 5 |
| Wash System | Direct Feed |
| Water Pressure | 120 psi |
| Water Usage | 3.2 Gallons |

Dishwasher Options

| | |
|--------------------------------|-------------|
| Air Dry | Yes |
| Dry - Heat | Yes |
| Dry - Max | Yes |
| Drying System | Static Vent |
| Heated Dry | Yes |
| High Temperature | Yes |
| Start/Cancel | Yes |
| Washing Temperature - High | Yes |
| Washing Temperature - Sanitize | Yes |

Upper Rack

| | |
|--------------------------|----------|
| Minimum Height Clearance | 8" |
| Rack Coating | PVC |
| Rack Spacer | Yes |
| Rack Type | Standard |

Exterior

| | |
|------------------------|----------|
| Door and Handle Design | Pocket |
| Door Latch | Pull |
| Door Type | Standard |

Dishwasher Cycles

| | |
|------------------|-----|
| Energy Saver | Yes |
| Heavy | Yes |
| Normal | Yes |
| Number of Cycles | 4 |
| Quick | Yes |

Lower Rack

| | |
|----------------------------------|----------|
| Maximum Height Clearance | 13" |
| Minimum Height Clearance | 11" |
| Number of Silverware Basket | 1 |
| Number of Silverware Basket Lids | 2 |
| Rack Coating | PVC |
| Rack Type | Standard |

Controls

| | |
|---------------------|---------|
| Control Location | Front |
| Delay Start Hours | 4 Hours |
| Control Lock | Yes |
| Rinse Aid Indicator | Yes |

Dimensions and Volume

| | |
|----------------------|---------|
| Minimum Height | 33 1/2" |
| Maximum Height | 35" |
| Width | 24" |
| Depth | 25" |
| Depth With Door Open | 49 1/4" |

Installation

| | |
|-------------------------|-------------------|
| Connection Location | Right Bottom |
| Number of Leveling Legs | 4 |
| Water Inlet Location | Left Bottom Front |

Performance Certifications and Approvals

| | |
|-----------------------|--------|
| CEE Tier | Tier 1 |
| ENERGY STAR Certified | Yes |

Available Products: FDPC4314AB, FDPC4314AS,

Available Colors: Black, Stainless Steel, White

FDPC4314AW

Version: 05/23

Electrical Specifications

| | |
|-----------------------|---------|
| Amps @ 120 Volts | 10 Amps |
| Connected Load @ 120V | 1.2 kW |
| Voltage Rating | 120 V |

General Specifications

| | |
|------------------|---------|
| Sound Level | 54 dBA |
| Annual Energy | 240 kWh |
| Prop 65 Label | Yes |
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |

Safety Certifications and Approvals

| | |
|------------------------------|-----|
| UL Listed | Yes |
| cUL Listed | Yes |
| Meets ASSE 1006 Requirements | Yes |
| NSF Certified | Yes |

Installation Diagram

