

TRADITION

A Heritage of Quality and Innovation

The dinner table - where crystal sparkles, fine china glistens and gleaming heirloom silverware reflects treasured memories. Ensuring the quiet, spotless care of cherished tableware is what drives one of the most respected groups of German appliance engineers to continually improve its dishwasher. A 108-year old Miele family tradition of crafting superior, groundbreaking products that are, in the words of the company's patriarchs, Immer Besser or Forever Better. No other dishwasher brand in the world is more trusted, wins more design awards or leads in technological firsts. The latest generation of Miele residential and commercial dishwashers proudly continue this legacy.

*Winner, <u>Reader's Digest's Most Trusted Brand</u> in household and kitchen appliances three years running.

CONTENTS Legendary Quality 3 Beautiful Design 4 Enormous Capacity 5 Integration Options 6 Useful Programs 8 Safety Features 10 Ease of Use 11 Spectacular Performance 12 Respect for Our Environment 14 Quiet Operation 15 Support Services 16 Advanta Series 17 Inspira Series20 Diamante 24 Optima Series 26 Excella Series 30 LaPerla 34 Wash Programs, Overview 39 Door Panel Options, Overview ... 40 Basket Configurations 41 Accessories 44 Specifications 45 G 800 Slimline Series 45 G 1000 Series 48 G 2000 Series 50 Product Overview 54 Commercial Dishwashers 56

Miele Dishwasher Milestones

1929	1960	1967	1978	1987	1994	1999	2004	2006
Europe's first electric dishwasher	First fully automatic, front loading dishwasher	Introduction of fully automatic, built-in dishwashers with three spray arms and water softening system	World's first micro- processor- controlled dishwasher with sensor touch controls	World's first dishwasher with a third-level cutlery tray - patented by Miele	New models holding up to 14 place settings	All dishwashers equipped with fully electronic controls	Production of Miele's 10 millionth fully automated dishwasher and milestone of 75th anniversary	Introduction of the revolutionary G 2000 series and an advanced team of commercial dishwasher products

QUALITY

Legendary

Miele's belief in quality, durability and reliability is legendary... dating back as the very premise the company was founded on. In 1899, the founders believed that success was only achievable in the long-term by being totally convinced of the quality of one's products. To this point, Miele continues to produce appliances that are both durable and long lasting, in other words, a quality product rather than an inexpensive or disposable one. To own a Miele is to experience the difference between a fine dishwasher and an ordinary one.





Family Ownership is the Key

Miele's family ownership allows for a long-term business and product strategy; one that puts the perpetuation of the family brand name and the development of a truly satisfied customer base at the epicenter of this plan. One look at a Miele dishwasher and you will see it is not only unique in its design, but quality through and through. From the fine grade of stainless steel, durable hinges and longlasting pumps and motors; high quality raw materials are used both inside and out. This is one reason why Miele has earned the coveted Reader's Digest Most Trusted Brand award every year the survey has been conducted!



Commitment to Quality

In the age of marketing hype and advertising fluff, we understand that customers need true assurances that they are making a wise purchasing decision using facts and not ad agency jargon. The information provided in this brochure, on our website miele.com and by the product specialists at authorized Miele dealerships is not part of that game. As a family-owned company, whose products bear the family name and the legacy of a century old tradition founded in quality and innovation, Miele is committed to your total satisfaction.

After you install your new Miele dishwasher, if you are not completely satisfied that the dishwasher is quieter and cleans better than your previous unit, Miele will refund the full purchase price of the product. For additional information on this limited time, 90-day money back guarantee please consult your dealer, visit miele.com or call 800.356.0991.

Above photo: 4th generation owners and great-grandsons of founding patriarchs, Markus Miele and Reinhard Zinkann.

DESIGN

Engineered Beauty

Every Miele dishwasher is precisely crafted from the very best raw materials, German engineered and solidly constructed to perform flawlessly for at least twice the life of an average dishwasher. The result: uniquely helpful features utilizing advanced technologies and timeless beauty with sleek design lines that will look as fresh decades from now as they do today. That's what makes Miele the dishwasher of choice for architects and designers alike the world over.












CAPACITY

Fully Loaded

Every square inch of space inside a Miele dishwasher is maximized so that you can easily load a volume of everyday dishes, and those unique items like champagne flutes, oversized dinner plates and serving platters. A clever array of baskets and inserts let you customize the interior of your dishwasher to fit the delicate and odd-shaped items. As the originator of the world's first thirdlevel cutlery tray in 1987, Miele has kept its innovation hallmark by enhancing the tray's flexibility. In select models the tray is split into removable sections so tall stemware can be washed on one side and silverware on the other, or it can be positioned in the middle to make both sides available.



Left photo: Featured with a custom integrated door panel and a stainless steel control panel is the G 2630 SCi Excella Series dishwasher.

INTEGRATION

An Open and Shut Case of Pure Genius

To blend, stand out or conceal – the choice is yours to make as Miele dishwashers provide total flexibility for incorporation into any kitchen décor. Choose from white, black and stainless steel – or secretly disguise it behind cabinetry for a partial or fully integrated

effect. Beyond their infinitely adaptable good looks, Miele dishwashers are available in full or slimline dimensions to fit large and small spaces, with straight or angled control panels for greater visibility and fully adjustable legs to fit a wide variety of countertop heights.

Bottom photo: Featured with a custom fully integrated door panel is the G 2670 SCVi Excella Series dishwasher.





Prefinished Dishwashers

Many Miele dishwasher models are prefinished, meaning the unit is complete with its control and door panel. Generally, these models are available in either white, black or stainless steel finish.



Integrated ("i") Models

Integrated dishwashers have a visible control panel – available in white, black or stainless steel – and are specially designed to be fit with a custom door panel that reflects the cabinetry décor of your kitchen. Dishwashers that can be integrated are noted with an "i" in its model number (i.e. Inspira Series Model G 2140 SCi).



Fully Integrated ("Vi") Models

These units can either disappear into your cabinetry by adding a custom front panel or stand out as a robust appliance with a full stainless steel finish. And where did we hide the controls? The elegant stainless steel control panel is integrated on top of the door and is only visible when the door is ajar. Dishwashers that can be fully integrated with a custom door panel are noted with "Vi" in its model number (i.e. Advanta Series Model G 2170 SCVi).



Height Adjustable

In order to meet Americans with Disabilities Act (ADA) specifications and to appeal to a variety of installation demands, the height of Miele dishwashers can be adjusted from a minimum product height of 31¹¹/₁₆ inches with a G 1000 Series unit to a maximum product height of 35¹³/₁₆ inches with a G 2000 Series unit.

Many variables contribute to the final desired product height including cabinet specifications and the height of countertops and toe-kick. For additional information regarding the variable height options offered by Miele, please consult your designer or product specialist.



Fully Integrated, Prefinished Models

For convenience, Miele offers fully integrated, prefinished models that are already equipped with a stainless steel door panel for a 4 inch toe-kick and professional style, stainless steel door handle. These units are noted with "SF" in its model number (i.e. Advanta Series Model G 2170 SC SF).

PROGRAMS

Total Control

A grain of rice stuck to a fork, baked on Brie, an oily salad dressing carafe – all are no match for Miele's new intelligent wash programs. The intuitive control panel lets you effortlessly tell the dishwasher not only what was for dinner, but also on what items the dinner was served. Gently and thoroughly clean china or plastic; sanitize baby bottles or bring pots and pans to a spectacular shine.





Pots & Pans
Brings pots, pans and preparation dishes
with dried on soiling and heavy fatty
residues to a gleam.



China & Crystal

A signature Miele wash program that gently cares for temperature sensitive china and crystal. In most models, this wash program is controlled by a state-of-the-art AutoSensor to ensure spotless results.



Normal Ideal for a normal, everyday mixed load of dishware with average soiled dishes and light fatty residues.

Features vary per model



Cheese

Melted, baked-on cheese can be a chore during dishwashing. On select models, removing cheese from dishware and utensils is as easy as the push of a button. When using this specialty wash program, the dishwasher knows the right temperature and time variables that bring items to a spotless shine, with no cheese residue.



SensorWash

This is a sensor controlled program for normally soiled items. Thanks to Miele's unique AutoSensor technology, the temperature, water intake, program duration and electricity consumption are all automatically adjusted to suit the level of soiling.



EnergySaver

This program is designed for a hot water intake and an ideal water temperature of 115° F. The wash temperature depends on the temperature of the water entering the dishwasher and because the machine does not heat the water itself, the energy consumption is substantially reduced.



Starch

Do you love pasta and paella? If so, then you will appreciate this specialty program which removes all traces of dried food particles.



SaniWash

Where hygiene is especially important, this program offers temperatures high enough to remove germs from baby bottles, chopping boards, utensils, etc. A perfect program when you need total confidence that appropriate sanitization levels are met.



Plastics


The optimum program to properly care for dishwasher safe plastic items, including toys and food containers. With an extended drying time, these items are washed and dried perfectly.

Features vary per model

PEACE OF MIND

Safe and Secure

A unique waterproof system and various other safety features are brilliant engineering details that make a Miele dishwasher unique and offer you true peace of mind.



Double Waterproof System

The safety of all Miele dishwashers is enhanced by a unique Double Waterproof System, which has a double skinned inlet hose and a double solenoid valve attached directly to the faucet. Should there be a leak between the two skins in the hose, the solenoid valve will automatically shut off the water supply. This, and a leak detector styrofoam switch located in the bottom pan of the dishwasher, react within seconds to protect your home from water damage.

Flow Meter

All Miele dishwashers have a flow meter in the water inlet, which is connected to the microprocessor. This electronically measures the exact amount of water entering the machine, even with fluctuating water pressure.

Child Safety Lock

Many Miele dishwashers have a special switch in the handle recess, which can be pushed to prevent young children from opening the door and accessing the cabinet and detergent dispensers. This feature is not available on fully integrated models.

Fault Diagnosis Indicators

All Miele dishwashers have indicator lights, which will let you know if there is a problem, which could affect the wash result. A light on the control panel will come on, for example, if the water intake is not detected, if the drain outlet is blocked or if more salt or rinse aid is required. Certain models will even tell you if the filter needs cleaning, or if the spray arm movement is restricted by something too tall in the basket, or by something that is sticking through it.

Technology Made Simple

Despite the highly advanced, sophisticated technologic elements that collectively makeup a Miele dishwasher, the product is extremely user-friendly. All Miele dishwashers can be started with the simple touch of a button or a turn of a knob.

Convenient, Easy-To-Use Controls

All dishwashers are controlled by Miele's signature microprocessing electronics which are proprietary and developed at Miele's factory in Germany. These are operated by either turning a single dial or pushing a button. With no separate temperature selection, or separate drying decisions to be made, all you have to do is turn the machine on and select your program. It couldn't be easier!

Navigational Electronics

Navitronic™ controls, Miele's state-of-the-art menu driven user interface, offers the ultimate in product controls and design. Available on the LaPerla model, the appliance is engaged via touch screen controls and within a few steps command is taken from one of 19 wash programs. Easy to use technology that helps you care for your valuable china, crystal and flatware with total confidence.

Ergonomic Control Panel

Introduced in this new generation of dishwashers on select models is Miele's unique, angled control panel. By having the control panel just slightly indented, the user is granted enhanced visibility of the controls and program information is displayed without having to bend over. It also provides a special design appeal.

PC Update


Miele was the first manufacturer to introduce the revolutionary concept of updatable machines. Thanks to the PC Update function, you can now keep up with the technological advances. Using a laptop computer, a Miele technician can alter a machine's programming parameters, for example to reduce its water intake or electricity consumption or adapt it to a new type of detergent. PC Update is just another example of how Miele extends the useful life of its dishwashers.



PERFORMANCE

Spectacular Results

Imagine a dishwasher that never asks you to rinse a plate before you load it, to never dry a cup when you take it out and to never, ever remove a water spot. Visualize three independent spray arms targeted to make debris disappear, programs that are tailored not only for the dish, but for the food on the dish and a unique drying system that leaves only the shine. Miele dishwashers deliver results this spectacular.





Sensors

Which program do I use for different types and soiling levels of pots and glassware? When in doubt users simply select the longest program with the highest temperature as a last resort – often to the detriment of the load being washed. Glass, in particular, reacts very sensitively to soft water and excessively high temperatures. Miele dishwashers have special programs and sensors to help overcome these problems.




Turbidity Sensor

Select models use an AutoSensor that influences program variables to provide superb washing. The sensor measures the turbidity of the water and adapts the program to the degree of soiling by changing the water consumption, program duration and temperature for brilliant results.



Water Softening

The hardness of your water supply has a direct impact on the performance of your dishwasher and is especially important when caring for valuable china and crystal. Select dishwashers have a device that measures the hardness of the water intake at every stage of the program and manipulates it, when necessary, with a salt additive that makes the water optimal for dishwashing.



Triple Filter System

Miele dishwashers have a unique triple filter system to ensure you get excellent results while using water and energy efficiently. The coarse, fine and microfine filters retain any residues to keep the circulating water filtered and clean. The base of the filter is hinged, giving easy access for cleaning, and some models also feature a special LED on the control panel to remind you when to clean the filter.



Unique Water Heater

Select Miele dishwasher models feature a unique water heating system. A powerful pump circulates water continually through the heater to ensure that it maintains the correct temperature. One benefit of this system is that heat-sensitive items can confidently be placed in the bottom basket with no risk of melting.



CleanAir™ Drying System

Most Miele dishwashers employ an advanced drying system that draws room temperature air through a port at the bottom of the appliance. This air is disbursed through special channels around the exterior dishwasher cavity and allows the interior water particles to condense against the walls of the dishwasher. During this process no external air is ever introduced inside of the dishwasher. This provides the most effective drying possible.

13

Cherishing Our Natural Resources

Caring for the environment reflects the Miele family's deep-felt vision of Immer Besser or Forever Better. Forever means doing everything we can today to protect and preserve the finite resources of our planet for future generations. That's why Miele exceeds the highest environmental standards at its German production facilities. Matter of fact, Miele was the first appliance manufacturer in the world to gain certification to the stringent International Environment Standard DIN EN ISO 14001. During daily operation in your home, a Miele dishwasher complies with EnergyStar® requirements for water conservation and when its long 20 plus year life is complete, over 90% of the dishwasher itself is recyclable.



Optimal Water Consumption

Miele dishwashers use 6.5 gallons or less depending on the wash cycle you select. This means less water to heat, and less energy consumption. Every Miele dishwasher qualifies for the Energy Star® Program, exceeding government energy standards by 35 - 50%. For complete details regarding the Energy Star® rebate program, please visit energystar.gov or call your local utility company.

Built-in Efficiency

Miele's advanced temperature control and internal sensor design enables each dishwasher model to operate efficiently and clean beautifully regardless of whether the intake water temperature is hot or cold. While the cleaning results remain consistent with either a hot or cold water intake, wash cycle time is shortened when a hot connection is used because the temperature heat-up phase is much quicker. A shorter cycle time translates to lower electrical consumption and a quicker turn around of your dishware. Either way the dishwasher is connected, your items will be spotless.



Extended Longevity

Miele's philosophy is to make machines that perform exceptionally well and last for decades. The longevity of Miele products is in itself a major contributor to the concept of conserving resources and economizing materials. The equation is simple: the longer the life of a machine, the less frequent the need for new materials and the energy required to produce a replacement.

Reduced Packaging

When it comes to the packaging, our motto is "as much as necessary, but as little as possible." Naturally, we make it as environmentally friendly as we can, and all our packaging is recyclable.

Maximum Recyclability

Thanks to their high metal content, Miele appliances are the most recyclable in the world. All plastic components are marked so that they can be manually sorted into their different materials for recycling at the end of their life.

Automatic Load Recognition

The new, intelligent load recognition feature permits the correct amount of water to enter the dishwasher every time. For example, the water intake can be reduced by up to 16% for a small load, whereas if the load is large, additional water will be taken in for the wash. It's good for the environment – and good for you!



QUIET

Barely Detectable

We understand the need for peace and quiet, especially in the kitchen. Every element inside a Miele dishwasher – water pumps, flow meters and spray arms – is carefully engineered to provide the quietest, most advanced cleaning operation. In addition, a unique sound proofing system, containing layers of insulation, blankets the appliance so that behind the scenes you can clean the salad plates just in time to make them dessert plates. No one has to know.




Sounds of Silence

Miele dishwashers are acclaimed as the most quiet and reliable on the market. For decades, millions of satisfied customers have enjoyed peaceful cohabitation in open floor plan homes with one, or two, Miele dishwashers running smoothly in the background. No unpleasant interruptions or the need to escape from the room, or even the house when you own Miele.

With new advancements in technology and a very progressive manufacturing process, Miele has done it again... producing the quietest range of dishwashers in its history! The Miele acoustics rating system ranks the quietness of each new dishwasher product on a scale of 1 - 5. Please note these logos on each product series as you evaluate which model best suits your needs.

Guaranteed Quiet

Remember, with Miele, your total satisfaction is our top priority. If you are not completely satisfied that the dishwasher is quieter and cleans better than your previous unit, Miele will refund the full purchase price of the product. For additional information on this limited, 90-day money back offer, please consult your dealer, visit miele.com or call us at 800,356.0991.



Support Services You Can Count On

From the Beginning

Miele's philosophy is that the relationship with the consumer just begins with the purchase of one of our appliances. It is our belief that at the time of purchase, we are entering into a longterm partnership with you and your family. A partnership that includes installation and technical services that you can count on for a lifetime.

Installation Made Easy

To ensure that you begin enjoying your new Miele products from the first day on, it is recommended that you use an authorized Miele installer. Not only will they get the job done right the first time, they'll also walk you through the product, giving an overview of its usage.

Miele is so confident in the benefits of this service that the warranty of any products installed by a Miele authorized installer is doubled to two years.

As with most superior products, service by finely trained technicians is part of the Miele experience. Our technicians must complete a demanding technical certification program, facilitated and taught by the Miele Technical Training Support Group.

Worry Free Service Contracts

MieleCare is our unique Extended Service Contract program. With MieleCare your investment is protected by an amplified five year, worry free contract that includes:

- · Genuine Miele parts;
- Factory-trained technical specialists;
- · Power surge protection and more.

MieleCare is the only Extended Service Contract in the industry that guarantees repairs by a Miele Authorized Service Provider using only genuine Miele parts. Only genuine Miele parts installed by factory-trained professionals can guarantee the safety, reliability and longevity of your Miele appliance.

Please note that unless expressly approved in writing by Miele's Service

Department, Extended Service Contracts offered by other providers for Miele products will not be recognized by Miele. Our goal here is to prevent unauthorized (and untrained) service personnel from working on your Miele products, possibly doing further damage to them, you and/or your home.

For your convenience, you can purchase a MieleCare Extended Service Contract on your new dishwasher from a Miele dealer either at the time you buy the product or anytime within the first year. You can also purchase the contract directly from Miele by visiting miele.com or by calling us toll free at 800-356-0991.



Far right photo: Featured in white is the G 2020 SC Advanta Series dishwasher.

ADVANTA SERIES



ADVANTA SERIES

A New Threshold

The Advanta Series is your entry to Miele dishwasher quality, MaxSpace™ capacity, performance and renowned longevity. A host of useful features await you in this revolutionary product offering.

The Details Matter

Six easy to select, fully electronic wash programs control the appliance as it briskly, yet carefully brings dishes, pots and pans and flatware to a gleaming shine.

Behind the exterior beauty of the dishwasher – which is defined by your choice of white, black, stainless steel or a custom fully integrated panel - the intelligent basket configurations allow for a quick adjustment to adapt to the nuances of each uniquely different wash load.

Cutlery Locations

When selecting your Advanta Series dishwasher model you can also choose the place where your cutlery is stationed. The traditional cutlery basket, located at the front right portion of the lower basket, is an option and can hold a diverse volume of utensils.

Alternatively, you may opt for Miele's famed third-level, separate cutlery tray. Located atop of the upper basket, the tray offers great flexibility and is a neat repository for flatware and distinctly-shaped cooking utensils. This innovation was first introduced to the world in the late 1980's by Miele and continues to be a very safe and hygienic way to clean cutlery.







Advanta Series G 2020 / SC, straight control panel



Advanta Series G 2170 SF / SC SF / Vi / SCVi, fully integrated control panel



G 2020

Controls

Novotronic controls

Update function

Finishes

Prefinished: white, black or

stainless steel

Straight control panel

Features

6 wash programs

5 temperature settings

Passive drying system

MaxSpace™ stainless steel interior

12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Double waterproof system

Child safety lock

Q₁ Acoustics™

345 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

G 2020 SC

As model G 2020 above, except:

14 place setting capacity

Separate cutlery tray



G 2170 SF

Controls

Incognito controls

Update function

Finishes

Prefinished: stainless steel with Profi

door handle

Concealed control panel

Features

6 wash programs

5 temperature settings

Passive drying system

MaxSpace[™] stainless steel interior

12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Acoustic function monitor

Double waterproof system

Q₁ Acoustics™

345 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

G 2170 SC SF

As model G 2170 SF above, except:

14 place setting capacity

Separate cutlery tray



G 2170 Vi

Controls

Incognito controls

Update function

Finishes

Concealed control panel

Accepts custom door panel

Features

6 wash programs

5 temperature settings

Passive drying system

MaxSpace[™] stainless steel interior

12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Acoustic function monitor

Double waterproof system

Q₁ Acoustics™

345 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

G 2170 SCVi

As model G 2170 Vi above, except:

14 place setting capacity

Separate cutlery tray

INSPIRA SERIES



Decisions... Decisions

Infinite choices are available in the all new Inspira dishwasher series! With nine models to select from, each with its own customizable set of options, this series offers easy-to-use operational features and introduces even more installation options for you to consider.

Miele's unique integrated option premiers in the series with the G 2140 i dishwasher. With this model, you can select a control panel finish of white, black or stainless steel and affix a custom door panel that reflects the design of your cabinetry. Of course, you may also consider a prefinished unit or a fully integrated model adorned with a door panel matching your kitchen décor. For ease of installation, should you opt for a fully integrated unit with a stainless steel panel, Miele offers prefinished fully integrated dishwashers (i.e. G 2180 SF) with a robust professional style handle.

Regardless of the model selected, wash performance is superb in the Inspira Series so you can't make a wrong decision when selecting which model is right for you!

CleanAir™ Drying

Introduced on the Inspira Series dishwasher is Miele's most advanced and hygienic drying system, CleanAir™. The name says it all, as this system dries dishwasher contents without introducing any new air to the interior chamber that might contain small, unfiltered micro particles. The CleanAir™ drying system works by surrounding the exterior stainless steel walls of the dishwasher with room temperature air. The temperature variance enables water to condense on the walls of the appliance and not on the dishware. Perfect, healthy drying of your family's dishes without the need to towel off water droplets.



Left photo: Featured with a custom integrated door panel and a stainless steel control panel is the G 2140 SCi Inspira Series dishwasher.



Inspira Series G 2140 / SC / i / SCi, straight control panel



Inspira Series G 1180 SCVi, G 2180 SF / SC SF / Vi / SCVi, fully integrated control panel

INSPIRA SERIES





G 2140

Controls

! Touchtronic[™] controls

Update function

Finishes

Prefinished: white, black or

stainless steel

Straight control panel

Features

6 wash programs

5 temperature settings

! CleanAir™ drying system

MaxSpace™ stainless steel interior

12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Double waterproof system

Child safety lock

Q₁ Acoustics™

! 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

G 2140 SC

As model G 2140 above, except: 14 place setting capacity

Separate cutlery tray

G 2140 i

Controls

! Touchtronic™ controls

Update function

Finishes

Straight control panel

Control panel colors (GW 120/140):

white, black, stainless steel

Accepts custom door panel

Features

6 wash programs

5 temperature settings

CleanAir[™] drying system

MaxSpace™ stainless steel interior

12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Double waterproof system

Child safety lock

Q₁ Acoustics™

! 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

G 2140 SCi

As model G 2140 i above, except:

14 place setting capacity

Separate cutlery tray

[!] indicates an enhancement or change from what is offered on Advanta Series models.



G 1180 SCVi

Controls

Incognito controls

Update function

Finishes

Concealed control panel

Accepts custom door panel

Features

6 wash programs

5 temperature settings

! CleanAir™ drying system

12 place setting capacity Deep, height adjustable upper basket Cutlery tray Foldable spike design, lower basket

Accommodates plates up to 121/4" Intake/drain fault indicator

Rinse aid refill indicator

Acoustic function monitor

Double waterproof system

Q₁ Acoustics™

! 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

ADA compliant model



G 2180 SF

Controls

Incognito controls

Update function

Finishes

Prefinished: stainless steel with Profi

door handle

Concealed control panel

Features

6 wash programs

5 temperature settings

! CleanAir[™] drying system

MaxSpace™ stainless steel interior 12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Acoustic function monitor

Double waterproof system

Q₁ Acoustics™

! 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

G 2180 SC SF

As model G 2180 SF above, except: 14 place setting capacity Separate cutlery tray



G 2180 Vi

Controls

Incognito controls

Update function

Finishes

Concealed control panel

Accepts custom door panel

Features

6 wash programs

5 temperature settings

! Clean Air™ drying system

MaxSpace[™] stainless steel interior

12 place setting capacity

Deep, height adjustable upper basket

Standard cutlery basket

Foldable spike design, lower basket

Accommodates plates up to 121/4"

Intake/drain fault indicator

Rinse aid refill indicator

Acoustic function monitor

Double waterproof system

Q₁ Acoustics™

! 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert


G 2180 SCVi

As model G 2180 Vi above, except:

14 place setting capacity

Separate cutlery tray

DIAMANTE





Quiet Attention to Detail


Crafted as a unique blend of the most acclaimed features of the Inspira Series, the Diamante dishwasher is sure to please the most demanding user. One of the superlative upgrades introduced on the Diamante, is further noise suppression. Diamante is rated Q₂ on Miele's acoustic range and is ultra quiet!

Inside Out

Stainless steel detailing around the door flawlessly meets an angled control panel that provides heightened visibility to six useful wash programs controlled via a simple push button system. The MaxSpace™ wash cabinet features Miele's renowned third-level cutlery tray and the standard basket configuration. With ample space to carefully wash and hygienically dry 14 place settings using Miele's CleanAir™ drying system, the Diamante will stand out as one of your most useful and stylish kitchen appliances.

Left photo: Featured is the G 2150 SC Diamante dishwasher.

! indicates an enhancement or change from what is offered on Inspira Series models.







Diamante G 2150 SC, angled control panel

OPTIMA SERIES



More...

Optima models offer more options than the previous series in terms of control panel designs, wash programs and interior basket configurations. These upgrades coupled with a Miele acoustics rating of Q₃ make this series a unique solution.

More... On the Outside

Integrating an Optima Series dishwasher into your kitchen décor could not be easier. With models offered in prefinished (white, black or stainless), integrated and fully integrated styles the unique combinations are virtually endless. The enhanced LED display now highlights key program information such as delay start and countdown time. You can also choose from the straight or angled control panel positioning and, of course, select the panel's finish.

Left photo: Featured in stainless steel is the G 2430 SC Optima Series dishwasher.

More... On the Inside

Beginning on the top, Optima Series dishwashers come equipped with Miele's famed separate cutlery tray as a safe and hygienic repository for a mass of utensils. With its own spray arm, no nook or cranny is missed from cleaning. Just below, the height adjustable upper basket is upgraded with hinged and removable inserts so the layout of the basket can easily be changed to fit the desired load. The lower basket is equipped with Miele's desired PlateGuard Plus and StemGuard system for carefully managing your valuable china and crystal while cleaning. Finally a tall, removable bottle insert joins the lower basket so your tallest item does not tip over into other dishes or glassware.

More... Unique Washing

The China & Crystal specialty wash program joins five standard cycles on Optima Series dishwashers. During this cycle, valuable dishware and heirloom glasses are cared for gently and thoroughly. To accomplish this, Miele uses a unique, built-in water softening system and new AutoSensor technology to measure the turbidity and automatically adjust the water levels and cycle times, if necessary. Wash water temperature is also precisely monitored by this technology and is adjusted throughout the cycle remaining within Miele's Vario™ temperature range. Controlling these parameters ensures optimum water temperature and brilliant results without etching.





Optima Series G 2420 SCi, straight control panel



Optima Series G 2430 SC / SCi, angled control panel



Optima Series G 1470 SCVi, G 2470 SC SF / SCVi, integrated control panel







G 2420 SCi

Controls

Touchtronic[™] controls

Update function

Finishes

Straight control panel

Control panel colors (GW 420): white,

black, stainless steel

Accepts custom door panel

Features

- ! 6 wash programs including special China & Crystal setting
- ! Vario™ temperature settings
- ! AutoSensor

CleanAir[™] drying system

MaxSpace[™] stainless steel interior

- 14 place setting capacity! Deep, height adjustable upper basket
- with hinged and removable insert
 Cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard

Accommodates plates up to 121/4"

- ! Removable bottle holder Intake/drain fault indicator Rinse aid refill indicator
- ! 24 hour delay start / countdown
- ! Built-in water softener
- ! Detergent options

Double waterproof system Child safety lock

! Q₃ Acoustics™

339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

- ! Tall glassware insert
- ! Multi-function basket™
- ! Large diameter plate insert

G 2430 SC

Controls

Touchtronic[™] controls

Update function

Finishes

Prefinished: white, black or stainless steel

Angled control panel

Features

- ! 6 wash programs including special China & Crystal setting
- ! Vario[™] temperature settings
- ! AutoSensor

CleanAir™ drying system

MaxSpace[™] stainless steel interior
14 place setting capacity

- ! Deep, height adjustable upper basket with hinged and removable insert Cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard

Accommodates plates up to 121/4"

- ! Removable bottle holder Intake/drain fault indicator Rinse aid refill indicator
- ! 24 hour delay start / countdown
- ! Built-in water softener
- ! Detergent options

Double waterproof system

Child safety lock

! Q₃ Acoustics[™] 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert
Glassware insert

- ! Tall glassware insert
- ! Multi-function basket™
- ! Large diameter plate insert

G 2430 SCi

Controls

Touchtronic[™] controls

Update function

Finishes

Angled control panel

Control panel colors (GW 430): white,

black, stainless steel

Accepts custom door panel

Features

- ! 6 wash programs including special China & Crystal setting
- ! Vario™ temperature settings
- ! AutoSensor

CleanAir™ drying system

MaxSpace™ stainless steel interior

14 place setting capacity

- ! Deep, height adjustable upper basket with hinged and removable insert Cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard

Accommodates plates up to 12¹/₄"

! Removable bottle holder Intake/drain fault indicator Rinse aid refill indicator

- ! 24 hour delay start / countdown
- Built-in water softener
- ! Detergent options

Double waterproof system
Child safety lock

! Q₃ Acoustics™

339 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

- ! Tall glassware insert ! Multi-function basket™
- ! Large diameter plate insert

[!] indicates an enhancement or change from what is offered on the Diamante model.



G 1470 SCVi

Controls

Incognito controls

Update function

Finishes

Concealed control panel

Accepts custom door panel

Features

- ! 6 wash programs including special China & Crystal setting
- ! Vario™ temperature settings
- ! AutoSensor

CleanAir™ drying system

- 12 place setting capacity
- ! Deep, height adjustable upper basket with hinged and removable insert Cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard

Accommodates plates up to 121/4"

- ! Removable bottle holder Intake/drain fault indicator Rinse aid refill indicator
- ! 24 hour delay start / countdown
- ! Built-in water softener
- ! Detergent options

Acoustic function monitor

- ! Optical function monitor
- Double waterproof system
- ! Q₃ Acoustics™ 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert
Glassware insert

- ! Tall glassware insert
- ! Multi-function basket™
- ! Large diameter plate insert



G 2470 SC SF

Controls

Incognito controls

Update function

Finishes

Prefinished: stainless steel with Profi door handle

Concealed control panel

Features

- ! 6 wash programs including special China & Crystal setting
- ! Vario™ temperature settings
- ! AutoSensor

CleanAir™ drying system

MaxSpace™ stainless steel interior

14 place setting capacity

- ! Deep, height adjustable upper basket with hinged and removable insert Cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard

Accommodates plates up to 121/4"

- ! Removable bottle holder Intake/drain fault indicator Rinse aid refill indicator
- ! 24 hour delay start / countdown
- ! Built-in water softener
- ! Detergent options

Acoustic function monitor

- Optical function monitor
 Double waterproof system
- ! Q₃ Acoustics™ 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert
Glassware insert

- ! Tall glassware insert
- ! Multi-function basket™
- ! Large diameter plate insert



G 2470 SCVi

Controls

Incognito controls

Update function

Finishes

Concealed control panel

Accepts custom door panel

Features

- ! 6 wash programs including special China & Crystal setting
- ! Vario[™] temperature settings
- ! AutoSensor

CleanAir™ drying system

MaxSpace™ stainless steel interior

14 place setting capacity

- ! Deep, height adjustable upper basket with hinged and removable insert Cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard

Accommodates plates up to 121/4"

- ! Removable bottle holder Intake/drain fault indicator Rinse aid refill indicator
- ! 24 hour delay start / countdown
- ! Built-in water softener
- ! Detergent options
- Acoustic function monitor
- Optical function monitor
 Double waterproof system
- ! Q₃ Acoustics™ 339 kWh consumption per year

Optional Accessories

Cappuccinatore insert
Glassware insert

- ! Tall glassware insert
- ! Multi-function basket™
- ! Large diameter plate insert

ADA compliant model

EXCELLA SERIES



3... 2... 1... WASH

It's just that simple with the Excella Series dishwasher by Miele... perhaps one of the most sophisticated yet easy-to-use kitchen appliances on the planet. Once engaged, the unique Plus display, with enhanced LED and push button controls, will avail access to 19 wash programs that aid in selecting the very best cycle given the type of dishware or food that was actually served. There are programs specifically set for Plastics, Pots & Pans, China & Crystal as well as for starch, cheese and even plate warming. Smart microprocessor and sensor controls manage Vario[™] temperature settings, wash times... everything! You will be kept informed of the appliance's performance via the display panel with updates on program countdown and if the spray arm has been blocked by a fallen item. With an enhanced Miele Acoustics rating of Q4, the Excella Series offers a wide array of integrated or fully integrated installation options to peacefully care for the everyday and most cherished tableware in your home.



Individual Settings

The comprehensive Plus display gives access to the "Settings" menu. You can choose from 19 different languages, set the time, program in the type of detergent you use, and much more.



Individual Program Sequence

With the Plus display you can create wash programs to suit your specific needs and save them.



Additional Information

The Info button allows you to call up helpful information about programs and functions. For instance, the Info button can tell you which program is suitable for which type of dishes.



Individual Time Functions

With the delay start function you can control precisely when the dishwasher will begin its program. Once engaged, the Plus display on the fascia panel lets you know how much longer your wash cycle has to run. On all Excella models, if there is a power outage, the clock function will be retained for up to 200 hours.



Left photo: Featured with a custom fully integrated door panel is the G 2670 SCVi Excella Series dishwasher.

EXCELLA SERIES



Highly Flexible Interior

The Excella Series introduces Miele's most impressive, flexible and useful basket configurations. You can quickly and easily load every available space inside, in order to leave nothing on the outside to be washed by hand. Debuting in this series is the new split cutlery tray. This enhancement makes it possible to manipulate sections of the tray to wash taller items like wine glasses or even salad plates in the upper basket.

The upper and lower baskets are just as smart in design. In the Excella Series, a cup rack is provided in the height adjustable upper basket to fill the basket on two levels. Additionally, a glassware rail, to protect tall stemmed glasses, joins the convenient, hinged and removable inserts. The lower basket boasts Miele's signature PlateGuard Plus and StemGuard to care for all dish and stemware. More foldable spike inserts meet a removable bottle holder to keep a single tall item standing firm in place and an additional cup rack is offered on this level as well.

! indicates an enhancement or change from what is offered on Optima Series models.



Excella Series G 2630 SCi, angled control panel



Excella Series G 2670 SC SF / SCVi, fully integrated control panel



G 2630 SCi

Controls

! Plus display
Update function
Finishes

Angled control panel
Control panel colors (GW 630/730):

white, black, stainless steel
Accepts custom door panel

Features

19 wash programs including

! China & Crystal setting and 8 additional specialty cycles

Vario[™] temperature settings

AutoSensor

CleanAir™ drying system

MaxSpace™ stainless steel interior

14 place setting capacity

Deep, height adjustable upper basket with hinged and removable insert

- ! One sectioned cup rack
- ! One height adjustable cup rack
- ! Glassware rail
- ! Split cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard and foldable spike insert with StemGuard

Accommodates plates up to 121/4"

Removable bottle holder

Intake/drain fault indicator

Rinse aid refill indicator

24 hour delay start / countdown

Built-in water softener

Detergent options

- ! Automatic load size sensor
- ! Information button

Acoustic function monitor

Double waterproof system
Child safety lock

- ! Q₄ Acoustics™
- ! 312 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

Tall glassware insert

Multi-function basket™

Large diameter plate insert



G 2670 SC SF

Controls

! Incognito Plus display Update function

Finishes

Prefinished: stainless steel with Profi door handle

Concealed control panel

Features

19 wash programs including

! China & Crystal setting and 8 additional specialty cycles

Vario[™] temperature settings

AutoSensor

CleanAir™ drying system

MaxSpace[™] stainless steel interior

14 place setting capacity

Deep, height adjustable upper basket with hinged and removable insert

- ! One sectioned cup rack
- ! One height adjustable cup rack
- ! Glassware rail
- ! Split cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard and foldable spike insert with StemGuard

Accommodates plates up to 121/4"

Removable bottle holder

Intake/drain fault indicator

Rinse aid refill indicator

24 hour delay start / countdown

Built-in water softener

Detergent options

- ! Automatic load size sensor
- Information button

Acoustic function monitor

Optical function monitor

Double waterproof system

- ! Q₄ Acoustics™
- ! 312 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

Tall glassware insert

Multi-function basket™

Large diameter plate insert



G 2670 SCVi

Controls

! Incognito Plus display Update function Finishes

Concealed control panel

Accepts custom door panel

Features

19 wash programs including

! China & Crystal setting and 8 additional specialty cycles

Vario[™] temperature settings

AutoSensor

CleanAir™ drying system

MaxSpace™ stainless steel interior

14 place setting capacity

Deep, height adjustable upper basket with hinged and removable insert

- ! One sectioned cup rack
- ! One height adjustable cup rack
- ! Glassware rail
- ! Split cutlery tray
- ! Lower basket with PlateGuard Plus and StemGuard and foldable spike insert with StemGuard

Accommodates plates up to 121/4"

Removable bottle holder

Intake/drain fault indicator

Rinse aid refill indicator

24 hour delay start / countdown
Built-in water softener

Detergent options

- ! Automatic load size sensor
- ! Information button

Acoustic function monitor

Optical function monitor

Double waterproof system

- ! Q₄ Acoustics™
- ! 312 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

Tall glassware insert

Multi-function basket™ Large diameter plate insert

LA PERLA



Crème de la Crème

LaPerla represents a culmination of over 108 years of appliance production experience – 78 years specifically in the dishwasher category - and presents the very best operational features, basket configurations and technical attributes Miele has to offer. As a matter of fact, it is the most feature-rich and quietest dishwasher Miele has ever produced.

Adaptable Good Looks

Aesthetically speaking, LaPerla is a work of art and can easily incorporate into virtually any kitchen décor. The control panel, which utilizes state-of-the-art and proprietary Miele Navitronic™ technology, is available in white, black or stainless steel finish. The door panel is also adaptable to accept a custom, integrated panel to match your unique kitchen cabinetry or you may elect to endow it with a traditional white, black or stainless door panel... the choice is yours to make.

Roomy Interior

The interior boasts Miele's new highly flexible upper and lower basket configuration - suitable for 14 place settings of china. Way up top, the revolutionary separate cutlery tray, which is now split to allow cleaning tall items underneath, is available to house a generous amount of flatware and cooking utensils. With split and adjustable racks and inserts abound, LaPerla is flexible and easy to adapt to specific loading needs. It even comes with a unique Multi-function Basket™ that is specially designed to hold baby bottles! No baby, no problem... the basket is a great repository for small, odd-shaped items as well.



So Easy to Use

At Miele we feel that technology without ease-of-use is no technology at all. That's why we saved Miele's latest advancement in operational control for debut on our flagship dishwasher product... LaPerla. Navitronics™ is a touch control operational system that gives you immediate access to many useful wash programs and options. In less than three commands the dishwasher is on. Knowing which program is best for removing a stubborn food type is just a program away. Eight specialty wash cycles are programmed to do battle with specific food items like cheese and starch. Additionally, specialty wash cycles are available and labeled under dish or stemware name. For example the Plastics and China & Crystal programs are available. Navitronics™ puts all of the latest dishwashing technology right at your fingertips in a friendly menu system that's as easy to use as your car stereo.



Convenience

The spotless care of your fine dish and stemware is priority one for Miele dishwashers. Our unique water softening system and AutoSensor controls ensure these results. A key additive, dishwasher salt, is required to support this system. In the LaPerla, the compartment to fill the salt additive is conveniently located in the door so filling the unit and maintaining the performance of your dishwasher is so easy.

Left photo: Featured with a stainless steel control panel and a custom integrated door panel is the G 2830 SCi La Perla dishwasher.



LA PERLA





LaPerla G 2830 SCi, angled control panel

* Control panels come prefinished (on LaPerla dishwashers only).

! indicates an enhancement or change from what is offered on Excella Series models.

G 2830 SCi

Controls

! Navitronic[™] touch control display Update function

Finishes

Angled control panel

* Control panel colors: white, black, stainless steel

Accepts custom door panel

Features

19 wash programs including China & Crystal setting and 8 additional specialty cycles

Vario[™] temperature settings

AutoSensor

CleanAir™ drying system

MaxSpace™ stainless steel interior

14 place setting capacity

Deep, height adjustable upper basket with hinged and removable insert

One sectioned cup rack

One height adjustable cup rack

Glassware rail

Split cutlery tray

Lower basket with PlateGuard Plus and StemGuard and foldable spike insert with StemGuard

! Multi-function basket™

Accommodates plates up to 121/4"

Removable bottle holder

Intake/drain fault indicator

Rinse aid refill indicator

24 hour delay start / countdown

Built-in water softener

Detergent options

Automatic load size sensor

Information button

Acoustic function monitor

! Salt compartment in the door Double waterproof system Child safety lock

! Q₅ Acoustics™

! 351 kWh consumption per year

Optional Accessories

Cappuccinatore insert

Glassware insert

Tall glassware insert

Large diameter plate insert

SLIMLINE SERIES

Small Treasures

Miele's Slimline dishwasher series is hailed the world over for providing superior cleaning performance and quiet operation in a convenient and stylish 18 inch wide package.

A Slimline is an ideal choice as the primary dishwasher in space premium layouts or as a companion to a full size dishwasher in busy households. For its size, the Slimline dishwasher compromises nothing in terms of features. Six useful wash programs and options (including the unique Top Solo option and the China & Crystal wash cycle are available on both models) are easily selected using the exposed or concealed

control panel. On the inside, there is an overwhelming capacity for nine place settings and Miele's signature separate cutlery tray so every inch of space can be effectively utilized.

Available as either an integrated or fully integrated product, the installation options will be truly customized to your décor. This is most helpful when considering placement in the primary entertaining area of your home... the dishwasher can simply disappear into cabinetry. Quiet operation ensures that you won't be competing for the attention of your dinner companions or party guests.



Interior of G 818 SCVi Dishwasher Upper basket features:

- Deep, height adjustable basket
- Fixed spiked inserts
- Two, single-section cup racks

Lower basket features:

- Hinged spiked insert
- · Removable spiked insert



Left photo: Featured with a custom integrated door panel and stainless steel control panel is the G 832 SCi Slimline Series dishwasher.







Interior of G 832 SCi Dishwasher Upper basket features:

- · Deep, height adjustable basket
- Fixed spiked inserts
- Two, single-section cup racks

Lower basket features:

- · Hinged spiked insert
- Fixed spiked insert

G 818 SCVi

Controls

Incognito controls

Update function

Finishes

Concealed control panel

Accepts custom door panel

Features

6 wash programs including special

China & Crystal setting

4 temperature settings

Passive drying system

9 place setting capacity

Height adjustable upper basket

Cutlery tray

Foldable spike design lower basket

Intake/drain fault indicator

Rinse aid refill indicator

9 hour delay start

Built-in water softener

Top Solo function

Optical function monitor

Double waterproof system

Q₃ Acoustics™

301 kWh consumption per year

Optional Accessories

Cappuccinatore insert

G 832 SCi

Controls

Touchtronic[™] controls

Update function

Finishes

Straight control panel

Control panel colors (GW 832): white,

black, stainless steel

Accepts custom door panel

Features

6 wash programs including special

China & Crystal setting

4 temperature settings

Turbothermic drying system

9 place setting capacity

Height adjustable upper basket

Cutlery tray

Foldable spike design lower basket

Intake/drain fault indicator

Rinse aid refill indicator

Built-in water softener

Top Solo function

Double waterproof system

Child safety lock

Q₁ Acoustics™

297 kWh consumption per year

Optional Accessories

Cappuccinatore insert



Slimline Series G 832 SCi, straight control panel



Slimline Series G 818 SCVi, fully integrated control panel

SLIMLINE

	PROGRAM DESCRIPTION	40,	ANTA ME	Selfa Off	MANIE OF	Ind of	A ALIA	Struct of the structure	See
	Pots & Pans For washing pots, pans and preparation dishes with dried-on food particles	•	•	•	•	•	•	•	•
	Normal For washing average soiled dishes with light fatty residues	•	•	•	•	•	•	•	•
	Normal Plus For washing average soiled dishes with heavy fatty residues							•	•
	China & Crystal For washing temperature sensitive items such as china and crystal stemware				•	•	•	•	•
RAMS	Economy For washing lightly soiled dishes with light fatty residues	•	•	•		•	•		
PROGI	SaniWash For washing and sanitizing heavily soiled dishes	•	•	•	•	•	•	•	•
STANDARD PROGRAMS	Short A quick wash program for cleaning lightly soiled, temperature sensitive items	•	•	•	•	•	•		
STA	Rinse & Hold Used to rinse items when a complete cycle is not required	•	•	•	•	•	•	•	•
	Heavy Soil For heavily soiled dishes with dried-on food particles containing starch					•	•		
	SensorWash Sensor controlled program for normally soiled dishes					•	•		
	WaterSaver Particularly low water consumption					•	•		
	EnergySaver For washing lightly soiled dishes using standard household water temperatures. The water intake temperature should be at least 115°F					•	•		
	Plastics For gentle cleaning of dishwasher-proof plastics					•	•		
"	Cheese For pots, pans and dishes heavily soiled with cheese					•	•		
GRAMS	Starch For pots, pans and dishes heavily soiled with starch					•	•		
SPECIALTY PROGRAMS	Large Items - Soiled For oversized items that are not heat-sensitive					•	•		
ECIAL	Large Items - Normal For oversized, heat-sensitive items					•	•		
SP	Glass - No Rinse Aid For cleaning glasses without rinse aid					•	•		
	Glass - No Rinse Aid Cold For cleaning glasses for immediate re-use without rinse aid					•	•		
	Plate Warming For warming dishes for immediate use					•	•		

Overview of Optional Door Panels (Applicable to Integrated and Fully Integrated Models Only)

				1			NAME OF THE PARTY		M SHOW	3		ORT	MA		della	12 P.	8
	DOOR PANEL	DOOR PANEL FINISH	HANDLE DESIGN & FINISH	PART NUMBER	6		_/_			_/_	AGO GO					NO SO	
	GDU 45/65	White		21996041												•	
	GDU 45/65	Black		21996042												•	
ATED	GDU 60/65-1	White		21995154			•			•	•		•	•			
INTEGRATED	GDU 60/65-1	Black		21995155			•			•	•		•	•			
€	Stainless steel ir for 4" toe-kick	ntegrated de	por panel	O 200-1			•			•	•		•	•			
	Stainless steel ir for 4" toe-kick	ntegrated de	por panel	O 400												•	
	4" TOE-KICK									-	_						
	GFVi 451/77	Stainless steel	Curved design, stainless steel finish	21996344									T		•		
	GFVi 453/77	Stainless steel	No handle included	21996077											•		
	GFVi 455/77	Stainless steel	Profi design, stainless steel finish	21996343											•		
	GFVi 605/77-1	Black	Profi design, stainless steel finish	21995159	•			•				•	•				
⊕	GFVi 608/77-1	Stainless steel	Classic design, stainless steel finish	21995245	•			•				•	•				
EGRATED	GFVi 608/77-1	Black	Classic design, black finish	21995210	•			•				•					
FULLY INTEG	GFVi 608/77-1	Black	Classic design, stainless steel finish	21995211	•			•				•	•				
J.	6" TOE-KICK																
	GFVi 451/72	Stainless steel	Curved design, stainless steel finish	21996346											•		
	GFVi 453/72	Stainless steel	No handle included	21996073											•		
	GFVi 455/72	Stainless steel	Profi design, stainless steel finish	21996345											•		
	GFVi 605/72-1	Stainless steel	Profi design, stainless steel finish	21995156	•	•		•	•			•	•				
	GFVi 608/72-1	Stainless steel	Classic design, stainless steel finish	21995209	•	•		•	•			•	•				

Basket Configurations

Standard Basket Configuration

Miele's standard basket configuration is applicable to all Advanta and Inspira Series dishwashers as well as the G 2150 SC Diamante model. A different lower basket configuration applies to units configured with a separate cutlery tray (noted with an "SC" in its model number).1

Upper Basket (at right)

Features:

- Deep, height adjustable basket
- Fixed spiked inserts
- Two single-section cup racks
- Coffee bar



Lower Basket (at right)

Features:

- Fixed spiked insert
- Hinged spiked insert



¹Lower Basket (with separate cutlery tray)



Lower Basket (with cutlery basket)

Advanced Basket Configuration

The advanced basket configuration is available on all Optima Series dishwasher models. Note that all Optima Series dishwashers come equipped with Miele's third-level, separate cutlery tray, therefore, only one lower basket configuration is applicable.

Upper Basket (at right)

Features:

- Deep, height adjustable basket
- Removable spiked insert on right side
- Two, single-section cup racks
- Coffee bar



Lower Basket (at right)

Features:

- PlateGuard Plus with StemGuard
- Removable and hinged spiked insert
- Fixed spiked insert
- Removable vase/bottle holder



Highly Flexible Basket Configuration

Miele's most versatile basket configuration is applicable to all Excella Series dishwashers as well as the G 2830 SCi La Perla model. Note that all Excella Series and La Perla dishwashers come equipped with Miele's revolutionary separate cutlery tray (which is split into sections on these models) therefore, only one lower basket configuration is applicable.





Split, Separate Cutlery Tray (above) Features:

• Two, removable sections

Upper Basket (at top right)

Features:


- Deep, height adjustable basket
- Removable spiked insert on right side
- Glassware rail
- One, sectioned cup rack
- One, single-section, height adjustable cup rack
- Coffee bar
- Multi-function basket[™] (included in LaPerla only)

Lower Basket (at right)

Features:

- PlateGuard Plus with StemGuard
- Removable spiked insert with StemGuard
- Fixed spiked insert
- Removable vase/bottle holder







Multi-function Basket™

Specially designed to take care of baby bottles. Its fine mesh design ensures that small parts are washed thoroughly without falling through.



Tall Glassware Insert

Insert for tall glasses and tumblers. For use in the lower basket of models with removable plate supports.



Top image: Square handle Middle image: Profi handle Bottom image: Classic handle



Cappuccinatore Insert

Each of the seven components of the cappuccinatore has its own special place in this insert, ensuring optimum cleaning results.



Large Diameter Plate Insert

Insert for plates with a maximum diameter of approximately 13³/4 inch, depending on shape of plate. For use in lower basket.




Three handle designs let you customize the look of your fully integrated dishwasher to match your personal taste and kitchen dècor. Choose from the professional style (Profi), classic or square door handle style. All are available in stainless steel finish. Please ask your dealer to see a sample of these handle styles when contemplating your final design.



Glassware Insert

Insert for long-stemmed wine glasses and champagne flutes. Glasses vary in shape and size so please try your glasses in the insert before purchasing it.




Vase/Bottle Holder

Holder for bottles and vases, for use in lower basket.

Filler Strips (not shown)

To make the installation of a Miele dishwasher easy and look perfect within a 24 inch kitchen cabinet, useful filler strips are offered. These strips completely fill-in all gaps along the sides of the dishwasher for seamless integration and are available in white, black and stainless steel. Your authorized Miele installer can assist you when it comes time to evaluate the possible need for these strips.

Installation Information G 800 Slimline Series



Interior cabinet height

Height of underside of countertop


		32 1/2	33	33 ½	34	34 ¹ /2	35	35 ½	36
	2 1/2								
	3								
	3 ¹ /2								
	4								
<i>t</i> .	4 ¹ /2								
Toe-kick height	5								
s he	5 ¹ /2								
kic	6								
-9e-	6 ¹ /2								
_	7								
	7 1/2								
	8								
	8 ¹ /2								
	9								

For Integrated installations

Acceptable combinations

Typical American installation

Water Connection





Pressure: 4.5 - 145 PSI
Drain hose: 7/8" ID - 5 feet long

110° - 130° F

Temperature:

Product and Cut-Out Dimensions G 800 Slimline Series: Integrated Model





Location Codes

- C Cutout (21/4" x 4") for water, drain and electric pass-through. Adjust according to water and drain location.
- D 5 foot flexible drain hose connects lower center rear
- E 5 foot 120 volt 15 amp 3-wire molded plug power supply connects lower left rear
- W 5 foot "Double Waterproof" flexible water intake hose connects lower center rear


Notes

- All installations must be done in accordance with local codes
- Additional 2" in height may be attained by ordering extension feet (#2702600)
- Always use skis (included) during installation to insure proper levelling

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a full height custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Panel size is determined in the following manner:



Width:

171/2" in all cases

Thickness:

3/4" in all cases

Height:

Determined using the following calculation:

Panel Height = HTC - CPH - TKH HTC = Height to underside of countertop **CPH** = Control panel height (Note 1)

TKH = Toe-kick height

Note 1: Control panel height is determined by the height of the drawers in the cabinets. This height is adjustable between 41/2" and 53/4" with spacer strips provided. Additional spacer strips and form inserts may be ordered to reach 61/4" in height.

GDU Kit Installations

In lieu of a custom front, Miele offers a decorative panel system called a GDU kit. GDU kits vary depending upon the model chosen. Each GDU kit contains a front panel and a toe-kick cover.

GDU 45/65

This GDU accepts a custom insert: Height: 2511/16" 173/16 Width: 1/8"


Thick:


Maximum Panel Weight:

White / Black Stainless Steel 12 Pounds 9 Pounds

Exposed toe-kick

Product and Cut-Out Dimensions G 800 Slimline Series: Fully Integrated Model





Location Codes

- C Cutout (2¹/₄" x 4") for water, drain and electric pass-through. Adjust according to water and drain location
- D 5 foot flexible drain hose connects lower center rear
- E 5 foot 120 volt 15 amp 3-wire molded plug power supply connects lower left rear
- W 5 foot "Double Waterproof" flexible water intake hose connects lower center rear

Notes


- All installations must be done in accordance with local codes
- Additional 2" in height may be attained by ordering extension feet (#2702600)
- Always use skis (included) during installation to insure proper levelling

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a full height custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Thickness:

Panel size is determined in the following manner:



Width: 17¹/₂" in all cases

Height: Determined using the following

calculation:

3/4" in all cases

Panel Height = HTC - TKH
HTC = Height to underside of countertop

TKH = Toe-kick height

Note: Control panel is along the top edge of unit. It is not visible when the unit is closed. A handle MUST be located on the front panel in order to open the unit.

Maximum Panel Weight: 10 Pounds

GFVi Installations

Miele offers pre-fabricated stainless steel panels for all fully integrated units. These panels are designed for various toe-kick heights and offer a choice of handle options.


Installation Information G 1000 Series

Height of underside of countertop

		1		ı	I		ı	1	I	ı	ı	
		31 ³ / ₄	32	32 1/4	32 1/2	<i>32</i> ³ / ₄	33	33 1/4	<i>33</i> ½	33 ³ / ₄	34	34 ¹ / ₄
-	1 1/2											
	2											
-	2 1/2											
-	3											
	3 ¹ /2											
<u>.</u>	4											
Toe-kick height	4 1/2											
, he	5											
kick	5 ¹ /2											
Toe-	6											
	6 ¹ /2											
	7											
-	7 1/2											
-	8											
	8 ¹ /2											
	9											

Acceptable combinations


Water Connection




Waterproof System

Temperature: 110° - 130° F
Pressure: 4.5 - 145 PSI
Drain hose: 7/s" ID - 5 feet long

Product and Cut-Out Dimensions G 1000 Series: Fully Integrated Models





Location Codes

- C Cutout (2¹/₄" x 4") for water, drain and electric pass-through. Adjust according to water and drain location
- D 5 foot flexible drain hose connects lower center rear
- E 5 foot 120 volt 15 amp 3-wire molded plug power supply connects lower left rear
- W 5 foot "Double Waterproof" flexible water intake hose connects lower center rear


Notes

All installations must be done in accordance with local codes

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a full height custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Panel size is determined in the following manner:



Width: 23⁷/₁₆" in all cases

Thickness: 3/4" in all cases

Height: Determined using the following

calculation:

Panel Height = HTC - TKH

HTC = Height to underside of countertop

TKH = Toe-kick height

Note: Control panel is along the top edge of the unit. It is not visible when the unit is closed. A handle MUST be located on the front panel in order to open the unit.

Maximum Panel Height: 30³/₈"
Minimum Panel Height: 25⁵/₈"


Maximum Panel Weight: 21 Pounds

GFVi Installations

Miele offers pre-fabricated stainless steel panels for all fully integrated units. These panels are designed for various toe-kick heights and offer a choice of handle options.

Installation Information G 2000 Series


Height to underside of countertop



Acceptable combinations

Typical American installation

Water Connection





_ .

50

Temperature: 110° - 130° F Pressure: 4.5 - 145 PSI Drain hose: $7/_{\rm g}$ " ID - 5 feet long

Product and Cut-Out Dimensions G 2000 Series: Prefinished and Integrated Models





Location Codes

- C Cutout (2¹/₄" x 4") for water, drain and electric pass-through. Adjust according to water and drain location.
- D 5 foot flexible drain hose connects lower center rear
- E 5 foot 120 volt 15 amp 3-wire molded plug power supply connects lower left rear
- W 5 foot "Double Waterproof" flexible water intake hose connects lower center rear


Notes

All installations must be done in accordance with local codes

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Panel size is determined in the following manner:



GDU Kit Installations

In lieu of a custom front, Miele offers a decorative panel system called a GDU kit. GDU kits vary depending upon the model chosen. Each GDU kit contains a front panel and a toe-kick cover.



Width: 23⁷/₁₆" in all cases

Thickness: 3/4" in all cases

Height: Determined using the following

calculation:

 $\label{eq:Panel Height} \mbox{Panel Height} = \mbox{HTC} - \mbox{CPH} - \mbox{TKH} \\ \mbox{HTC} = \mbox{Height to the underside of countertop}$

CPH = Control panel height (Note 1)

TKH = Toe-kick height

Note 1: Control panel height is determined by the height of the drawers in the cabinets. This height is adjustable between 45/8" and


57/8" with spacer strips provided.


Maximum Panel Height: 27¹/₄"
Minimum Panel Height: 21¹/₄"

Maximum Panel Weight:

White / Black 23 Pounds Stainless Steel 19 Pounds

Product and Cut-Out Dimensions G 2000 Series: Fully Integrated Models





Location Codes

- C Cutout (21/4" x 4") for water, drain and electric pass-through. Adjust according to water and drain location
- D 5 foot flexible drain hose connects lower center rear
- E 5 foot 120 volt 15 amp 3-wire molded plug power supply connects lower left rear
- W 5 foot "Double Waterproof" flexible water intake hose connects lower center rear


Notes

All installations must be done in accordance with local codes

Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a full-height custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Panel size is determined in the following manner:



Width: 23⁷/₁₆" in all cases

Thickness: 3/4" in all cases

Height: Determined using the following calculation:

Calculation.

Panel Height = HTC - TKH

 $\label{eq:htc} \textbf{HTC} = \textbf{Height to the underside of countertop}$

TKH = Toe-kick height

Note: Control panel is along the top edge of the unit. It is not visible when the unit is closed. A handle MUST be located on the front panel in order to open the unit.

Maximum Panel Height: 31⁷/₈"
Minimum Panel Height: 27³/₁₆"

Maximum Panel Weight: 21 Pounds

GFVi Installations

Miele offers pre-fabricated stainless steel and black panels for all fully integrated units. These panels are designed for various toe-kick heights and offer a choice of handle options.

Your Kitchen Vision Here

	<mark> </mark>	
W.		
	A 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	

Program Overview

ADVANTA INSE			
The contraction of the contracti	10001	45° 55° 5	SA SON
Novotronic • •			
Novotronic Touchtronic™ Incognito Navitronic™ Navitronic™			
Incognito • • • • • •	•	•	•
Prefinished Prefinished			
White • •			
Black • •			
Stainless steel • • • • • •	•		•
Integrated (control panel color)			
White Black Stainless steel Stainless steel			
Black ● ●			
Control panel positioning			
Straight			
Angled			
Concealed • • • • •	•	•	•
Accepts custom door panel	0	•	
Wash programs 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	6	6	6
Temperature settings 5	5	5	5
Standard programs Normal Plus	•	•	•
Heavy Soil			
Economy China & Crystal	•	•	•
SensorWash			
Sensol Wash			
SensorWash EnergySaver WaterSaver			
Specialty wash programs			
Passive drying system			
CleanAir™ drying system • • • • • •			
Turbothermic drying system			•
Miele acoustics rating Q ₁	Q ₁	Q ₁	Q ₁
Place settings 12 14 12 12 14 14 12 14 12 14 12 14 12 12	12	14	14
Cutlery basket • • • • • • •	•	1 1	
Cutlery tray		•	•
Basket configurations			
Split cutlery tray Basket configurations Standard Standard Standard Standard	•	•	•
Advanced			
Highly flexible			
Multi-function basket™			

		Siziki Kunan					TIMA		/		EXCELL	_A	5 8		
	in the second se	S. 22	000 Sep. 00	and	Cho Ch	in the second	A SOUTH OF STATE OF S	A SOUTH	TO SA	Son	Joseph St.	Se Constant	(i) (i) (ii) (ii) (ii) (ii) (ii) (ii) (NOW ON THE PARTY OF THE PARTY O	ڼ
S	Novotronic														
30	Touchtronic™	•	•	•	•				•					•	
CONTROLS	Incognito					•	•	•		•	•		•		
8	Navitronic™											•			
	Prefinished														
	White			•											
	Black			•											
	Stainless steel	•		•				•			•				
	Integrated (control panel color)														
FINISHES	White		•		•				•			•		•	
호	Black		•		•				•			•		•	
듄	Stainless steel		•		•				•			•		•	
	Control panel positioning														
	Straight		•											•	
	Angled	•		•	•				•			•			
	Concealed					•	•	•		•	•		•		
	Accepts custom door panel		•		•	•	•		•	•		•	•	•	
	Wash programs	6	6	6	6	6	6	6	19	19	19	19	6	6	
	Temperature settings	5	Vario™	Vario™	Vario™	Vario™	Vario™	Vario™	Vario™	Vario™	Vario™	Vario™	4	4	
	Standard programs	•	•	•	•	•	•	•	•	•	•	•	•	•	
	Normal Plus												•	•	
	Heavy Soil								•	•	•	•			
ANCE	Economy	•							•	•	•	•			
AA A	China & Crystal		•	•	•	•	•	•	•	•	•	•	•	•	
ORI	SensorWash								•	•	•	•			
PERFORM	EnergySaver								•	•	•	•			
뿝	WaterSaver								•	•	•	•			
	Specialty wash programs								8	8	8	8			
	Passive drying system												•		
	CleanAir™ drying system	•	•	•	•	•	•	•	•	•	•	•			
	Turbothermic drying system					0					0			•	
	Miele acoustics rating	Q ₂	Q ₃	Q ₃	Q ₃	Q ₃	Q ₃	Q ₃	Q ₄	Q ₄	Q ₄	Q ₅	Q ₃	Q ₁	
	Place settings	14	14	14	14	12	14	14	14	14	14	14	9	9	
	Cutlery basket														
>	Cutlery tray	•	•	•	•	•	•	•					•	•	
CAPACITY	Split cutlery tray								•	•	•	•			
PA	Basket configurations														
S	Standard	•											•	•	
	Advanced		•	•	•	•	•	•							
	Highly flexible								•	•	•	•			
	Multi-function basket™											•			

Miele Commercial Dishwashers

Introducing Miele's Commercial Product Assortment

Miele is internationally recognized as the innovator and quality leader in cleaning performance, with over 10 million dishwashers sold and over 75 years of consistent cleaning innovation. We are proud to offer the ultimate in dishwashing technology: Miele commercial dishwashers.

Miele's commercial dishwashers exceed today's need for speed, throughput and cleanliness, making them the ideal machine for a range of applications from restaurants and hotel kitchens to your busy kitchen or pantry.

Commercial Cleaning

Fast cycle times, the shortest under 10 minutes with the G 7856, ensure the quick turnaround of your dishes. And for sanitizing washes, the G 7859 offers a final rinse of 185° F for one minute, providing sanitization without the use of caustic chemicals.

These fast cycle times and hygienic washes do not come at the expense of cleaning. Unlike most commercial dishwashers, Miele systems feature dual-level cleaning with freshwater fills during every rinse in normal wash cycles. Combined with the triple spray arm system and superior water circulation, these machines provide excellent cleaning in a minimal amount of time.

High Speed Performance

Through a wide assortment of wash baskets, specialized wash programs and dual-level cleaning, Miele dishwashers enable cleaning results and flexibility not common in commercial dishwashers. Specialized programs ensure proper wash parameters for all of your cleaning needs. Selected through a simple rotary selector dial, these wash cycles feature freely programmable wash times and temperatures, providing a degree of flexibility.

Miele commercial dishwashers are designed and constructed for years of trouble-free operation, providing superior performance through the marriage of heavy-duty commercial components and generations of cleaning experience.

Speed and performance, durability and flexibility: Miele commercial dishwashing.

Bottom photo: Featured is the G 7856 commercial dishwasher.



True Commercial Construction Provides Superior Results

Professional Performance

Miele Professional (Miele's commercial/industrial product division) is world renowned as the performance leader in critical cleaning applications.

Our laboratory glassware washers provide analytically clean results for leading pharmaceutical companies and scientific research facilities all over the world. Miele washer/disinfectors set the standard for cleaning and disinfecting dental and medical instruments, an application where repeatable, high-quality performance is crucial.

Miele's complete line of residential and commercial dishwashers are built from these platforms. So if we are trusted to provide wash results that exceed the stringent specifications of our nation's leading pharmaceutical company's and dental practices, you can rest assured that we will deliver brilliant results to your family dinner table.

Miele takes steps to guarantee results both safe and swift. Miele's high volume, commercial dishwashers circulate a mere seven gallons of water at over five times the rate of a residential dishwasher. This increase in circulation ensures superior cleaning results tempered with gentle pressure so that delicate glassware is protected while being cleaned. Miele's unique spray arm design creates a strong but gentle water flow that thoroughly cleans and protects.

This attention to detail sets Miele apart, providing true commercial performance while providing superior commercial wash results.

Dynamic Design

Unmatched engineering expertise has resulted in a line of commercial dishwashers designed to both endure and deliver. With large stainless steel interior cabinets, a diverse selection of specialty baskets and inserts and two-level cleaning, Miele's commercial dishwashers guarantee ease-of-use, flexibility, increased throughput and above all, unmatched cleaning results.

Every dishwasher is equipped with a unique Waterproof System. Should your Miele dishwasher ever develop a leak, a safety valve on the incoming water line automatically shuts off the water supply. The dishwasher then stops the current cycle and activates the drain pump protecting your floor and lower levels from potential water damage.

Outstanding Flexibility Accommodates 20 or 200+!

Miele commercial dishwashers provide an ideal blend of high throughput with high performance cleaning. To achieve even greater results, specific baskets and inserts are available for even greater flexibility. Ideal for commercial environments, they feature rugged construction and efficient engineering for washing large quantities of dishes, glassware, cutlery and serving pieces.

This assortment allows you to customize the dishwasher to your specific cleaning needs, whether entire loads of china serving platters, wine glasses, cappuccino cups and saucers or baking trays, pots and pans. Through this outstanding array of commercial accessories, Miele dishwashers provide excellent throughput and unmatched flexibility. This assortment of baskets and inserts provide the adaptability to clean a wide range of specific applications.

An example is cutlery washing. When equipped with four E 437 stainless steel cutlery holders, the machines are capable of washing approximately 700 items of cutlery per wash cycle, or roughly 140 five-piece place settings. Or, when washing 2.5" diameter glasses, a combination of the O 882 and U 318/1 baskets allows 62 glasses per wash cycle. From wine glasses and champagne flutes to serving platters and appetizer plates, Miele has the specialized wash basket for your unique needs.







Ideally Suited for All Occasions







User-Friendly

Miele ushers in a new breed of commercial dishwasher: fast cycle, high performance dishwashing in a machine you would welcome in your home. Found in finer hotels, estates and luxury yachts worldwide, Miele provides short cycle high-performance dishwashing to individuals who refuse to live with the compromises inherit in traditional commercial dishwashers.

Miele dishwashers feature low ambient heat and steam, providing easy installation in kitchens and butler's pantries. Noise is lower than traditional commercial dishwashers due to excellent sound-proofing and a complete stainless steel exterior. Programs, selected through a simple rotary selector dial, feature freely programmable wash times and temperatures, providing flexibility uncommon in dishwashers.

Highly Adaptable

While most commercial dishwashers are not suited for aluminum, crystal and china, Miele's G 7856 washes them with

confidence. The difference? Unique programs and specialized detergents. The China & Crystal program pampers treasured heirloom pieces, the Rapid program expertly cleans large batches of glassware and the Intensive program deftly processes recently used cookware.

Miele also pays great attention to the environment outside the kitchen. Through efficient engineering and operation, Miele commercial dishwashers both conserve and optimize water, energy and detergent levels. This policy not only works to preserve our limited resources, but it also dramatically reduces operating costs.

Fast cycle times. Superior cleaning. Whether entertaining clients or friends, birthday parties or a gala, Miele is the perfect fit for your commercial dishwashing needs.

G 7856

Ideal for high volume entertaining Rapid wash cycle (-10 minutes), ensuring fast turnaround and high throughput

Freestanding or under-counter front loading dishwasher

Specialized *China & Crystal* program for gentle washing

7-program Multitronic control capable of meeting any demand

LED display visualizing program, fault and service status

32.3-33.5"H x 23.6"W x 23.6"D 138.6 lbs

Two electrical versions available: 208 V 60 Hz, single phase, 2 x 30A Convertible to 3 phase, 3 x 20A 240 V 60 Hz, single phase, 2 x 30A

Convertible to 3 phase, 3 x 20A



G 7859

Ideal for establishments requiring a high temperature, sanitizing final rinse Fast 20 minute wash cycle
Freestanding or under-counter front loading dishwasher
185° F (85° C) final rinse for 1 minute for sanitation
4-program Multitronic control for wash flexibility
LED display visualizing program, fault and service status
32.3-33.5"H x 23.6"W x 23.6"D
138.6 lbs

One electrical version available: 3 AC 208 V 60 Hz, 3 x 20A Convertible to single phase, 2 x 30A







Miele, Inc.

② 800.843.7231

■ 609.419.4298

③ miele.com

Beverly Hills 310.855.9470 Boca Raton 800.220.1744 x 5752 Boston/Wellesley 781.431.2225 Chicago/Kenilworth 800.843.7231 x 4838 Dallas

800.843.7231 x 5165
Denver
303.893.1423
New York City
Opening Spring 2007
Princeton
800.843.7231
Salt Lake City
801.466.0569
San Francisco

415.431.8686 Seattle

206.574.0770

Every effort has been made to ensure that the information given in this brochure is correct at the time of printing. However, due to continuous product improvement, Miele reserves the right to make changes to products and technical data without prior notice.

©2007 Miele, Inc. B999628 02/07