

FAB10URBL3



| | |
|----------------|--|
| Product family | Refrigerator |
| Installation | Free-standing |
| Category | Single door |
| Defrost | Automatic for refrigerator, manual for freezer |
| Kitchen panel | Not supplied |
| Hinge position | Right |
| EAN code | 8017709321451 |



Aesthetic

| | | | |
|--------------|-------------|---------------------------|---------|
| Aesthetics | Retro-style | Side material | Steel |
| Color | Black | Side color | Black |
| Finishing | Glossy | Logo | Applied |
| Handle | External | Door shelf profile color | Silver |
| Handle color | Chromed | Glass shelf profile color | Silver |
| Logo color | Chromed | | |

Refrigerator compartment features



| | | | |
|--|----------|-----------------------|-------|
| No. of adjustable shelves | 1 | Crisper cover | Yes |
| Number of fruit and vegetables drawers | 1 | Type of crisper cover | Glass |
| Type of adjustable shelves | Glass | Refrigerator lighting | Yes |
| Crisper drawer type | Standard | Refrigerator lighting | LED |

Refrigerator Inner Door

| | | | |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

Freezer features

Internal freezer compartment Yes

Other technical features


| | |
|--------------------------|--------------------|
| Temperature setting type | Electro-mechanical |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Compressor type | Standard |
| Foam agent | Cyclopentane |

Performance / Energy Label

| | | | |
|------------------|------------------|---------------------|--------------|
| Total volume | 4.48 cu. ft. | Refrigerator volume | 3.85 cu. ft. |
| Noise level | 37 dB(A) re 1 pW | Climatic class | SN, N, ST, T |
| Freezer capacity | 0.64 cu. ft. | | |

Electrical Connection

| | | | |
|------------------------------|------------------|-------------------|----------|
| Plug | (A) USA & Mexico | Voltage (V) | 120 V |
| Electrical connection rating | 110 W | Frequency (Hz) | 60 Hz |
| Current | 1.25 A | Power cord length | 70 7/8 " |



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.