


PGFU24X2



Product family	Cooktop
Installation	Ultra-low profile
Dimensions	24"
Power supply	Gas
Type	Gas
EAN code	8017709347437



Aesthetic



Aesthetics	Classic
Color	Stainless steel
Finishing	Satin
Material	Stainless steel
Stainless steel type	Brushed
Grates	Cast iron
Burners material	Aluminum
Control setting type	Control knobs
Controls position	Front
No. of controls	4
Controls color	Stainless steel effect
Silkscreen color	Black

Program / Functions

Burners	4
---------	---

Technical Features

Left - 3.50 kW - 12000 BTU			
Rear-center - 1.10 kW - 4000 BTU			
Front-center - 1.10 kW - 4000 BTU			
Right - 2.70 kW - 9000 BTU			
Gas safety valves	Yes	Automatic Ignition	Yes

Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary

	Ultra-low profile: Installation of product with flat edge - height of 1 mm.		Heavy duty cast iron pan stands: for maximum stability and strength.
	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.		Knobs control

Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Inox

Maximum resistance even at high temperatures: the stainless steel surface ensures durability and deformation resistance, withstanding thermal shocks without damage

Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

Standard

Optimal cooking for any dish: burners combine efficiency and practicality, ensuring precise and even results even with prolonged use.

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

4 burners for every need: cook with precision and versatility thanks to different power levels, ideal for any pot and for managing multiple dishes simultaneously.

Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.