

PSLX3BT

PS-LX3BT Full Auto Playback Turntable with Bluetooth® Connectivity

The PS-LX3BT brings rich vinyl sound to life with modern Bluetooth connectivity.¹ Connect wirelessly to headphones, soundbars, or Bluetooth speakers, or use a traditional wired setup with your favorite components. Full-auto playback lets you start listening with the push of a button.



Bullets

- 1-Step Bluetooth Connection¹
- Wired connection with built-in audio cable
- Built-in Phono EQ supports phono and line out
- Moving magnet cartridge
- Full auto playback
- Transparent dust cover
- 33 $\frac{1}{3}$ & 45 rpm playback
- Silver aluminum die-cast platter provides smooth stable playback
- SBR slip mat absorbs vibrations and reduces resonance
- Pivot bearing aluminum tone arm
- Easily secure the tone-arm with tone arm lock
- Finger lift features an easy-to-handle shape, ensuring smooth and precise operation
- Gain select switch allows you to switch the gain to match the audio level of your record
- USB ripping makes it possible to rip your vinyl records to digital files²
- Hi-Res Wireless Audio with Qualcomm aptX Adaptive (96kHz/24bit)
- A 45 rpm adapter is included for playing your favorite singles

Features

1-Step Bluetooth Connection

Effortlessly connect wirelessly to Bluetooth devices like headphones, soundbars and wireless speakers¹

Wired Connection

Enjoy a simple wired connection to receivers, powered speakers, and other components with built-in audio cable

Built-in Switchable Phono EQ

Built-in switchable phono EQ allows the turntable to connect to a home stereo, powered speakers, or another component, with or without a dedicated phono input.

Moving magnet Cartridge

The moving magnet cartridge with a stylus pressure of 3.5±0.5g delivers warm analog audio with smooth tracking

Full auto playback

One-step fully automatic playback allows the turntable to start, raise/lower the tonearm, and find the groove. When the record ends, the tonearm returns to its resting position.

Transparent dust cover

Showcase your vinyl collection with a clear dust cover that protects your turntable without hiding your favorite records.

33 $\frac{1}{3}$ & 45 rpm playback

Supports both 33 $\frac{1}{3}$ and 45 rpm speeds, allowing playback of most LPs and singles.

Silver aluminum die-cast platter

A robust, lightweight aluminum platter provides stable rotation for clear, crisp, and more accurate audio.

SBR slip mat

The synthetic rubber slip mat absorbs vibrations and reduces resonance for improved sound quality.

Pivot bearing aluminum tonearm

A precision aluminum tonearm tracks grooves accurately, revealing the fine details of your vinyl.

Tonearm lock

Easily secure the tone-arm with tone arm lock.

Tonearm finger lift

Finger lift features an easy-to-handle shape, ensuring smooth and precise operation.

Gain select switch

Choose low, mid, or high gain to match your record's audio level for clean, distortion-free playback.

USB ripping

Convert vinyl to digital files through USB, so you can enjoy your albums on the go.

Hi-Res Wireless Audio

Vinyl sounds crisp and clear while listening wirelessly with support for Hi-Res wireless audio with Qualcomm aptX adaptive (96kHz/24bit)

45 rpm adapter included

A 45 rpm adapter is included for playing your favorite singles. The adapter stores neatly inside the unit when not in use.

Accessibility

Convex dots added near the size and start buttons to help easily identify when operating the turntable.

Sustainability

More than 80% of the PS-LX3BT packaging is made from recycled paper and paper-based materials, reducing the use of virgin plastic.

Specification

Size & Weight	
Dimension (WXHxD MM)	430 mm x 117 mm x 366 mm
Dimension (WXHxD Inches)	17 in x 4 5 / 8 in x 14 1 / 2 in
Weight (KG)	approx. 3.5 kg
Weight (Pound)	approx. 7 lb 11 1 / 2 oz
General Features	
Power Requirement	AC 100-240 V 50 / 60 Hz
AC Adaptor	Yes
Power Consumption	1.8 W
Interface	
Other Input/Output	Bluetooth Transmitter: Supported codecs (SBC, aptX, aptX Adaptive)
Turntable	
Drive System	Belt Drive
Speed	33-1/3, 45 rpm
Supported Vinyl Record Sizes	7" / 12"
Platter	φ296 mm, Aluminum Diecast Alloy Component
Arm Pipe Material	Aluminum Alloy Component
Exchangeable Head Shell	No

Cartridge Type	MM
Tracking Force	3.5±0.5 g
Output Level	2.5 mV
Auto Start	Yes
Auto Return	Yes
Auto Stop	Yes
Rca Fixed Cable	Yes
Audio Output Jack	No
Earth Terminal	No
Phono Output	Yes
Line Out (Built-in Phono Pre Amp)	Yes
Gain Select	Low (-4 dB) / Mid (0 dB) / High (+6 dB)
Phono / Line Selector Switch	Yes
USB Connector	B type, No
Eco and Energy Saving	
Power Consumption (Off) *Approx	0.3 W
Power Consumption (on Standby Mode) *Approx	0.5 W
To Standby/Off Mode Activated	Low power mode is selected by setting the power button to ON and the platter stops rotating while it is connected to the mains. This product enters low power mode immediately after rotation of the platter is stopped. Eco and energy saving PROD 1/5/26, 5:02 PM PROD PS-LX3BT Automatic Wireless Turntable Specifications Audio Component Sony Global https://author-sonyglobalsolutions-prd65.adobe.com/content/sony/global/en/general/audio/audio-components/products/ps-lx3bt/spec.html?view=
Power Consumption (Network Standby Mode) *Approx	not available
Networked Standby Mode Activated - Terminals	not available

1. Interoperability and compatibility among Bluetooth® devices vary.
2. USB cable sold sep.

©2026 Sony Electronics, Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony and the Sony logo are registered trademarks of Sony Corporation. Bluetooth and the Bluetooth logo are trademarks of Bluetooth SIG, Inc. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice.