SONY



Bring your photo memories to life.

like.no.other™

S-Frame

Your memories deserve the best: a Sony® Digital Photo Frame



- Internal Memory. Store your favorite photos on internal memory with up to 512MB of internal memory (available capacity - refer spec). Or expand your storage capacity by adding a
- HDMI™ Output. Connect to your HDTV family and friends (HDMI cable required,
- **USB Ports.** Quickly transfer digital images
- Bluetooth® Ready. Transfer images wirelessly from your PC or camera phone to your compatible Sony Digital Photo Frame via Bluetooth
- Auto Power On/Off. Specify the
- Advanced Image Processing. Quickly decode and display up to

Now you can display your digital photo collection in breathtakingly vivid color – on a Sony® Digital Photo Frame. Choose from a variety of slideshow options, and watch your photo memories come to life on this stylish frame. And when not displaying images, you can set it to one of its clock or calendar modes - making it a great addition to any home or office.

* Some features not available on the DPF-D70. See reverse side for specifications.



Index. Quickly find a particular image by displaying thumbnail images.



Single Image. Display a single image in Fit-to-Screen or Entire Image modes.



Slideshows. Ten variations, including Fade, Wipe, Center Cross, Vertical Blinds, Horizontal Blinds, Multiple Image, Clock/Image, Calendar/Image, and Random.

Auto Image Rotation & Auto
Orientation Sensor. The photo frame can be set to automatically detect and rotate images to their proper orientation. Also, the frame can self-detect whether it is sitting horizontally or vertically, and then automatically rotate images accordingly.



Horizontal



Vertical



Digital Clock. Displays a running digital clock.



Analog Clock. Displays a running analog clock.



Calendar. Displays a calendar of the current month.

Auto Touch-Up Features. Images can be adjusted via the following auto-correction features.

Red-eye Correction





Skin Smoothing

Under/Over

Exposure

Focus

Correction

Enhancement











Memory Card Support. Import images or expand the storage capacity with one of these compatible memory card types, including Memory Stick® media and See specifications for



Remote Control.

SONY

		DPF-V900 / DPF-V700 / DPF-D70
LCD Screen	Size (measured diagonally)	9" (V900) / 7" (V700 / D70) 15:9
	Aspect Ratio Resolution	WVGA 800 x 480
	Actual Viewable Area	8.6" (V900) / 7" (V700 / D70)
	Actual Viewable Area Resolution	750 x 480 (V900) / 800 x 480 (V700 / D70)
	Contrast Ratio	400:1
Internal Memory	Capacity	512MB (V900 / V700) / 256MB (D70)
	Available for Digital Images	400MB (V900 / V700) / 200MB (D70)
	Approx. Number of Images	1,000 (based on 2.0MP images) (V900 / V700) /
		500 (based on 1.5MP images) (D70)
	Auto Image Resizing JPEG	Menu Selectable, On/Off, to preserve internal memory DCF Ver2.0, Exif Ver2.21
Compatible Image Formats	TIFF	Exif Ver2.21 (V900 / V700) / No (D70)
	BMP	1, 4, 8, 16, 24, 32bit Windows format (V900 / V700) / No (D70)
	RAW	RAW (preview only: SRF, SR2, ARW)
	Maximum Image Size	48 MegaPixels (8,000 x 6,000)
	Maximum File Size	100MB
Image Viewing Options	Still Image Playback	Yes (Full Screen and Entire Image modes)
	Slideshow Playback	Yes (10 patterns)
	Index View	Yes (2 types)
	Clock View	Yes (Digital and Analog Modes)
	Calendar View	Yes
	Image Rotation	Yes (Auto / Manual)
	Delete Zoom In/Out	Yes Yes
	Auto Touch-Up	Yes (Red-Eye Correction, Exposure Correction, Focus Enhancement, Skin
	·	Smoothing) (V900 / V700) / No (D70)
Compatible Memory Card Types (Read/ Write)	Memory Stick	Memory Stick, Memory Stick Duo, Memory Stick PRO, Memory Stick PRO Duo, HighSpeed Memory Stick Duo, Memory Stick Micro (M2) ¹ , MagicGate Memory Stick, MagicGate Memory Stick Duo, Memory Stick PRO-HG Duo
	SD Card	SD Card, Mini SD Card ² , Micro SD Card ² , SDHC Card, Mini SDHC Card ² , Micro SDHC Card ²
	MMC	MMC, RS-MMC ² , MMC Plus ²
	Compact Flash Card	Compact Flash Type I, Compact Flash Type II
	Microdrive (MicroVault)	Microdrive (MicroVault)
	xD-picture Card	xD-picture Card, xD-picture Card Type M, xD-picture Card Type H
Other Inputs & Outputs	USB A-type (2.0 Full-Speed)	Yes (V900 / V700) / No (D70) Yes
	USB Mini B-type (2.0 Full-Speed) HDMI Output	Yes (V900 / V700) / No (D70)
	Bravia "PhotoTV HD" Compatible	Yes (V900 / V700) / No (D70)
	Bluetooth	Yes, via optional DPPA-BT1 Bluetooth Adaptor (Version 2.0 + EDR, OPP
		and BIP Profiles) (V900 / V700) / No (D70)
Photo Frame Options	Sony Logo On/Off	Menu Selectable, On/Off
	Button Controls on Frame	Power, Menu, Up/Down Arrows, Enter (Select), View Mode
	HDMI CEC Control	Yes, On/Off Selectable (V900 / V700) / No (D70)
	Auto Image Rotation	Menu Selectable, On/Off (Auto/Manual)
Dimensions	Image Orientation Sensor	Menu Selectable, On/Off
	Digital Photo Frame	W 9.7"x H 6.4" x D 1.5" (V900) / 8.2"x 5.4" x 1.5" (V700) / 8.2"x 5.4"x 1.5" (D70)
	Digital Photo Frame, Including Stand	W 9.7"x H 6.4" x D 5.7" (V900)/ 8.2"x 5.4" x 4.9" (V700) / 8.2"x 5.4" x 4.9" (D70)
	Weight (without AC adaptor)	1.76lbs. (V900) / 1.2lbs. (V700 / D70)
Power Requirements	Power Consumption	12W (V900), 8W (V700), 7.7W (D70)
	Power Requirements	8.4V DC (V900 / V700) / 12V DC (D70)
	AC Adaptor	100-240V, 50Hz/60Hz
Supplied	AC Power Cord & Adaptor	Yes
Accessories	Remote Control	Yes

Requires Memory Stick Micro adaptor.
 An adaptor maybe required.

© 2008 Sony Electronics Inc. All right reserved. Sony, like.no.other, Memory Stick, Memory Stick PRO Duo, Sony Style, BRAVIA, MicroVault, Memory Stick Micro, MagicGate, MagicGate Memory Stick, Memory Stick PRO-HG Duo, Memory Stick Duo, Memory and S-Frame are trademarks of Sony, HDMI is a trademark of HDMI Licensing, LLC. Bluetooth is a trademark of Bluetooth SIG, Inc. All other trademarks are trademarks of their respective owners.