

OUTDOOR AUDIO



Outdoor Audio


SONANCE, THE LEADER IN ARCHITECTURAL AUDIO, offers a complete line of outdoor audio products that deliver quality sound for your lawn and garden, poolside, and patio. From weather resistant cabinet speakers to landscape enhancing enclosures, we have the solution for your outdoor audio needs.

The award winning Mariner® line has a broad range of outdoor cabinet speakers to meet various audio applications. All Mariner speakers are designed to be weather resistant, and are made to deliver high-fidelity sound even under the most demanding outdoor conditions. Install them into the SoundHenge® rock or pedestal enclosures for those who prefer to have their audio "disappear" into their landscape architecture. Our SoundHenge III enclosures add a realistic rock appearance to your landscape. They are available in granite and sandstone. The SoundHenge Pedestal enclosures are an elegant alternative to outdoor décor for music enjoyment. A classic in column design, these enclosures can even be used indoors for a decorative touch.

Sonance also offers an Outdoor Planter speaker, perfect for patio environments. The Outdoor Planter is designed to be a real planter while providing stereo sound and has a built-in speaker that utilizes our proprietary Single Stereo Technology (SST), allowing the user to experience quality stereo sound from just one speaker.

Need more bass for your outdoor parties? The new CRK Woofer is the answer! Disguised as a granite rock, the CRK Woofer is a 10 woofer with 10 - 150 watt power handling. It is the best value for quality bass performance out there.















- Complete line of High Performance weather resistant speakers.
- Aesthetically pleasing SoundHenge III rock enclosures, Pedestal enclosures, or Planters that conceal yet deliver great sound.
- Mariner Speakers are completely paintable allowing color matching or camouflaging.

Mariner Weather-Resistant Outdoor Speakers:



Mariner 300

Tweeter: 3/4" (19mm) Aluminum dome; magnetically shielded Woofer: 5-1/4" (133mm) Magnetically shielded carbon fiber cone with rubber surround
Frequency Response: 55Hz - 20kHz ± 3dB Impedance: 8 ohms nominal/5.5. ohms minimum

Power Handling: 5 to 80 watts

SPL: 90dB 1W/1m Grilles: Aluminum

Dimensions (W x H x D): 7-1/2" x 11" x 7-1/4" (191mm x 279mm x 184mm) Special Features: Weather resistant ents and hardware

Bracket: Multi-pivot bracket system included Boating & RV compatible Also available in Black



Mariner H20

magnetically shielded
Woofer: (Two) 5 1/4" (133mm) Magnetically shielded polypropylene cone with rubber surround

Frequency Response: 55Hz - 20kHz ± 3dB

ohms minimum

Power Handling: 5 - 100 watts

Grilles: Aluminum

Dimensions (W x H x D): 7-1/2" x 21" x 7-1/4"

components and hardware Bracket: C-bracket system included Boating & RV compatible



Mariner 200

Tweeter: 3/4" (19mm) Cloth dome; magnetically shielded Woofer: 5-1/4" (133mm) Magnetically shielded polypropylene cone with rubber surround

Frequency Response: 60Hz - 20kHz ± 3dB Impedance: 8 ohms nominal/5.5

ohms minimum Power Handling: 5 - 70 watts SPL: 89dB 1W/1m

Grilles: Aluminum

Orimensions (W x H x D): 7-1/2" x 11" x 7-1/4" (191mm x 279mm x 184mm)

Special Features: Weather resistant

components and hardware

Bracket: Multi-pivot bracket system included

Boating & RV compatible Also available in Black



Mariner 100

Tweeter: 5/8" (16mm) Polycarbonate dome Woofer: 5-1/4" (133mm) Polypropylene cone with urethane surround

Frequency Response: 65Hz - 20kHz ± 3dB Impedance: 8 ohms nominal/5.5 ohms minimum Power Handling: 5 - 60 watts SPL: 88dB 1W/1m

Grilles: Aluminum

Grilles: Aluminum
Dimensions (W x H x D): 7-1/2" x 11" x 7-1/4"
(191mm x 279mm x 184mm)
Special Features: Weather resistant

components and hardware

Bracket: Multi-pivot bracket system included

Boating & RV compatible Also available in Black



Mariner SST

ngle Stereo Technology: Get great stereo

Tweeters: (Two) 5/8" (16mm)

Weeters: (IWO) 378 (Tomm)
Polycarbonate domes
Woofer: 5-1/4" (133mm) Polypropylene cone
Frequency Response: 65Hz - 20kHz ± 3dB
Impedance: 8 ohms nominal/6 ohms minimum

Power Handling: 5 - 65 watts SPL: 88dB 1W/1m

Special Features: Weather resistant

Rock Speakers:

components and hardware

Dimensions (W x H x D): 7-1/2" x 11" x 7-1/4"

(191mm x 279mm x 184mm) Boating & RV compatible Also available in Black

CRK20

Bracket: Multi-pivot bracket system included



Tweeter: 1" (25mm) Cloth dome;

Impedance: 8 ohms nominal/4

SPL: 90dB 1W/1m

(191mm x 533mm x 184mm) Special Features: Weather resistant

Also available in Black



Mariner JR.20

Tweeter: 3/4"(19mm) Cloth dome; magnetically shielded
Woofer: 4" (102mm) Magnetically shielded
polypropylene cone with rubber surround

Frequency Response: 67Hz-20kHz±3dB Impedance: 8 ohms nominal/ 5.5 ohms minimum

Power Handling: 5 - 50 watts SPL: 87dB 1W/1m Grilles: Aluminum

Dimensions (W x H x D): External - 5-13/16" x

9-1/8" x 6-1/4" (148mm x 232mm x 159mm) Special Features: Weather resistant components and hardware

Bracket: C-bracket system included Boating & RV compatible Also available in Black



Mariner JR.10

Tweeter: 5/8" (16mm) Polycarbonate dome Woofer: 4" (102mm) Polypropylene cone

with urethane surround
Frequency Response: 70Hz-20kHz±3dB

Impedance: 8 ohms nominal/ 5.5 ohms minimum Power Handling: 5 - 40 watts SPL: 87dB 1W/1m

Grilles: Aluminum Dimensions (W x H x D): External -

5-13/16" x 9-1/8" x 6-1/4" (148mm x 232mm x 159mm) Special Features: Weather resistant

components and hardware

Bracket: C-bracket system included Boating & RV compatible Also available in Black

Outdoor Planter

Tweeter: Two 5/8" (16mm)

Woofer: 6-1/2" (165mm) Dual voice coil, polypropylene cone, rubber surround. Frequency Response: 50Hz -20kHz ± 3 dB Impedance: 8 ohms nominal Power Handling: 10-80 Watts

Dimensions (Dia x D): 20" x 17-1/2"

polycarbonate dome

SPL: 89dB 1W/1m

(508mm x 445mm)



SPL: 90dB 1W/1m

Granite Finish

CRK10

Tweeter: 5/8" (16mm) polycarbonate dome Woofer: 6-1/2" (165mm) black Polypropylene cone with a rubber surround Frequency Response: 50Hz - 20kHz ± 3dB Impedance: 8 ohms nominal Power Handling: 10 - 100 Watts
SPL: 89dB 1W/1m
Dimensions (W x H x D): 10-1/2" x 8-7/8"

Tweeter: 1" (25mm) polyurethane dome Woofer: 8" (203mm) black Polypropylene cone with a rubber surround Frequency Response: 40Hz - 20kHz ± 3dB Impedance: 8 ohms nominal Power Handling: 5 - 150 Watts

Dimensions (W x H x D): 15-1/2" x 13-1/2" x 11-1/2" (394mm x 343mm x 292mm)

x 7-1/2" (267mm x 225mm x 191mm) Granite Finish



CRKW

Woofer: 10" (254mm) Dual voice coil, black

Polypropylene cone with a rubber surround **Frequency Response:** 35Hz - 150kHz ± 3dB Impedance: 8 ohms nominal Power Handling: 5 - 150 Watts

SPL: 90dB 1W/1m

Dimensions (W x H x D): 19-3/8" x 16-7/8" (14-3/8" (492mm x 429mm x 365mm)

SoundHenge Enclosures:



SoundHenge III

- Hides all Mariner Speakers (except H2O)
- Weather resistant resin construction
 Stainless steel and aluminum hardware
- Available in Granite or Sandstone finish Dimensions (W x H x D): 22" x 18" x 16" (559mm x 457mm x 406mm)







SoundHenge Pedestal

- Hides all Mariner Speakers
- Weather resistant resin construction
 Available in Granite or paintable White Dimensions (W x H x D): 13" x 13" x 30"

TAKE THE TOUR AT WWW.SONANCE.COM



