

**SHARP**<sup>®</sup>

11452/SHA  
BuyLine 8637

# M I C R O W A V E O V E N S

*You Won't Believe What They Can Do*



Carousel<sup>®</sup>

R-90GC

Sharp introduces the latest technology in the art of speed cooking—the High Speed Oven that cooks up to five times faster than a traditional oven. It's the perfect choice for time-crunched homeowners and families who want exceptional performance in a speed cook oven. The revolutionary cooking system combines super-heated high-speed convection air circulation with an occasional microwave boost for superior baking, roasting and grilling. By combining versatility and speed, it's the perfect second oven as well as a deluxe microwave. The stainless steel design fits beautifully in high-end kitchens. Optional built-in kits are available for 27-inch or 30-inch installations. And it's from Sharp, the industry leader in microwave oven innovation and styling.



R-90GC

## High Speed Cooking... It's about time

**AUTOMATIC SETTINGS** ensure ease of use and perfect results: 84 Basic Cook settings, 100 Recipes and 17 Microwave Options.

**MANUAL OPTIONS** include Speed Bake, Speed Roast, Speed Grill and Convection with and without preheat for manual use.

**DISPLAY 3-LINE, 30-DIGIT LIGHTED COMMUNICATION DISPLAY** makes using the oven simple. It explains every step and provides helpful hints and tips.

**MICROWAVE OPTIONS** include CompuCook, CompuDefrost, Reheat and Popcorn—17 in all.

**BEAUTIFUL COOKBOOK** is included with 100 easy-to-prepare recipes that yield mouthwatering results and are easily programmed.

**STURDY HANDLE** on the pull-down door increases placement options and allows ease of opening.

**OPTIONAL ACCESSORIES** Built-In Kit: RK-90S30 and RK-90S27





R-1214

It's the same old question. *Where should you place the microwave oven?* On a shelf? Built-in? Under the cabinet? Over the range? Will you need custom cabinets or a special built-in kit? How can you get the microwave off the counter? Is there an easy way to achieve the built-in look without the "custom" price? The Sharp Over the Counter™ (OTC) concept not only represents a new idea in microwaves, it revolutionizes the entire category. It's an ideal space-saver in a crowded kitchen and a functional and sleek alternative in an open kitchen. Add one into a kitchen renovation, put a second in a wet bar addition. These microwaves work just about anywhere!

## The OTC™ Solution—a Better Idea



Sharp R-1200 (black) and R-1201 (white) OTC microwave ovens include an entire menu of one-touch cooking options.

Sharp's Over the Counter microwaves have 1.5 cubic feet of cooking space, and each includes a 14 1/8" Sharp Carousel® turntable—the largest turntable of any microwave in its class. And with 1100 watts of power, these microwave ovens are as powerful as they are space-conscious. The Auto-Touch® Control Panel is located underneath the oven's door making it easy to see and easy to use. Available in stainless (R-1214), black (R-1200 or R-1210 with Sensor) or white (R-1201 or R-1211 with Sensor). Optional Accessory Kit RK-OTC120 is ideal for keeping essential cooking utensils handy.



R-1201 or R-1211 shown in white-on-white



R-1514



R-1510

The look of Sharp's Hide & Sleek™ Over the Range Microwaves is clean, uncluttered and symmetrical. Sharp has discreetly concealed the Auto-Touch® Control Panel behind the oven's door. Accessible, because the controls are right next to the cooking area. Stylish, because they're tucked out of sight. The flush design fits beautifully with other appliances. The interior is 1.5 cu. ft. with 1000 watts of cooking power and a large 14 1/8" diameter turntable. Sensor technology provides 11 settings to eliminate guesswork. The powerful 300 CFM ventilation system has a 2-speed fan to remove smoke and steam from range-top cooking. Available in stainless, black, white or bisque, these ovens offer the convenient, attractive features and styling you expect from Sharp.

# Hide & Sleek Over The Range

**CLEAN AND UNCLUTTERED DESIGN** with concealed Auto-Touch® Control Panel located behind the oven's door. The controls are easy to reach and hidden from view. Smooth glass window adds elegance and practicality.

**LARGE 14 1/8" CAROUSEL® DIAMETER TURNTABLE** – the largest of any microwave in its class—for added capacity and versatility. Holds 2-quart oblong, 4-quart oval or 5-quart round cookware.

**SENSOR COOK® CENTER** includes 11 Smart & Easy® sensor settings for the most popular microwaved foods. No need to set times or power levels—and no guesswork!

**INTERACTIVE COOKING SYSTEM** with Custom Help® includes options for English, Spanish or French. Seven-digit display provides feedback and step-by-step instructions. Includes child lock and audible signal elimination.

**DEFROST CENTER** quickly defrosts meats and poultry by weight. Specific program for each category assures excellent, even results.

**KEEP WARM PLUS** lets you keep hot food hot up to 30 minutes after cooking is finished with no loss of food quality.

**INSTANT ACTION™ KEYS** save time and make microwaving easy! Touch once for each serving—up to eight. Oven starts automatically.

**POWERFUL 300 CFM VENTILATION SYSTEM** with 2-speed fan has 3 convenient venting options. Range hood includes work light and night light.



R-1514

Sharp's Platinum Microwave Oven uses advanced design techniques to offer simple solutions. Using Sharp's exclusive technology to conveniently display the Auto-Touch® Control Panel on the oven's door, this 1.4 cu. ft. model boasts a narrow footprint – one that's nearly 5" slimmer than ordinary microwave ovens – saving valuable counter space. An optional 24" Built-in Kit is available for built-in applications. The R-630DSA is shown at right with 24" built-in kit, tucked neatly beneath a countertop. Controls along the top of the unit and the side opening door handle make the microwave easier to reach and far more convenient to use.



R-630DSA installed under counter with 24" built-in kit RK6S24.

R-630DSA

## Versatile Locations

**16" SHARP CAROUSEL® TURNTABLE** is large enough to hold and rotate a 9" x 13" casserole. With its sleek, smaller profile and larger usable capacity, there's no other microwave like it!

**COUNTERTOP OR BUILT-IN**, no other full-size microwaves offer this much flexibility. Only 19 1/2" wide, the R-630DSA fits in locations other microwave ovens won't go. With the optional 24" wide built-in kit, this model is ideal for under-the-counter locations. Features include a convenient side-opening door handle.

**AUTO-TOUCH CONTROLS** across the top of the door feature Sensor Cooking, More from Your Microwave, special defrost settings, Beverage Center and Touch On. Instant Action™ controls also are available.

**16 SMART & EASY SENSOR SETTINGS** automatically select optimum cooking times and power levels for popular food groups, including Popcorn and Reheat.

**SUPER DEFROST** automatically defrosts 1-lb. portions of ground beef and boneless chicken breasts up to 50% faster. CompuDefrost™ automatically defrosts virtually any food category.

**2-LINE, 16-DIGIT INTERACTIVE DISPLAY** makes communication faster and easier to read. It guides you through the cooking process and offers a variety of helpful hints in English, Spanish or French.

**"MORE FROM YOUR MICROWAVE"** provides 31 additional cooking / reheating / defrost selections, enabling you to defrost, cook and heat a variety of breakfast and lunch items as well as popular one-dish dinners, all automatically. Recipes are provided, of course!



R-630DSA

R-1870 | R-1871 | R-1872 | R-1874

With these Over the Range convection microwave ovens, Sharp brings new meaning to multi-functional convenience. Now consumers can brown, bake, broil, crisp and roast with microwave, convection, combination and broil options. One oven does it all, without taking up any counterspace. They come in a choice of designer colors and finishes: R-1874 (stainless), R-1870 (black), R-1871 (white) or R-1872 (bisque). A generous 1.1 cu. ft. stainless steel interior easily handles a variety of cooking needs and 850 watts offer cooking power to spare.



R-1874

## Combination Cooking



R-1871

**LARGE 13" DIAMETER CERAMIC TURNTABLE** offers ON/OFF flexibility to handle oversized or oblong-shaped dishes or containers.

**BUILT-IN EXHAUST SYSTEM** offers horizontal or vertical discharge or ductless recirculation. It comes with a hood light and powerful fan.

**7-DIGIT, 2-COLOR INTERACTIVE DISPLAY** spells out programming steps on a lighted easy-to-read display. **CUSTOM HELP** key offers helpful cooking hints and step-by-step instructions for special features such as Child Lock and Auto Start.

**SMART & EASY SENSOR** settings automatically determine and set cooking or reheating times and power levels for a variety of popular foods, including baked potatoes, frozen entrees, vegetables, hot dogs, bacon and fish/seafood.

**COMPU BROIL®**, **COMPU ROAST®** & **COMPU BAKE®** settings provide a new level of automatic ease. Broil a steak, roast a chicken or bake a cake to perfection at the touch of a key.

**HIGH RACK** is included for two-level baking.

**LOW RACK** may be used for baking, roasting or broiling.

## R-530ES, R-430CS

Sharp Carousel® Microwave Ovens lead the industry in styling and feature innovations. These elegant large capacity stainless steel microwave ovens convey the sophisticated look of a product with smart, innovative engineering. Designed to meet the growing demand for professional-type equipment in the home, durable stainless steel is as practical as it is beautiful. However, sleek styling isn't all that sets these ovens apart. Packed with advanced performance to meet every cooking and entertaining need, they offer a wide array of timesaving features that eliminate cooking and programming guesswork. Available with 16" turntable, 2.0 cu. ft. capacity and 1200 watts of cooking power (R-530ES) or 14 1/8" turntable, 1.4 cu. ft. capacity, 1100 watts (R-430CS). Perfect on the countertop or built-in (using optional RK-51S27 or RK-51S30 stainless-look Built-in Kits for R-530ES, or RK-46S24 for R-430CS). Stainless steel makes everything look more professional, even the person using it.



R-530ES

R-430CS | R-530ES | R-930CS

# Sophisticated Stainless Steel

## R-930CS CONVECTION

Whether preparing a single meal or a lavish feast, the R-930CS Stainless Steel Convection Microwave offers a multitude of possibilities. A 4-way system with a 15 3/8" diameter porcelain enamel turntable allows Convection Baking, Broiling, Combination Roasting and Baking, plus microwave convenience – all in one space-saving design. It also has high and low racks to satisfy multiple convection or combination cooking needs. Smart & Easy™ Sensor Settings eliminate cooking blunders for 8 different food categories. CompuDefrost™ quickly thaws meats and poultry. At 900 watts of power with a 1.5 cu. ft. stainless steel interior, this oven works great as a counter-top unit or wall oven (using either an optional 27" or 30" Built-in Kit.) The R-930CS makes everything possible, whether it's baking a cake, warming a casserole, broiling a steak, roasting a turkey or just popping popcorn – proving that its beauty isn't limited to its lustrous exterior. Also available in black (R-930AK) or white (R-930AW).

R-930CS



R-930CS

# SPECIFICATIONS

MODEL:	R-90GC	R-930CS R-930AK R-930AW	R-1874 R-1872 R-1871 R-1870	R-1514 R-1512 R-1511 R-1510	R-1214 R-1211 R-1210 R-1201 R-1200	R-630DSA	R-530ES
<b>TYPE OF OVEN/ CONTROL:</b>	High-Speed Convection/Touch	Full Size Convection/Touch	Over the Range Convection/Touch	Over the Range Concealed Touch Controls	Over the Counter Auto-Touch on Door	Full Size Auto-Touch on Door	Full Size Auto-Touch
<b>OVEN CAPACITY:</b>	1.1 cu. ft.	1.5 cu. ft.	1.1 cu. ft.	1.5 cu. ft.	1.5 cu. ft.	1.4 cu. ft.	2.0 cu. ft.
<b>TURNTABLE DIAMETER:</b>	13" porcelain enamel	15 3/8" porcelain enamel	13" ceramic	14 1/8" glass	14 1/8" glass	16" glass	16" glass
<b>OUTPUT POWER:</b>	Microwave: 1000W Heaters: 2900W	900W	850W	1000W	1100W	1100W	1200W
<b>OUTSIDE DIMENSIONS (W, H, D):</b>	21 5/8" x 16" x 22 1/4"*	24 5/8" x 14 7/8" x 18 3/4"	29 15/16" x 16 11/32" x 15 9/32"	29 15/16" x 16 1/4" x 15 9/16"	23 7/8" x 14 1/16" x 15 9/16"	19 1/2" x 14" x 20 9/8"	24" x 13 3/8" x 19 1/8"
<b>SENSOR:</b>		Yes- 10 settings	Yes- 12 settings	Yes- 13 settings	R-1210/11/14: Yes- 11 settings	Yes- 16 settings + More from Your Microwave	Yes- 13 settings
<b>INTERACTIVE DISPLAY:</b>	3-line Communication Display	Yes- 7 digit	Yes- 7 digit	Yes- 7 digit	R-1210/11/14: 7 digit R-1200/01: 5 digit	Yes- 2 line 16 digit	Yes- 2 line 12 digit
<b>AC POWER REQUIRED:</b>	240 V, 15A, 60 Hz, AC only, NEMA 6-15R/P	1.55kW, 13A	1.64kW, 13.2A	1.64kW, 14.0A	1.53kW, 13.0A	1.65kW, 14A	1.65kW, 13.8A
<b>White</b>		R-930AW	R-1871	R-1511	R-1211, R-1201		
<b>Black</b>		R-930AK	R-1870	R-1510	R-1210, R-1200		
<b>Silver</b>						R-630DSA	
<b>Bisque</b>			R-1872	R-1512			
<b>Stainless</b>	R-90CG stainless door; silver painted cabinet	R-930CS stainless door; silver painted cabinet	R-1874	R-1514 stainless door; silver painted cabinet	R-1214 stainless door; silver painted cabinet		R-530ES stainless door; silver painted cabinet
<b>UPC CODES:</b>	R-90GC:074000610989	R-930CS:074000637870 R-930AW:074000606043 R-930AK:074000606036	R-1874:074000610910 R-1872:074000611023 R-1871:074000610163 R-1870:074000610156	R-1514:074000611122 R-1512:074000611771 R-1511:074000610439 R-1510:074000610422	R-1214:074000611696 R-1211:074000610415 R-1210:074000610408 R-1201:074000610347 R-1200:074000610330	R-630DSA:074000608863	R-530ES:074000639652
<b>Optional Accessories: (Available at Extra Cost)</b>	RK-90S30 (stainless look) RK-90S27 (stainless look)†	RK-66WB (white) RK-66A (black) RK-93S27 (stainless look) RK-93S30 (stainless look) Trim Kit for built-in installations†	RK-220 Charcoal Filter for non-ducted installations†	RK-240 Charcoal Filter for non- ducted installations included with product	RK-OTC120: 2 brushed stainless steel accessory bars with 8 custom S hooks	RK6S24 (silver) Trim Kit for built-in installations†	RK-51S27 (stainless look) RK-51S30 (stainless look) Trim Kit for built-in installations†

All Sharp Microwave Ovens require a minimum 15 amp circuit. Design and specifications subject to change without notice. \*Refer to Operation Manual for complete installation recommendations.

Your Sharp Microwave Oven can be built into your kitchen wall or cabinet using the appropriate Sharp Built-in Kit. Complete hardware and easy-to-follow instructions are included. Prepare cabinet or wall opening according to the illustration at left, providing access to a separate 3-pronged, 120V AC outlet, 15 amps. or larger.

	A	B	C	D	E	F	G	H	I
<b>RK-46S24</b>	17 1/8"	23 1/2"	15 13/16" ± 1/8"	—	not used	—	—	22 3/16" ± 1/8"	min. 19 1/4"
<b>RK-66A, RK-66WB</b>	19 7/8"	26 7/8"	17 1/8" (+ ht. of wood)	17 1/8"	nominal 2" x 2"; actual 1 9/16" x 1 9/16"	15"	18 3/8" ± 1/8"	25 1/4" ± 1/8"	min. 19 1/2"
<b>RK-93S27</b>	20 1/8"	26 7/8"	17 1/8" (+ ht. of wood)	17 1/8"	nominal 2" x 2"; actual 1 9/16" x 1 9/16"	15 5/8"	18 3/8" ± 1/8"	25 1/4" ± 1/8"	min. 19 1/2"
<b>RK-93S30</b>	20 1/8"	29 7/8"	17 1/8" (+ ht. of wood)	17 1/8"	nominal 2" x 2"; actual 1 9/16" x 1 9/16"	15 5/8"	18 3/8" ± 1/8"	28 1/4" ± 1/8"	min. 20 1/8"
<b>RK-51S27</b>	18 1/8"	26 11/16"	16 7/8" ± 1/8"	—	not used	—	—	24 1/2" ± 3/16"	min. 20"
<b>RK-51S30</b>	18 1/8"	29 11/16"	16 7/8" ± 1/8"	—	not used	—	—	24 1/2" ± 3/16"	min. 20"
<b>RK-6S24</b>	19 7/8"	23 1/2"	18 3/16" ± 1/8"	16 1/2"	nominal 2" x 2"; actual 1 9/16" x 1 9/16"	16 1/2"	14 1/16" ± 1/8"	22 1/16" ± 1/8"	min. 21 1/16"
<b>RK-90S27</b>	21 1/4"	26 7/8"	20 1/8" ± 1/8"	—	steel raisers; actual 1 11/16" x 7 9/16"	22 3/4"	11 7/8" ± 1/8"	25 5/8" ± 1/8"	min. 22 3/4"
<b>RK-90S30</b>	21 1/4"	29 7/8"	20 1/8" ± 1/8"	—	steel raisers; actual 1 11/16" x 7 9/16"	22 3/4"	11 7/8" ± 1/8"	28 5/8" ± 1/8"	min. 22 3/4"

To receive the most current specifications, call Dimension Express at (702) 833-3600 from a fax machine. Enter code 9026 for instructions and a directory of Sharp microwave oven products.

Each Sharp Over the Range microwave oven can be easily adapted for either outside ventilation (vertical or horizontal) or non-vented, ductless recirculation. Make sure the top of oven will be at least 66" from the floor and at least 30" from the cooking surface. A separate 15 amp. or greater electrical receptacle must be located in the cabinet directly above the microwave oven.

**LIMITED WARRANTY (R-930CS, R-930AK, R-930AW, R-530ES, R-430CS, R-630DSA):**  
5 years on magnetron tube, 1 year on all other parts, 1 year on related labor and carry in service.\*  
See Operation Manual or your dealer for complete details.  
\* 1 year in-home service will be provided when built in using applicable Sharp Built-in Kit.

**LIMITED WARRANTY (R-1754, R-1752, R-1751, R-1750, R-1514, R-1512, R-1511, R-1510, R-1214, R-1211, R-1210, R-1201, R-1200):** 7 years on magnetron tube, 1 year on all other parts, 1 year on related labor and in-home service. See Operation Manual or your dealer for complete details.

**LIMITED WARRANTY (R-1874, R-1872, R-1871, R-1870):**  
7 years on magnetron tube, 2 years on all other parts, 2 years on related labor and in-home service. See Operation Manual or your dealer for complete details.

**LIMITED WARRANTY (R-90GC):** 1 year parts and 1 year labor with in-home service. The warranty continues for an additional 6 years, for a total of 7 years, on the magnetron tube with in-home service provided. See Operation Manual or your dealer for complete details.