- USB⁵ 1-Wire for iPod^{®2}, iPhone[®], Walkman[®] player and other USB devices⁵ lets you
 directly connect, charge, and control your digital music player via the USB jack in the
 front of the unit, as well as view metadata like song title and artist on the front display.
- Splash proof front panel design meets IPx5 standards for resistance to water.
- Quick-BrowZer[®] lets you search and select songs by category, including artist, album, genre, or playlist.
- Jump Mode gets you closer to the song you want by allowing you to fast forward through a music category in 10 percent increments.
- With Zappin™, you can play music in 6, 9, or 30-second clips until you find the song you're looking for.
- Passenger Control lets your co-pilot control the music playing from your iPod^{®2} via a connected wire, and as they scan through your music, artist and album information is conveniently shown on the receiver display.
- Multi-format playback lets you play CDs, CD-Rs, or CD-RWs loaded with hundreds of MP3, WMA, or AAC songs¹.
- Hear the music on your recorded CDs and MP3s in their original vibrancy with DM+ (Digital Music Plus), an original Sony® codec enhancer that reproduces detailed and high-frequency sound from compressed audio files.
- UV Resistant front panel coating protects faceplate helps prevent discoloration from the sun.
- Conformal coating circuit board to protect the electronic assembly from damage due to contamination, salt spray, moisture, fungus, dust and corrosion caused by harsh or extreme environments.
- The rear auxiliary input lets you connect almost any portable audio device to your car's sound system.
- The CDX-H910UI integrates seamlessly with satellite radio Sony® Bus adaptors so you can receive digital satellite radio broadcasts³.
- HD Radio[®] ready⁴ so you can receive digital audio broadcasts when used with an optional HD Radio tuner3.
- The Sony Marine CDX-H910UI delivers 52 watts of peak power to all four speakers for bass-pumping sound.
- A built-in LPF (Low Pass Filter) work to deliver overall better sound.
- The included Wireless Card Remote allows users to control the basic functions of your Sony Marine system while keeping your eyes on the water.





CDX-H910UI

Marine CD Receiver MP3/WMA/AAC Player w/ USB Wire for iPod® & USB devices

- Splash-proof Rated to meet IPx5 standards, the CDX-H910UI is capable of resisting a 12.5 liter/minute spray of water from a distance of 2.5 meters for a period of three minutes-that's more than a splash.
- DRIVE-S Chassis Sony® DRIVE-S technology provides the ultimate audio platform, upon which to build a system that caters to
- 3x Preouts with HPF/LPF The Sony® CDX-H910UI includes three preouts so you can boost your boat's sound system with minimal effort and maximum flexibility
- MP3/WMA Playback¹ Play CDs, CD-Rs, and CD-RWs including discs loaded with MP3s and WMA files1
- SAT Radio³ / HD Radio^{® 4} Adaptor ready The CDX-H910UI integrates seamlessly with satellite radio Sony® Bus adaptors so you can receive digital satellite radio broadcasts3
 - HD Radio® ready so you can receive digital audio broadcasts when used with an optional HD Radio tuner4
- USB⁵ 1 Wire for iPod®² Now, one single head unit can access and control your iPod®2 , iPhone® , Walkman® player and other USB ⁵ enabled Thumb-Drive and memory devices.
- Quick-BrowZer® Quick-BrowZer® lets you quickly search for and select songs while driving.
- Passenger Control Let your co-pilot take control Passenger Control lets your passengers play DJ while you drive.
- Zappin™ Plays music clips by scanning your music collection. Find your favorites quickly and easily by a simple touch of the Zappin™
- DM+ Advanced This Sony® original codec enhancer brings your compressed music files back to life.

Level Control: -8dB ~ +18dB

CD Text Display: Yes Illumination: Red & Blue

On-Screen Clock: 12H

Display Technology: LCD

Color: Glossy Black on Matte Black

Preout Voltage: 2 volt S/N Ratio: CEA2006 S/N 82 dB Frequency Response: 10-20,000Hz

Wow and Flutter: Below Measurable Limit Station Preset(s): FM18/AM12 Digital-to-Analog Converter: 24bit

Audio Format: BTM

Tuner Frequency Range: FM:Tuner Frequency Range(MHz): 87.5-108.0 50 kHz step), 87.5-107.9 (at 200 kHz step), AM:Tuner Frequency Range(kHz): 530-1602 (9 kHz

step), 530-1710 (10 kHz step)
Tone Control(s): Low: +/-10 dB at 60Hz (XPLOD)
Mid: +/-10dB at 1kHz (XPLOD)

High: +/-10dB at 10kHz (XPLOD) Tuner Type: SSIR-EXA

Output Impedance: 4-8 Ohms

Volume Control: Tel/Nav Attenuation CD Playback: Wow and flutter-Below measurable limit

Band: AM / FM

Sensitivity (db): FM:Usable sensitivity (75)(dBf): 10 Signal-to-Noise Ratio (dB): CD: 120dB

Tilt Range: 45°

Menu Options: Auto Title Scroll

Speaker Impedance: 4-8 Ohms

FM Usable Sensitivity: 10 dBf Selectivity: Sony BUS Control with CD-Text S/N Ratio: 70 dB

Frequency Response: 20 - 15,000 Hz Stereo Separation: 40 dB at 1 kHz

Power Consumption (in Operation): 45W

Output Power: 52W x4 High Power-23.2 watts per channel minimum continuous average power into 4 Ohms, 4 channels driven from 20 Hz to 20 kHz with no more than 5% total harmonic distortion

Input Power: 12 V DC car battery (negative ground (earth))

Digital Audio Input(s): - Ability to use all forms of USB devices may vary as not all devices are compatible

This unit can be connected to the following iPods. Update your iPod to the latest software before you use it.

- -iPod Nano 1st generation*
 -iPod Nano 2nd generation (aluminum)
 -iPod Nano 3rd generation (video)
- -iPod 5th generation (video)?
 -iPod Classic
- -iPod Touch
- -iPhone
- * When you connect iPod Nano1st generation or iPod 5th generation, Passenger Control is not available
- -This unit is compliant with MSC (Mass Storage Class) and MTP (Media Transfer Protocol) type USB devices compliant with the USB standard
- -This unit cannot recognize USB devices via a USB hub.

If you have any questions or problems concerning your unit that are not covered in this manual, consult your nearest Sony dealer.

Input(s): Rear USB⁵ pig-tail (1.5 m),

BUS audio input terminal,

Rear Aux In

USB Port(s): USB Full-Speed

Antenna Terminal(s): Aerial Input Terminal Audio Out (Variable/Fixed): Speaker outputs (sure seal connectors) 12V Trigger Output(s): Power antenna

Amplifier turn on

Remote Jack: Optional Wired Remote input Infrared Port: Remote Controller Input Terminal Analog Audio Input(s) (Total): Rear Aux-In

Weight: 1.4Kg Measurements: 197 x 89 x 187mm

Supplied Accesso

Parts for installation and connections (1 set) Card remote commander: RM-X151

Replacement remote: RM-X151 CD changer (10 discs): CDX-M757MX CD changer (6 discs): CDX-T69 Source selector: XA-C40

Aux-in selector: XA-300

HD Radio® tuner: XT-100HD Marine Remote Commander: RM-X60M/R Marine Remote Commander: RM-X11M iPod® Connection Cable: RC-100IP

Color: Glossy Black on Matte Black UPC Code: 027242746596

- Not all MP3, WMA, AAC files may playback due to file variations. Copyright protected ACCLC files cannot be played back.
- 2. Ability to use all generations of iPod products may vary as not all products are compatible
- 3. Satellite radio service requires a satellite radio tuner and service subscription, sold 4. HD Radio® capability requires an optional HD Radio tuner (XT-100HD). 5. Ability to use all forms of USB devices may vary as not all devices are compatible.
- 3. Nulliy to use a informs of use devices may vary as not an areviews are companion.
 2009 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, Memory Stick, nav-u, Quick BrowZer, Walkman, Xplod, ZAPPIN, and the Sony, nav-u and Xplod logos are trademarks of Sony. iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries. Bluetooth is a trademark of Bluetooth SIG, Inc. NAVTEQ. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice. Non-metric weights and measures are approximate



Please visit the Dealer Source for current information at www.sonv.com/dealersource