

Chronoscope



CHRONOSWISS

Faszination der Mechanik

Chronoscope

- first automatic wristwatch-chronograph with Regulator-dial
- central handling of all chronograph functions through a crown-integrated pusher
- First Prize „Watch of the year“ 2003 awarded by Armbanduhren magazine



Display hour, minute, second,
Chrono-center-second

Case massive 22-part case, smoothed and polished, screwed, decorative bezel with one-sided antireflective sapphire crystal, screwed back with one-sided antireflective sapphire crystal, turnip crown (gold- and gold-/steel-watches with massive gold-crown, platinum models with massive platinum-crown) with integrated pusher for the chronograph functions and removable gasket system monopulsante (exclusively reserved for Chronoswiss), also water-resistant when pressing the pusher of the crown for the chronograph-functions, crown complete removable, screwed-on strap bars with patented system Autobloc, water-resistant up to 3 atm (30m)

Dial silver-plated dial with applied Arabic numerals, minute-circle with $\frac{1}{6}$ second-division (360 division-lines) also available with window for the column wheel function (blued column wheel)

Hands polished, red-blued „Lie de vin“ steel hands pear (Poire), Chrono-hands arrow (Flèche)



Movement

Manufacture Caliber C.125

Basic Caliber Enicar 165

automatic winding

Modification	complete new constructed caliber, chrono-center-wheel with ball-bearing (premiere in chronographs)
Diameter	26,80 mm (11 $\frac{3}{4}$ ")
Height	7,85 mm
Jewels	30
Balance	Glucydur, three-sided
Balance-Spring	Nivarox I flat balance-spring
Regulation	by eccentric
Shock-Absorber	Incabloc
Frequency	3 Hz, 21.600 vibrations per hour (vph)
Power-Reserve	35 hours
Workmanship	skeletonized and gilt rotor (platinum models with massive platinum rotor) with Côte Genève polish, ball bearing, polished pallets, palletwheel and screws, circular-grained bottom plate and bridges with Côte Genève polish, individually numbered



Chronoscope



CH 1521



CH 1522



CH 1523

1:1

Reference No.	Case	Dial	Strap	Clasp
CH 1520*	platinum 950 (66 g)	silver-plated	Louisiana-Crocodile-Leather	platinum 950
CH 1520 rc*	platinum 950 (66 g)	silver-plated	Louisiana-Crocodile-Leather	platinum 950
CH 1521 W	18 carat white gold (52 g)	silver-plated	Louisiana-Crocodile-Leather	18 carat white gold
CH 1521 W rc	18 carat white gold (52 g)	silver-plated	Louisiana-Crocodile-Leather	18 carat white gold
CH 1521	18 carat gold (52 g)	silver-plated	Louisiana-Crocodile-Leather	18 carat gold
CH 1521 rc	18 carat gold (52 g)	silver-plated	Louisiana-Crocodile-Leather	18 carat gold
CH 1521 R	18 carat red gold (52 g)	silver-plated	Louisiana-Crocodile-Leather	18 carat red gold
CH 1521 R rc	18 carat red gold (52 g)	silver-plated	Louisiana-Crocodile-Leather	18 carat red gold
CH 1522	18 carat gold (13 g)/steel	silver-plated	Louisiana-Crocodile-Leather	18 carat gold/steel
CH 1522 rc	18 carat gold (13 g)/steel	silver-plated	Louisiana-Crocodile-Leather	18 carat gold/steel
CH 1522 R	18 carat red gold (13 g)/steel	silver-plated	Louisiana-Crocodile-Leather	18 carat red gold/steel
CH 1522 R rc	18 carat red gold (13 g)/steel	silver-plated	Louisiana-Crocodile-Leather	18 carat red gold/steel
CH 1523	steel	silver-plated	Louisiana-Crocodile-Leather	steel
CH 1523 rc	steel	silver-plated	Louisiana-Crocodile-Leather	steel

* limited to 99 pcs. worldwide


Dimensions diameter 38 mm, height 12 mm

Width of the strap 20 mm case / 18 mm clasp

Clasp screwed-on clasp with patented system Autobloc

Specials all models are also available with metal bracelet or folder buckle (see bracelet or buckle section)

Dial-Variations



CH 1520 rc
CH 1521 W rc
CH 1521 rc
CH 1521 R rc
CH 1522 rc
CH 1522 R rc
CH 1523 rc