



Cooking



Models Shown: ABB2527DEW (Refrigerator), AER5845QAF (Range) And AMV6177AA (Microwave)



Easy Touch 800 Oven Controls

Easy Touch Controls

Easy Touch oven controls are available on 5.22 cu. ft. and 4.0 cu. ft. freestanding gas and electric ranges.

Bolded items indicate step-up features.



EASY TOUCH 300

- Electronic Clock With Timer
- 12-Hour Auto Shutoff



EASY TOUCH 500

- Electronic Clock With Timer
- **Cook & Hold Setting**
- **Keep Warm Setting**
- **Delay Setting**
- 12-Hour Auto Shutoff
- **Control Lockout**
- **Sabbath Mode**
- **Self-Clean**



EASY TOUCH 700

- **Electronic Clock With Timer And Temperature Display**
- **Favorite Setting**
- **Cook & Hold Setting**
- **Keep Warm Setting**
- **Delay Setting**
- 12-Hour Auto Shutoff
- **Control Lockout**
- **Sabbath Mode**
- **Self-Clean**



EASY TOUCH 800

- **Easy-Use Convection With Auto Conversion**
- **Electronic Clock With Timer And Temperature Display**
- **Favorite Setting**
- **Cook & Hold Setting**
- **Keep Warm Setting**
- **Delay Setting**
- 12-Hour Auto Shutoff
- **Control Lockout**
- **Sabbath Mode**
- **Self-Clean**



AGR5835QDS

Freestanding 5.22 Cu. Ft. Gas Ranges

CLEAN-N-SIMPLE™ DESIGN

- Self-Cleaning Oven With Adjustable Cleaning Levels (Light, Medium, Heavy)
- Hidden Bake Burner
- Smooth-Gloss Porcelain Backguard
- SpillSaver™ Upswept Cooktop Design
- Sealed-Surface Burners And Lift-Off Burner Caps

BASE FEATURES

- 5.22 Cu. Ft. Capacity
- Extra-Large Window
- 8 Rack Positions
- Temp-Assure™ Preheat
- Cook & Hold Setting
- Keep Warm Setting
- Delay-Bake Oven Control
- 12-Hour Auto Shutoff
- Electronic Clock With Timer
- Sabbath Mode
- Control Lockout
- Hi/Lo Broil
- Interior Oven Light
- Heavy-Duty Cast-Iron Burner Grates
- Storage Drawer
- LP Kit Included

Bolded items indicate step-up features.




AGR5715QD

- 4 Sealed Gas Burners:
 - (1) 12,000-/11,000-BTU Burner
 - (2) 9,200-/9,100-BTU Burners
 - (1) 5,000-/4,000-BTU Burner
- Four-Piece Cast-Iron Grates
- Easy Touch 500 Oven Controls
- 2 Oven Racks



AGR5735QD

- 4 Sealed Gas Burners:
 - (1) **16,000-/14,000-BTU Burner**
 - (2) 9,200-/9,100-BTU Burners
 - (1) 5,000-/4,000-BTU Burner
- **Two-Piece Cast-Iron Grates**
- **Trivet Grate**
- **Easy Touch 700 Oven Controls**
- **Dual Temperature And Clock Display**
- **Favorite Setting**
- **1 Oven Rack And 1 EasyRack™ Oven Rack**



AGR5835QD

- **Easy-Use Convection With Auto Conversion**
- 4 Sealed Gas Burners:
 - (1) 16,000-/14,000-BTU Burner
 - (2) 9,200-/9,100-BTU Burners
 - (1) 5,000-/4,000-BTU Burner
- Two-Piece Cast-Iron Grates
- Trivet Grate
- **Easy Touch 800 Oven Controls**
- **Dual Temperature And Clock Display**
- **Favorite Setting**
- **2 Oven Racks And 1 EasyRack™ Oven Rack**



For additional feature information, see specifications chart on page 50.



AER5735QAB

Freestanding 5.22 Cu. Ft. Electric Ranges

CLEAN-N-SIMPLE™ DESIGN

- Self-Cleaning Oven With Adjustable Cleaning Levels (Light, Medium, Heavy)
- Hidden Bake Element
- Smooth-Gloss Porcelain Backguard
- SpillSaver™ Upswept Cooktop Design

BASE FEATURES

- 5.22 Cu. Ft. Capacity
- Extra-Large Window
- 8 Rack Positions
- Temp-Assure™ Preheat
- Cook & Hold Setting
- Keep Warm Setting
- Delay-Bake Oven Control
- 12-Hour Auto Shutoff
- Electronic Clock With Timer
- Sabbath Mode
- Control Lockout
- Hi/Lo Broil
- Interior Oven Light

Bolded items indicate step-up features.




AER5515QA

- 4 Removable Coil Elements:
(2) 6", 1,500-Watt Elements
(2) 8", 2,350-Watt Elements
- 4 Porcelain-Enamel Drip Bowls
- Porcelain-Steel Cooking Surface
- Easy Touch 500 Oven Controls
- 2 Oven Racks
- Storage Drawer



AER5715QA

- **Glass-Ceramic Cooking Surface**
- **4 Ribbon Radiant Elements:**
(2) 6", 1,200-Watt Elements
(2) 9", 2,500-Watt Elements
- **Element ON/HOT Indicator Light**
- Easy Touch 500 Oven Controls
- 2 Oven Racks
- Storage Drawer



AER5725QA

- Glass-Ceramic Cooking Surface
- 4 Ribbon Radiant Elements:
(2) 6", 1,200-Watt Elements
(1) 9", 2,500-Watt Element
(1) **9 1/2", 2,400-/700-Watt Dual Element**
- Element ON/HOT Indicator Light
- Easy Touch 500 Oven Controls
- 2 Oven Racks
- Storage Drawer



AER5735QA

- Glass-Ceramic Cooking Surface
- **5 Ribbon Radiant Elements:**
(2) 6", 1,200-Watt Elements
(2) 9 1/2", 2,400-/700-Watt Dual Elements
(1) **100-Watt Warming Zone™ Element With Adjustable Temperature**
- Element ON/HOT Indicator Light
- **Easy Touch 700 Oven Controls**
- **Dual Temperature And Clock Display**
- **Favorite Setting**
- **1 Oven Rack And 1 EasyRack™ Oven Rack**
- Storage Drawer



AER5845QA

- **Easy-Use Convection With Auto Conversion**
- Glass-Ceramic Cooking Surface
- 5 Ribbon Radiant Elements:
(2) 6", 1,200-Watt Elements
(2) 9 1/2", 2,400-/700-Watt Dual Elements
(1) 100-Watt Warming Zone™ Element With Adjustable Temperature
- Element ON/HOT Indicator Light
- **Easy Touch 800 Oven Controls**
- Dual Temperature And Clock Display
- Favorite Setting
- **Warming Drawer**
- **Automatic Interior Oven Light**
- 2 Oven Racks And 1 EasyRack™ Oven Rack





Freestanding 4.0 Cu. Ft. Gas Ranges

BASE FEATURES

- 4.0 Cu. Ft. Oven Capacity
- Porcelain Backguard
- Towel-Bar Door Handle
- One-Piece Burner Grates
- 2 Oven Racks
- High-Performance Sealed Gas Burners
- Counterbalanced Oven Door
- Upswept Cooktop Design
- Pull-Off Control Knobs

Bolded items indicate step-up features.



AGR4400AD

- 4 Sealed Gas Burners:
 - (1) 12,000-BTU Burner
 - (2) 9,200-BTU Burners
 - (1) 7,200-BTU Burner
- Heavy Steel Grates



AGR4412AD

- 4 Sealed Gas Burners:
 - (1) 12,000-BTU Burner
 - (2) 9,200-BTU Burners
 - (1) 7,200-BTU Burner
- **Easy Touch 300 Electronic Oven Controls**
- **Extra-Large Oven Window**
- Interior Oven Light
- Cast-Iron Grates
- 12-Hour Auto Shutoff
- Control Lockout



AGR5712AD

- 4 Sealed Gas Burners:
 - (1) 12,000-BTU Burner
 - (2) 9,200-BTU Burners
 - (1) 7,200-BTU Burner
- **Self-Cleaning Oven**
- **Self-Cleaning Oven Door Latch**
- **Easy Touch 500 Electronic Oven Controls**
- Extra-Large Oven Window*
- Interior Oven Light
- **Full-Width Storage Drawer**
- Cast-Iron Grates
- 12-Hour Auto Shutoff
- Control Lockout



* Stainless Steel model features standard-size oven window.

For additional feature information, see specifications chart on page 52.

Freestanding 4.0 Cu. Ft. Electric Ranges

BASE FEATURES

- 4.0 Cu. Ft. Oven Capacity
- Porcelain Backguard
- Versatile Element Configurations
- Interior Oven Light
- Full-Width Storage Drawer
- 12-Hour Auto Shutoff
- Control Lockout
- Towel-Bar Door Handle
- Easy Touch Electronic Oven Controls
- Oven Window
- Four-Pass Recessed Broiler
- 2 Oven Racks
- Electronic Clock With Timer
- Counterbalanced Oven Door
- Upswept Cooktop Design

Bolded items indicate step-up features.



AER4311AA

- 4 High-Performance Coil Elements:
 - (2) 6", 1,250-Watt Elements
 - (2) 8", 2,100-Watt Elements
- Easy Touch 300 Electronic Oven Controls
- 4 Chrome Drip Bowls



AER5511AA

- 4 High-Performance Coil Elements:
 - (2) 6", 1,250-Watt Elements
 - (2) 8", 2,100-Watt Elements
- **Easy Touch 500 Electronic Oven Controls**
- 4 Chrome Drip Bowls
- **Self-Cleaning Oven**
- **Self-Cleaning Oven Door Latch**



AER5712AA

- **Glass-Ceramic Cooking Surface**
- **4 Ribbon Radiant Elements:**
 - (2) 6", 1,200-Watt Elements
 - (2) 9", 2,500-Watt Elements
- Easy Touch 500 Electronic Oven Controls
- **Element ON/HOT Indicator Light**
- **Extra-Large Oven Window***
- Self-Cleaning Oven
- Self-Cleaning Oven Door Latch



* Stainless Steel model features standard-size oven window.

For additional feature information, see specifications chart on page 52.



AES5730BAS

Slide-In Ranges

BASE FEATURES

- Electronic Clock With Timer
- Control Lockout
- 2 Oven Racks
- 5 Rack Positions
- Sabbath Mode
- Delay-Bake Oven Control
- Keep Warm Setting
- Cook & Hold Setting
- Recessed Broil Element (Electric Models)
- Sealed-Surface Burners And Lift-Off Burner Caps (Gas Models)
- Heavy-Duty Cast-Iron Burner Grates (Gas Models)
- Interior Oven Light
- Storage Drawer

Bolded items indicate step-up features.


AES1350BA

- 30" Electric
- 4.3 Cu. Ft. Oven Capacity
- 4 Removable Coil Elements:
(2) 6", 1,500-Watt Elements
(2) 8", 2,350-Watt Elements
- Easy Touch 500 Oven Controls
- Chrome Drip Bowls


AES3540BA

- 30" Electric
- 4.3 Cu. Ft. Oven Capacity
- 4 Removable Coil Elements:
(2) 6", 1,500-Watt Elements
(2) 8", 2,350-Watt Elements
- Easy Touch 500 Oven Controls
- **Self-Cleaning Oven**
- **Delay-Clean Oven Control**
- **Porcelain Drip Bowls**


AGS1740BD

- 30" Gas
- 4.5 Cu. Ft. Oven Capacity
- 4 Sealed Gas Burners:
(1) 12,000-BTU Burner
(2) 9,200-BTU Burners
(1) 5,000-BTU Simmer Burner
- Easy Touch 500 Oven Controls


AGS3760BD

- 30" Gas
- 4.5 Cu. Ft. Oven Capacity
- 4 Sealed Gas Burners:
(1) 12,000-BTU Burner
(2) 9,200-BTU Burners
(1) 5,000-BTU Simmer Burner
- **Easy Touch 700 Oven Controls**
- **Self-Cleaning Oven**
- **Extra-Large Window**


AES3760BA

- **30" Electric Smoothtop**
- 4.3 Cu. Ft. Oven Capacity
- **4 Ribbon Radiant Elements:**
(2) 6", 1,200-Watt Elements
(2) 9", 2,500-Watt Elements
- **Easy Touch 700 Oven Controls**
- **Element ON/HOT Indicator Light**
- Self-Cleaning Oven
- Delay-Clean Oven Control
- **Favorite Setting**
- **Extra-Large Window**


AES5730BA

- **30" True-Color Electric Smoothtop**
- 4.5 Cu. Ft. Oven Capacity
- 5 Ribbon Radiant Elements:
(2) 6", 1,200-Watt Elements
(1) **100-Watt Warming Zone™ Element With Adjustable Temperature**
- (2) 9"/6", 2,400-/1,000-Watt Dual Elements
- **Easy Touch 800 Oven Controls**
- Element ON/HOT Indicator Light
- **Hidden Bake Element**
- Self-Cleaning Oven
- Delay-Clean Oven Control
- **1 Standard Oven Rack And 1 EasyRack™ Oven Rack**
- Favorite Setting
- **Automatic Oven Light**
- Extra-Large Window


AGS5730BD

- 30" Gas
- 4.5 Cu. Ft. Oven Capacity
- 4 Sealed Gas Burners:
(1) **16,000-BTU High-Output Burner**
- (2) 9,200-BTU Burners
(1) 5,000-BTU Simmer Burner
- **Easy Touch 800 Oven Controls**
- Self-Cleaning Oven
- **Delay-Clean Oven Control**
- **1 Standard Oven Rack And 1 EasyRack™ Oven Rack**
- **Automatic Oven Light**
- Extra-Large Window





AEW4630DDS

Electric Wall Ovens

BASE FEATURES

- Easy Touch Controls
- Favorite Setting
- Cook & Hold Setting
- Electronic Clock With Timer
- Control Lockout
- Large Viewing Window
- 4 Rack Positions
- Automatic Oven Light
- Six-Pass Broiler
- Sabbath Mode
- Adjustable Self-Cleaning Oven With Auto Door Lock
- Delay-Clean Option
- Smooth-Surface Control Panel

Bolded items indicate step-up features.



AEW3530DD

- 30" Single Electric Wall Oven
- 3.8 Cu. Ft. Capacity
- 2 Oven Racks
- Under-Counter/Cooktop Installation



AEW4530DD

- 30" Single Electric Wall Oven
- 3.8 Cu. Ft. Capacity
- **Easy-Use Convection With Auto Conversion**
- **3 Oven Racks**
- Under-Counter/Cooktop Installation



AEW3630DD

- 30" Double Electric Wall Oven
- 3.8 Cu. Ft.-Capacity Upper Oven/
3.8 Cu. Ft.-Capacity Lower Oven
- 2 Upper Oven Racks, 2 Lower Oven Racks



AEW4630DD

- 30" Double Electric Wall Oven
- 3.8 Cu. Ft.-Capacity Upper Oven/
3.8 Cu. Ft.-Capacity Lower Oven
- **Easy-Use Convection With Auto Conversion (Upper Oven)**
- **3 Upper Oven Racks, 2 Lower Oven Racks**



For additional feature information, see specifications chart on page 55.




AKS3040BS (With Aftermarket Backsplash And UXT2030AS Kitchen Hood)

Gas Cooktops

BASE FEATURES


- High-Performance Sealed Gas Burners
- Recessed Porcelain Or Stainless Steel Cooktop Surface
- Cast-Iron Burner Grates
- Infinite Burner Control Settings
- Countertop/Island/Peninsula Installation

Bolded items indicate step-up features.




AKS3040B

- 30" Gas Cooktop
- 4 Sealed Gas Burners:
 - (1) **5,000-BTU Burner With 650-BTU Simmer Setting**
 - (2) 9,200-BTU Burners
 - (1) 12,500-BTU Burner
- **One-Piece Continuous Cast-Iron Grates**
- Right- Or Left-Hand Installation
- Installs Over 30" Amana® Wall Oven Or Cabinet



AKS3640

- 36" Gas Cooktop
- **5 Sealed Gas Burners:**
 - (3) 9,200-BTU Burners
 - (1) 12,500-BTU Burner
 - (1) 10,500-BTU Burner
- One-Piece Continuous Cast-Iron Grates
- Installs Over 30" Amana® Wall Oven Or Cabinet



ACC3660A

- 30" Gas Downdraft Cooktop
- Variable-Speed Downdraft Ventilation System
- ON Indicator Light
- Shipped With 2 ACS200 Sealed Gas Burner Cartridges:
 - (1) 12,500-BTU Burner
 - (2) 9,700-BTU Burners
 - (1) 7,600-BTU Burner
- Optional Cartridges Available:
 - ACG200 — Griddle
 - ACL200 — Grill
 - ACS200 — Sealed Burner



For additional feature information, see specifications chart on page 56.



AKT3650W

Electric Cooktops

BASE FEATURES

- True-Color Glass-Ceramic Cooktop Surface
- Dual Element(s)
- Counter-Flush Installation Kit Available
- Countertop/Island/Peninsula Installation
- Element ON/HOT Indicator Lights

Bolded items indicate step-up features.



AKT3040

- 30" Electric Cooktop
- Amana® Designer Pattern
- 4 Ribbon Radiant Elements:
 - (1) 6", 1,200-Watt Element
 - (1) 7", 1,500-Watt Element
 - (1) 8", 2,000-Watt Element
 - (1) 9"½", 2,500-/1,000-Watt Dual Element
- 2 ON, 4 HOT Indicator Lights
- Right- Or Left-Hand Installation
- Installs Over 30" Amana® Wall Oven Or Cabinet



Trim Only



AKT3650

- 36" Electric Cooktop
- Amana® Designer Pattern
- 5 Ribbon Radiant Elements:
 - (1) 6", 1,200-Watt Element
 - (1) 7", 1,500-Watt Element
 - (1) 8", 2,000-Watt Element
 - (1) 9"½", 2,500-/1,000-Watt Dual Element
 - (1) **Warming Zone® Element With Adjustable Temperature**
- 2 ON, 5 HOT Indicator Lights
- Right- Or Left-Hand Installation
- Installs Over 30" Amana® Wall Oven Or Cabinet



Trim Only




AMV6177AA

Amana® Radarange® Over-The-Range Microwave Ovens

BASE FEATURES

- Auto Defrost
- 10 Power Levels
- Turntable
- Control Lockout
- Touchmatic® Control System
- Digital Clock With Kitchen Timer
- Scrolling Word-Prompt Display
- Custom Program
- Interior Oven Light
- Surface Vent
- External/Internal Ventilation
- Charcoal Odor Filter
- Surface Light
- **Cooking Complete Reminder**

Bolded items indicate step-up features.



AMV1162AA

- 1.5 Cu. Ft. Capacity
- 1,000 Watts
- Timed Defrost
- 220-CFM, Two-Speed Vent Fan
- 5 Programmed Pads



AMV4204AA

- 2.0 Cu. Ft. Capacity
- 1,150 Watts
- Turntable On/Off Control
- Wire Rack
- Warm/Hold
- Soften And Melt Options
- Timed Defrost
- **Rapid Defrost (1 Lb.)**
- 220-CFM, Two-Speed Vent Fan
- 3 Programmed Pads




AMV5164AA

- 1.6 Cu. Ft. Capacity
- 1,000 Watts
- Turntable On/Off Control
- Wire Rack
- More/Less Adjust
- Warm/Hold
- Timed Defrost
- Rapid Defrost (1 Lb.)
- 220-CFM, Two-Speed Vent Fan
- 4 **Sensor Programmed Pads**



AMV5164AAS

- Same Features As AMV5164AA



AMV5206AA

- 2.0 Cu. Ft. Capacity
- 1,100 Watts
- Turntable On/Off Control
- Wire Rack
- **Halogen Surface Light**
- More/Less Adjust
- Warm/Hold
- Soften And Melt Options
- Timed Defrost
- Rapid Defrost (1 Lb.)
- **300-CFM, Five-Speed Vent Fan**
- 4 **Sensor Programmed Pads**



AMV6177AA

- 1.7 Cu. Ft. Capacity
- 950 Watts
- Turntable On/Off Control
- 2 **Wire Racks**
- **Halogen Interior And Surface Lights**
- More/Less Adjust
- Warm/Hold
- **Convection Cook — Variable Temperatures**
- **Auto Combination Cooking**
- Soften And Melt Options
- Rapid Defrost (1 Lb.)
- 300-CFM, Five-Speed Vent Fan
- 3 Programmed Pads





ACM1580AA

Amana® Radarange® Countertop Microwave Ovens

BASE FEATURES

- Turntable
- Auto Defrost
- 10 Power Levels
- Touchmatic® Control System
- Digital Clock
- Cooking Complete Reminder
- Programmed Pads
- Interior Oven Light

Bolded items indicate step-up features.



AMC4080AA

- 0.8 Cu. Ft. Capacity
- 800 Watts
- 12-Hour Digital Clock
- Under-Cabinet Mounting Kit Included



* Limited Availability.



AMC5101AA

- 1.0 Cu. Ft. Capacity
- 1,000 Watts
- 12-Hour Digital Clock
- Sound On/Off
- Kitchen Timer
- More/Less Adjust
- Control Lockout
- Handy Helper
- Kids' Meals
- Snack Bar
- Auto Reheat
- Lbs./Kg Option



ACM1580AA

- Convection/Combination (Roast/Bake)
- 1.5 Cu. Ft. Capacity
- 1,000 Watts
- 12-Hour Digital Clock
- Kitchen Timer
- More/Less Adjust
- Easy Cook™ Pad*
- Warm
- Control Lockout
- Sensor Popcorn Pad
- Able To Be Built In
- Trim Kits Available



* Easy Cook™ Function — Each push adds 30 seconds up to 3½ minutes, then each push adds 1 minute up to 99 minutes.



ACM2160AA

- 2.1 Cu. Ft. Capacity
- 1,100 Watts
- 24-Hour Digital Clock
- Kitchen Timer
- 3 Program Levels
- More/Less Adjust
- Easy Cook™ Pad*
- Warm/Hold
- Control Lockout
- Able To Be Built In
- Trim Kits Available
- 5 Sensor Programmed Pads



* Easy Cook™ Function — Each push adds 30 seconds up to 3½ minutes, then each push adds 1 minute up to 99 minutes.



AMC5108AA

- **Three-In-One™ Toaster Microwave Oven**
- 1.0 Cu. Ft. Capacity
- 1,000 Watts
- 12-Hour Digital Clock
- Sound On/Off
- Kitchen Timer
- More/Less Adjust
- **Broil/Top Brown**
- Warm
- Preheat
- Speed Cook
- **Seven-Level Toaster With Toasting Rack**
- Control Lockout
- Handy Helper
- Kids' Meals
- Snack Bar
- Lbs./Kg Option



AMC5143AA

- 1.4 Cu. Ft. Capacity
- 1,100 Watts
- 24-Hour Digital Clock
- Low/Mid/Hi/Melody/Off Sound
- Kitchen Timer
- More/Less Adjust
- Control Lockout
- Able To Be Built In*
- Trim Kits Available
- 8 Sensor Programmed Pads
- Handy Helper
- Kids' Meals
- Snack Bar
- Sensor Auto Reheat
- Lbs./Kg Option



* Not for use above a wall oven.



AMC6138AA

- Convection/Combination (Roast/Bake)
- 1.3 Cu. Ft. Capacity
- 950 Watts
- 24-Hour Digital Clock
- Low/Mid/Hi/Off Sound
- Kitchen Timer
- More/Less Adjust
- Preheat
- Control Lockout
- Auto Reheat
- Diet Cook
- Lbs./Kg Option
- Countertop Unit Only (Cannot Be Built In)





UXT5430AD

Kitchen Hoods

BASE FEATURES

- Multiple Speed Settings
- Light (Not Available On Telescoping Downdraft Hoods)

Bolded items indicate step-up features.



UXT4030A

- 30" Hood
- Recirculating Ventilation With Charcoal Filter
- 2 Speed Settings
- Light



UXT4036A (NOT PICTURED)

This 36" model includes the same features and colors as UXT4030A.

UXT3030A/ UXT3036A (NOT PICTURED)

These 30" and 36" models include the same features and colors as UXT4030A with 3 1/4" x 10" vertical or horizontal ventilation.

UXT2030A/ UXT2036A (NOT PICTURED)

These 30" and 36" models include the same features and colors as UXT4030A with 7" round vertical ventilation.



UXT5230AD

- 30" Hood
- 300-CFM Centrifugal Blower
- 3 Speed Settings
- Slide Controls
- Dual Incandescent Lighting
- Filterless Self-Cleaning
- Quiet Operation



UXT5236A (NOT PICTURED)

This 36" model includes the same features and colors as UXT5230AD.



UXT5430AD

- 30" Hood
- 400-CFM Centrifugal Blower
- 3 Speed Settings
- **Electronic Touch Controls**
- **Dual Halogen Lighting With Night Light**
- Filterless Self-Cleaning
- Quiet Operation
- **Delay-Off**



UXT5436A (NOT PICTURED)

This 36" model includes the same features and colors as UXT5430AD.



HV303

- 30" Telescoping Downdraft Hood
- 500-CFM Centrifugal Blower
- Vertical Or Horizontal Exterior Ventilation
- Quiet Operation



Optional White cap is available.

HV363 (NOT PICTURED)

This 36" model includes the same features and colors as HV303.