



# Amana® Product Guide

O C T O B E R 2 0 0 3

















ARSE665BW

# Side-By-Side Refrigerators

24 And 26 Cu. Ft.

## **BASE FEATURES**

- Temp-Assure® Control System
- Adjustable Fresh Food And Freezer Door Buckets
- Gallon Container Storage In The Door
- Adjustable Spillsaver<sup>™</sup> Glass Shelves
- Dairy Center
- Retractable Clean 'n clear® Water Filter
- I Humidity-Controlled Garden Fresh™ Crisper Drawer
- I Clear Temperature-Controlled Dual Drawer
- Lighted Freezer
- · Four-Point Leveling
- SofSound™ Ouiet Package
- I-Year Full, 30-Day Limited, 5-Year Limited Sealed-System Warranty

#### Bolded items indicate step-up features.



As an ENERGY STAR® Partner, Amana has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.



#### **ARS2464B**

- 23.7 Cu. Ft. Capacity
- · Five-Button FrontFill™ Dual Dispense System With: Child Lock
- Auto Night Light
- Filter Status Indicator · 500-Gallon Clean 'n clear® Retractable
- Water Filter 3 Spillsaver<sup>™</sup> Shelves
- I Clear Snack Drawer
- 2 Clear Adjustable Gallon Door Buckets
- I Deep Tilt-Out Door Bucket
- I Clear Adjustable 2-Liter Door Bucket • I Tilt-Out Freezer Bucket
- I Slide-Out Freezer Basket
- \$10 Accessory Coupon









#### ARS2661B

- 25.6 Cu. Ft. Capacity
- Three-Button Electronic Ice 'N Water™ Dispenser
- 300-Gallon Clean 'n clear® Retractable Water Filter
- 3 Spillsaver<sup>™</sup> Shelves
- . MiniChiller™ Compartment
- 3 Adjustable Gallon Door Buckets I Clear Snack Drawer
- I Slide-Out Freezer Bin









With Black Cabinet And Stainless Designer Bar Handles



#### **DRS2660B**

- 25.6 Cu. Ft. Capacity
- Amana® Distinctions® Three-Button Electronic Ice 'N Water™ Dispenser
- Color-Customizable Handle And Dispenser Inserts
- 300-Gallon Clean 'n clear® Retractable Water Filter
- 3 Spillsaver<sup>™</sup> Shelves
- 4 Adjustable Gallon Door Buckets
- I Slide-Out Freezer Bin





#### ARSE66ZB

- 25.6 Cu. Ft. Capacity
- Five-Button FrontFill™ Dual Dispense System With: Child Lock
- Auto Night Light Filter Status Indicator
- 500-Gallon Clean 'n clear® Retractable Water Filter
- Temperature-Controlled Beverage Chiller™ Compartment
- 3 Spillsaver<sup>™</sup> Shelves
- I Clear Snack Drawer
- 2 Clear Adjustable Gallon Door Buckets
- I Deep Tilt-Out Door Bucket
- I Tilt-Out Freezer Bucket I Slide-Out Freezer Bin
- \$10 Accessory Coupon









And Stainless Designer



#### ARSE665B

- 25.6 Cu. Ft. Capacity
- Five-Button FrontFill™ Dual Dispense System With: Child Lock

Auto Night Light

Filter Status Indicator

- 500-Gallon Clean 'n clear® Water Filter
- 2 Spillsaver™ Shelves, I EasyGlide™ Shelf
- I SideGlide™ Shelf System
- Beverage Organizer<sup>™</sup> Rack · I Clear Humidity-Controlled Snack Drawer
- . Temperature-Controlled Beverage Chiller™
- Compartment
- . MiniChiller™ Compartment
- 2 Clear Adjustable Gallon Door Buckets, I Tilt-Out
- Stylish Framed Drawers
- Bucket Grip Pads
- Refrigerator Shelf Backguards
- 3 Freezer Door Tilt-Out Buckets
- 2 Slide-Out Freezer Baskets
- Hanging Freezer Shelf
- \$20 Accessory Coupon







And Stainless Designer Bar Handles

# ARSE667B • 25.6 Cu. Ft. Capacity

- LCD FrontFill™ Dual Dispense System With:
- Message Center Child Lock

Auto Night Light Filter Status Indicator

**Power Outage Indicator** Door Ajar Alarm Voice Feedback

Timer

- 500-Gallon Clean 'n clear® Water Filter
- · Air Filter
- 2 Spillsaver<sup>™</sup> Shelves, I EasyGlide<sup>™</sup> Shelf
- I SideGlide™ Shelf System
- Beverage Organizer<sup>™</sup> Rack
- I Clear Humidity-Controlled Snack Drawer • Temperature-Controlled Beverage Chiller™
- MiniChiller™ Compartment
- 2 Clear Adjustable Gallon Door Buckets,
- I Tilt-Out
- Stylish Framed Drawers
- Bucket Grip Pads
- Refrigerator Shelf Backguards 3 Freezer Door Tilt-Out Buckets
- 2 Slide-Out Freezer Baskets
- Hanging Freezer Shelf
- \$20 Accessory Coupon









And Stainless Designer

#### **NON-WATER DISPENSING**



#### **ARS2606B**

- 25.6 Cu. Ft. Capacity
- 2 Spillsaver<sup>™</sup> Shelves, I EasyGlide<sup>™</sup> Shelf
- I SideGlide<sup>™</sup> Shelf System
- Beverage Organizer<sup>™</sup> Rack
- I Clear Humidity-Controlled Snack Drawer
- Temperature-Controlled Beverage Chiller™ Compartment
- 3 Clear Adjustable Gallon Door Buckets, 2 Tilt-Out
- Bucket Grip Pads
- 3 Freezer Door Tilt-Out Buckets
- 2 Slide-Out Freezer Baskets
- \$10 Accessory Coupon Optional Icemaker





ARS9266BS

# Side-By-Side Cabinet-Depth Refrigerators

#### **BASE FEATURES**

- Temp-Assure® Control System
- Five-Button FrontFill<sup>™</sup> Dual Dispense System With Child Lock, Auto Night Light, Filter Status Indicator
- 500-Gallon Clean 'n clear® Retractable Water Filter
- Temperature-Controlled Beverage Chiller<sup>™</sup> Compartment And MiniChiller<sup>™</sup> Compartment
- 3 Adjustable Spillsaver™ Glass Shelves, 2 EasyGlide<sup>™</sup> Shelves
- 2 Clear Humidity-Controlled Garden Fresh™ Crisper Drawers
- I Clear Temperature-Controlled Dual Drawer
- 2 Clear Adjustable Door Buckets
- · Dairy Center
- 2 Refrigerator Shelf Backguards
- 2 Slide-Out Freezer Baskets
- 3 Tilt-Out Freezer Door Buckets
- Lighted Freezer
- · Four-Point Leveling
- SofSound<sup>™</sup> Quiet Package
- \$20 Accessory Coupon
- I-Year Full, 30-Day Limited, 5-Year Limited Sealed-System Warranty

Bolded items indicate step-up features.



#### **ARS8265B**

- 21.6 Cu. Ft. Capacity
- · Freestanding Cabinet-Depth







#### **ARS8265BS**

- 21.6 Cu. Ft. Capacity
- · Freestanding Cabinet-Depth



stainless steel With Black Cabinet And Stainless Designer Bar Handles



#### **ARS9265B**

- 21.6 Cu. Ft. Capacity
- Built-In Styling
- · Color-Coordinated Door Trim And Full-Length Handles (Custom Panels Required)







#### **ARS9266BS**

- 21.6 Cu. Ft. Capacity
- Built-In Styling
- · Stainless Steel Panels, Trim And Full-Length Handles



stainless steel

Black With Stainless Steel Trim And Handles
And Factory-Installed Stainless Steel Panels



# Easy Reach™ Refrigerators

# **BASE FEATURES**

- Upfront Temp-Assure® Control System
- Adjustable Glass Shelves
- · Gallon Door Storage Shelf
- Adjustable Fresh Food Door Buckets
- 2 Clear Crisper Drawers
- Dairy Center
- Covered Freezer Light
- SofSound<sup>™</sup> Quiet Package
- I-Year Full, 5-Year Limited Sealed-System Warranty

Bolded items indicate step-up features.



#### DRBI90IC

- 18.5 Cu. Ft. Capacity
- Fits 30"- Wide Opening
- 2 Full-Width Adjustable Glass Shelves
- Wire Freezer Shelf And Slide-Out Basket



#### DRB220 I C (NOT PICTURED)

Same features as DRB1901C with 21.9 cu. ft. capacity and 33"-wide cabinet opening.



# ARBI905C

- 18.5 Cu. Ft. Capacity
- Fits 30"-Wide Opening
- 4 Adjustable Spillsaver™ Glass Shelves
- 2 Humidity-Controlled Garden Fresh™ Crisper Drawers
- · Clear Snack Drawer
- · Clear Fresh Food Door Buckets
- · Wire Glide-Out Freezer Shelf And Basket
- \$10 Accessory Coupon



## ARB2205C (NOT PICTURED)

Same features as ARB1905C with 21.9 cu. ft. capacity and 33"-wide cabinet opening.



#### ARBI90ZC

- 18.5 Cu. Ft. Capacity
- Fits 30"-Wide Opening
- 4 Adjustable Spillsaver™, 2 EasyGlide™ Glass Shelves
- 2 Humidity-Controlled Garden Fresh™ Crisper Drawers
- Beverage Organizer™ Rack
- Clear Snack Drawer
- Clear Fresh Food Door Buckets
- Wire Glide-Out Freezer Shelf And Basket
- \$10 Accessory Coupon







With Black Cabinet And Black Grab Handles

#### ARB220ZC (NOT PICTURED)

Same features as ARBI90ZC with 21.9 cu. ft. capacity and 33"-wide cabinet opening.





ARB2257CS

# Easy Reach<sup>™</sup> Plus Refrigerators

## **BASE FEATURES**

- Upfront Temp-Assure® Control System
- ENERGY STAR®-Compliant
- EasyFreezer™ Pull-Out Freezer Drawer
- 4 Adjustable Spillsaver<sup>™</sup>
- 2 EasyGlide<sup>™</sup> Glass Shelves
- Humidity-Controlled Garden Fresh<sup>™</sup> Crisper Drawers
- Glass Crisper Top
- Gallon Door Storage Shelf
- Adjustable Fresh Food Door Buckets
- Slide-Out Upper Freezer Basket
- Glide-Out Lower Freezer Basket With QuickSplit<sup>™</sup> Organizer
- Covered Freezer Light
- SofSound<sup>™</sup> Quiet Package
- I-Year Full, 5-Year Limited Sealed-System Warranty

Bolded items indicate step-up features.



As an ENERGY STAR® Partner, Amana has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.



#### ARBI914C

- 18.5 Cu. Ft. Capacity
- Fits 30"-Wide Opening
- · Clear Snack Drawer
- \$10 Accessory Coupon









Same features as ARB1914C with 21.9 cu. ft. capacity and 33"-wide cabinet opening.



#### **ARBI917C**

- 18.5 Cu. Ft. Capacity
- Fits 30"-Wide Opening
- Temperature-Controlled Chef's Pantry™ Drawer With Divider
- · Clear Fresh Food Door Buckets
- Bucket Grip Pads
- Bottle Caddy
- · Stylish Framed Drawers
- \$20 Accessory Coupon









## ARB2217C (NOT PICTURED)

Same features as ARBI917C with 21.9 cu. ft. capacity and 33"-wide cabinet opening.





**ARB2259C** 

• Fits 33"-Wide Opening

· Factory-Installed Icemaker

Drawer With Divider

Stylish Framed Drawers

Bucket Grip Pads

Bottle Caddy

• Contour Door-Front Styling

• Clear Fresh Food Door Buckets

• EasyFill™ Internal Water-Dispensing

Temperature-Controlled Chef's Pantry<sup>™</sup>

• 21.9 Cu. Ft. Capacity

#### **ARB2257C**

- 21.9 Cu. Ft. Capacity
- Fits 33"-Wide Opening
- EasyFill™ Internal Water-Dispensing
- 300-Gallon Clean 'n clear® Retractable Water Filter
- · Factory-Installed Icemaker
- Temperature-Controlled Chef's Pantry™ Drawer With Divider
- Clear Fresh Food Door Buckets
- Bucket Grip Pads
- Bottle Caddy
- Stylish Framed Drawers





















• 300-Gallon Clean 'n clear® Retractable Water Filter



- Temperature-Controlled Chef's Pantry<sup>™</sup> Drawer With Self-Opening Lid
- Clear Fresh Food Door Buckets
- Bucket Grip Pads
- Bottle Caddy
- · Stylish Framed Drawers
- \$20 Accessory Coupon









Stainless Designer Bar Handles



#### **ARB2557C**

- 25.0 Cu. Ft. Capacity
- Fits 36"-Wide Opening
- . EasyFill™ Internal Water-Dispensing
- 300-Gallon Clean 'n clear® Retractable
- Water Filter
- · Factory-Installed Icemaker
- Temperature-Controlled Chef's Pantry<sup>™</sup> Drawer With Self-Opening Lid
- Clear Fresh Food Door Buckets
- Bucket Grip Pads
- Bottle Caddy
- Stylish Framed Drawers
- \$20 Accessory Coupon





Color-Coordinated With Black
Full-Length Handles Cabinet An Cabinet And Stainless Designe Bar Handles



# Easy Reach™ Plus Cabinet-Depth Refrigerators

#### **BASE FEATURES**

- Fits 36"-Wide Opening
- 24" Depth Flush With Cabinets
- Upfront Temp-Assure® Control System
- ENERGY STAR®-Compliant
- EasyFreezer<sup>™</sup> Pull-Out Freezer Drawer
- EasyFill<sup>™</sup> Internal Filtered Water Dispenser
- Factory-Installed Icemaker
- 300-Gallon Clean 'n clear® Retractable Water Filter
- 4 Adjustable Spillsaver<sup>™</sup>, 4 EasyGlide<sup>™</sup> Glass Shelves
- Temperature-Controlled Chef's Pantry™
- Drawer With Self-Opening Lid Humidity-Controlled Garden Fresh™
- Crisper Drawers
- Glass Crisper Top · Gallon Door Storage Shelf
- Bottle Caddy
- Clear Adjustable Fresh Food Door Buckets
- Bucket Grip Pads
- Slide-Out Upper Freezer Basket
- Glide-Out Lower Freezer Basket With QuickSplit<sup>™</sup> Organizer
- Covered Freezer Light
- SofSound™ Ouiet Package
- I-Year Full, 5-Year Limited Sealed-System Warranty
- \$20 Accessory Coupon



#### **ARB8057C**

- 19.9 Cu. Ft. Capacity
- Freestanding Cabinet-Depth







Bar Handles

Cabinet And



Interior same as ARB9059C

# ARB9058C

- 19.9 Cu. Ft. Capacity
- Built-In-Look Cabinet-Depth
- · Color-Coordinated Door Trim And Full-Length Handles
- Requires Custom Panels







With Black Cabinet, Stainless-Look Trim And Stainless Steel Full-Length Handles



# **ARB9059C**

- 19.9 Cu. Ft. Capacity
- Built-In-Look Cabinet-Depth
- Stainless Steel Door Trim And Full-Length Handles
- Factory-Installed Stainless Steel Panels



With Black Cabinet, Stainless-Look Trim Stainless Steel Full-Length Handles And Factory-Installed Stainless Steel Panels



ATB1935HRW

# Top-Freezer Refrigerators

#### **BASE FEATURES**

- · Adjustable Gallon Door Buckets
- 2 Humidity-Controlled Garden Fresh™ Crisper Drawers
- Glass Crisper Top
- Dairy Center
- 2 Freezer Door Shelves
- · Adjustable Freezer Shelf
- Freezer Light
- I-Year Full, 5-Year Limited Sealed-System Warranty

Bolded items indicate step-up features.



# ATBI915HR

- 19.0 Cu. Ft. Capacity
- Fits 30"-Wide Opening
- I Full-Width, 2 Split Glass Shelves
- Clear Snack Drawer



#### ATB2115HR (NOT PICTURED)

Same features as ATB1915HR with 21.0 cu. ft. capacity and 33"-wide cabinet opening.



#### ATBI935HR

- 19.0 Cu. Ft. Capacity
- Fits 30"-Wide Opening
- Temp-Assure® Control System
- 4 Adjustable Spillsaver<sup>™</sup> Glass Shelves • Temperature-Controlled Adjustable
- Snack Drawer



#### ATB2I35HR (NOT PICTURED)

Same features as ATB1935HR with 21.0 cu. ft. capacity and 33"-wide cabinet opening.



# Deepfreeze® Upright Freezers

#### **BASE FEATURES**

- · Textured-Steel Cabinet And Door
- Magna-Seal<sup>™</sup> Door Gasket
- Energy-Efficient Foam Insulation
- 2 Front Leveling Legs
- Smooth Rust- And Impact-Resistant Liner
- Adjustable Temperature Control
- Epoxy-Coated Wire Shelves
- Stor-Mor<sup>™</sup> Door Shelves
- Monochromatic Styling
- One-Year Full, 10-Year Limited Sealed-System Warranty
- Food-Loss Warranty

Bolded items indicate step-up features.



#### AFUI202BW (NOT PICTURED)

- 11.8 Cu. Ft. Storage Capacity
- Manual Defrost
- 3 Fixed Epoxy-Coated Wire Shelves
- 5 Stor-Mor<sup>™</sup> Door Shelves
- Drop-Down Bulk Storage Gate
- Recessed Handle
- Defrost Drain
- \$300 Total Maximum Food-Loss Warranty



#### AFUI505BW (NOT PICTURED)

- 15.2 Cu. Ft. Storage Capacity
- Manual Defrost
- 3 Epoxy-Coated Wire Shelves
- 4 Stor-Mor™ Door Shelves
   Lock With Pop-Out Key
- Drop-Down Bulk Storage Gate
- Drop-Down Bulk Storage Gate
   Fast-Freeze Settings
- Recessed Handle
- Defrost Drain
- \$300 Total Maximum Food-Loss Warranty



#### AFUI705BW (NOT PICTURED)

- 16.8 Cu. Ft. Storage Capacity
- Manual Defrost
- 3 Epoxy-Coated Wire Shelves
- 5 Stor-Mor<sup>™</sup> Door Shelves
- Interior Light
- Lock With Pop-Out Key
- Adjustable Storage Basket
- Fast-Freeze Settings
- Full Handle
- Defrost Drain
- \$400 Total Maximum Food-Loss Warranty



## AFU2005BW (NOT PICTURED)

- 19.6 Cu. Ft. Storage Capacity
- Manual Defrost
- 4 Fixed Epoxy-Coated Wire Shelves
- 6 Stor-Mor™ Door Shelves
- Interior Light
- Lock With Pop-Out Key
- Adjustable Storage BasketFast-Freeze Settings
- Full Handle
- · Commercially Rated For Residential Use
- Defrost Drain
- \$400 Total Maximum Food-Loss Warranty



## AFUI567BW (NOT PICTURED)

- 15.0 Cu. Ft. Storage Capacity
- Free-O-Frost<sup>™</sup> Design
- 3 Slide-Out Removable Epoxy-Coated Wire Shelves
- 4 Stor-Mor™ Door Shelves
- Power LightInterior Light
- Lock With Pop-Out Key
- Drop-Down Bulk Storage Gate
- Fast-Freeze Settings
- Full Handle
- Commercially Rated For Residential Use
- \$300 Total Maximum Food-Loss Warranty

white

# AFUI767BW (NOT PICTURED)

- 16.8 Cu. Ft. Storage Capacity
- Free-O-Frost<sup>™</sup> Design
- 4 Slide-Out Removable Epoxy-Coated Wire Shelves
- 5 Stor-Mor<sup>™</sup> Door Shelves
- Power Light
- Interior Light
- Lock With Pop-Out Key
- Adjustable Storage Basket
- Fast-Freeze Settings
- Full Handle
- Commercially Rated For Residential Use
- \$400 Total Maximum Food-Loss Warranty

white

#### **AFU2067BW**

- 19.6 Cu. Ft. Storage Capacity
   Free-O-Frost™ Design
- Free-O-Frost Design
- 4 Slide-Out Removable Epoxy-Coated Wire Shelves
- 6 Stor-Mor<sup>™</sup> Door Shelves
- Power Light
- Interior Light
- Lock With Pop-Out Key
- Adjustable Storage BasketFast-Freeze Settings
- · Temperature Alarm System
- Full Handle
- Commercially Rated For Residential Use

\$400 Total Maximum Food-Loss Warranty
 white

# Deepfreeze® Chest Freezers

#### **BASE FEATURES**

- EvenFreeze<sup>™</sup> Food Preservation System
- Textured-Steel Cabinet And Lid
- Counterbalanced Lid
- Power Lights
- Energy-Efficient Lid Gasket
- Energy-Efficient Foam Insulation
- Smooth Rust- And Impact-Resistant Liner
- Adjustable Temperature Control
- Adjustable Basket
- Defrost Drain (Select Models)
- Monochromatic Styling
- · Grip Handle
- One-Year Full, 10-Year Limited Sealed-System Warranty
- Food-Loss Warranty

Bolded items indicate step-up features.



AFC0507BW

#### AFC0507BW

- 4.6 Cu. Ft. Storage Capacity
- 145 Pounds Frozen Food Storage
- Easy Find<sup>™</sup> Storage Drawer
   Adjustable Storage Basket
- Lock With Pop-Out KeyFast-Freeze Settings
- \$200 Total Maximum Food-Loss Warranty





AFC2207BW

#### AFC0503BW (NOT PICTURED)

- 5.0 Cu. Ft. Storage Capacity
- 150 Pounds Frozen Food Storage
- Adjustable Storage Basket\$200 Total Maximum Food-Loss Warranty

white

# AFC0703BW (NOT PICTURED)

- 7.0 Cu. Ft. Storage Capacity
- 210 Pounds Frozen Food Storage
  Adjustable Storage Basket
- Lock With Pop-Out Key
- \$200 Total Maximum Food-Loss Warranty
   white

# AFCI005BW (NOT PICTURED)

- ....
- 10.0 Cu. Ft. Storage Capacity315 Pounds Frozen Food Storage
- 2 Adjustable Storage Baskets
- I Basket Storage Level
- Lock With Pop-Out Key
- \$300 Total Maximum Food-Loss Warranty

white

## AFC | 505BW (NOT PICTURED)

- 14.8 Cu. Ft. Storage Capacity
- 410 Pounds Frozen Food Storage
- 2 Adjustable Storage Baskets
- I Basket Storage Level
   Lock With Pop-Out Key
- Commercially Rated For Residential Use

\$300 Total Maximum Food-Loss Warranty
 white

# AFC2207BW

- 21.7 Cu. Ft. Storage Capacity
- 545 Pounds Frozen Food Storage4 Adjustable Storage Baskets
- 2 Basket Storage LevelsInterior LightLock With Pop-Out Key
- Commercially Rated For Residential Use\$400 Total Maximum Food-Loss Warranty
- white


ormation, see specifications chart on page 51.

# For additional feature information, see specifications chart on page 50.





# Product Specifications





# **NEW PRODUCT WARRANTIES**

#### Side-By-Sides

30 Days Limited Water and air filter; parts only.

All parts and labor. 2nd – 5th Years Limited Sealed-system parts and

labor. Repair free of charge any defective food liner in lieu of replacement.

#### **Top And Bottom Freezers**

Full All parts and labor. Ist Year 2nd – 5th Years Limited Sealed-system parts and labor. Repair free of

charge any defective food liner in lieu of replacement.

#### **Chest And Upright Freezers**

1st Year Full All parts and labor. 2nd - I0th Years Full Sealed-system parts and labor.

**Gas Ranges And Cooktops** 

Full All parts and labor. 1st Year

## **Electric Ranges And Cooktops**

1st Year

Full All parts and labor. 2nd – 5th Years Limited Glass-ceramic cooktop due to thermal breakage, discoloration, rubber seal cracking, radiant elements burning out and cooktop

pattern wear-off; parts only.

# **Electric Wall Ovens**

Ist Year Full All parts and labor. 2nd – 5th Years Limited Electronic control and electric elements; parts only.

#### **Countertop Microwave Ovens**

Carry-In All parts and labor. 2nd – 5th Years Carry-In Electrical components; parts only.

# **Over-The-Range Microwave Ovens**

1st Year All parts and labor. 2nd - 5th Years Full Magnetron tube; parts and labor.

#### **Kitchen Hoods**

Ist Year All parts and labor.

#### **Washers**

1st Year Full All parts and labor. 2nd Year Limited Parts only. 3rd – 5th Years Limited Motor; parts only. 3rd - 10th Years Limited Cabinet rust-through, outer basket and transmission; parts only.

Limited Inner basket; parts only.

## **Dryers**

Full All parts and labor. Ist Year Limited Parts only. 2nd Year 3rd – 5th Years Limited Motor; parts only. 3rd – 10th Years Limited Cabinet rust-through; parts only. Lifetime Limited Stainless steel cylinder; parts only.

#### **Dishwashers**

(ADB1200 and ADB2200) 1st Year

5th Year Limited Free replacement parts for the Tri-Wash System, including the power module assembly, turbidity sensor,

internal water manifold, wash arms, motors, controls and nylon-coated racks. Free replacement parts for the front decorator panel for failure due to rust-through.

All parts and labor.

Lifetime Limited Free replacement parts and

labor for the door liner for any failure due to leaks. Free product replacement for any failure due to leaks of the tub.

(DDW361)

Ìst Year

All parts and labor. 20th Year

Limited Free replacement parts and labor for the door liner for any failure due to leaks. Free product replacement for any failure due to leaks of the tub.

#### **Room Air Conditioners**

1st Year Full All parts and labor. 2nd - 5th Years Full Sealed-system parts and labor.




# AMANA® SIDE-BY-SIDE CABINET-DEPTH REFRIGERATORS


MODELS	ARS8265B	ARS8265BS	ARS9265B	ARS9266BS
			Color-Coordinated Trim And Full-Length Handles (Requires Custom Panels)	
Colors				
White	•		•	
Bisque	•			
Black	•		•	
Stainless Steel		With Black Cabinet And Stainless Designer Bar Handles		Black With Stainless Stee Trim And Handles; Factory-Installed Stainless Steel Panels
Fresh Food Interior				
Covered Lights (3)	•	•	•	•
Temp-Assure® Control System	•	•	•	•
Clean 'n dear® Retractable Water Filter	500-Gallon	500-Gallon	500-Gallon	500-Gallon
Temperature-Controlled Beverage Chiller™ Compartment	•	•	•	•
Temperature-Controlled MiniChiller™ Compartment	•	•	•	•
Adjustable Spillsaver™ Glass Shelves	3	3	3	3
EasyGlide <sup>™</sup> Shelves	2	2	2	2
Humidity-Controlled Garden Fresh™ Crisper Drawers (2)	Framed	Framed	Framed	Framed
Temperature-Controlled Dual Drawer	Framed	Framed	Framed	Framed
Dairy Center	•	•	•	•
Adjustable Clear Door Buckets	2	2	2	2
Freezer Interior				
Covered Lights (2)	•	•	•	•
Wire Shelves	2	2	2	2
Adjustable Door Bucket	I	I	I	1
Adjustable Tilt-Out Door Buckets	3	3	3	3
Slide-Out Wire Baskets	2	2	2	2
Dispenser				
Five-Button Electronic FrontFill™ Dual Dispense System With Auto Night Light, Child Lock And Filter Status Indicator	: •	•	•	•
General Features				
SofSound™ Quiet Package	•	•	•	•
Customizable Accessory Coupon	\$20	\$20	\$20	\$20
, ,		, .	, .	
Capacities And Unit Dimensions	2/ (01.4)	2/ (01.4)	27 (01.4)	2/ (01.4)
Kitchen Cabinet Opening — in. (cm)	36 (91.4)	36 (91.4)	36 (91.4)	36 (91.4)
Total Refrigerator Capacity — cu. ft. (liters)	21.6 (611.7)	21.6 (611.7)	21.6 (611.7)	21.6 (611.7)
Fresh Food Capacity — cu. ft. (liters)  Frozen Food Capacity — cu. ft. (liters)	13.6 (385.2)	13.6 (385.2) 8 (226.5)	13.6 (385.2) 8 (226.5)	13.6 (385.2) 8 (226.5)
	8 (226.5)		70 % (178.1)**	70 ½ (178.1)**
A — Cabinet Height With Hinge Cover — in. (cm)	70 (177.8)	70 (177.8)		
B — Cabinet Height Without Hinge — in. (cm) C — Cabinet Depth With Door Handle* — in. (cm)	68 ½ (174.3) 29 ¾ (74.6)	68 ½ (174.3) 29 ¾ (74.6)	68 ½ (174.3) 29 ¾ (74.6)	68 % (174.3) 29 % (74.6)
				27 1/8 (74.0)
D — Cabinet Depth Without Door Handle* — in. (cm) E — Cabinet Depth Without Door* — in. (cm)	26 ¾ (67.9)	26 ¾ (67.9)	27 % (68.9)	24 (61.0)
F — Cabinet Width — in. (cm)	24 (61.0)	24 (61.0)	24 (61.0) 35 % (90.5)	
G — Cabinet Width — In. (cm) G — Cabinet Depth, Door @ 90°* — in. (cm)	35 % (90.5) 45 ½ (115.6)	35 % (90.5) 45 ½ (115.6)	\ /	35 % (90.5) 45 % (116.2)
	עד (113.0)	72 (II3.0)	45 ¾ (116.2)	4) /4 (IIO.Z)
H — Water Line Location, Facing Back Of Unit	20 1/, (7/1.0)	70 1/. (74 0)	20 1/, /7/10)	20 1/ (7/10)
& Distance From Right Side — in. (cm)	29 ½ (74.9)	29 ½ (74.9)	29 ½ (74.9)	29 ½ (74.9)
Water Line Location, From Bottom — in. (cm)	7 (17.8)	7 (17.8)	7 (17.8)	7 (17.8)
Power Cord Location, Facing Back Of Unit	IE  / (20.4)	IE  / /20 4\	IE  / /20.4\	IE  / /20 4\
& Distance From Right Side — in. (cm)	15 ½ (39.4)	15 ½ (39.4)	15 ½ (39.4)	15 ½ (39.4)
K — Power Cord Location, From Bottom — in. (cm)	9 ½ (24.1)	9 ½ (24.1)	9 ½ (24.1)	9 ½ (24.1)
Gida Wall Classance For One Dage Opening :- /-				
L — Side Wall Clearance For 90° Door Opening — in. (c Approximate Shipping Weight — lbs. (kg)	m) 3 (7.6) 300 (136.1)	3 (7.6) 300 (136.1)	2 (5.1) 300 (136.1)	2 (5.1) 330 (150)


No top/back air clearance is required. \*\*Includes perimeter door trim height.

	Panel Height	Panel Width
Fresh Food Door — in. (cm)	66 ¾ (169.5)	18 15/16 (48.1)
Ice And Water Upper Freezer Door — in. (cm)	18 ¼ (46.0)	13 15/16 (35.4)
Ice And Water Lower Freezer Door — in. (cm)	32 3/32 (81.5)	13 15/16 (35.4)

Weight Limitations: Fresh Food Panels: Should not weigh more than 30 lbs. (14 kg) each. Freezer Panels: Should not weigh more than 15 lbs. (7 kg) each.









# AMANA® EASY REACH™ REFRIGERATORS

MODELS	DRB1901C	DRB2201C	ARB1905C	ARB2205C	ARB 190ZC	ARB220ZC
Colors						
White	•	•	•	•	•	•
Bisque	•	•	•	•	•	•
Black					•	•
Stainless Steel W/Black Cabinet And Black Grab Handles					•	•
Fresh Food Interior						
Covered Lights (2)	•	•	•	•	•	•
Temp-Assure® Control System	•	•	•	•	•	•
Adjustable Spillsaver™ Glass Shelves			4	4	4	4
EasyGlide™ Shelves					2	2
Clear Deli Drawer			•	•	•	•
Clear Crisper Drawers (2)	•	•	Humidity-Controlled Garden Fresh™	Humidity-Controlled Garden Fresh™	Humidity-Controlled Garden Fresh™	Humidity-Controlled Garden Fresh™
Dairy Center	•	•	•	•	•	•
Gallon Door Storage	•	•	•	•	•	•
Adjustable Door Shelves	4	4	4	4	4	4
FreshNest™ Covered Egg Storage		· ·	Optional With Coupon	Optional With Coupon	Optional With Coupon	Optional With Coupon
Wine Bottle/Can Organizer			Optional With Coupon	Optional With Coupon	Optional With Coupon	Optional With Coupon
			. Farman and and and	Transmitter analysis	Farma Man coapon	71101 000 001
Freezer Interior	•	•	•	•	•	•
Covered Light (I)	•	•				
Wire Shelves Door Shelves	<u> </u>		Slide-Out	Slide-Out	Slide-Out	Slide-Out
	•	<u> </u>	•	•	<u> </u>	I
Slide-Out Wire Basket	•	•		•		•
Ice Cube Trays And Ice Bucket			•	•	•	•
Ice Service Rack	ICLLD	ICLID				
Optional Icemaker	ICIIB	ICIIB	ICIIB	ICIIB	ICIIB	ICIIB
General Features						
SofSound™ Quiet Package	•	•	•	•	•	•
Consumer-Reversible Door Swing	•	•	•	•	•	•
Customizable Accessory Coupon			\$10	\$10	\$10	\$10
Capacities And Unit Dimensions						
Kitchen Cabinet Opening — in. (cm)	30 (76.2)	33 (83.8)	30 (76.2)	33 (83.8)	30 (76.2)	33 (83.8)
Top/Back Air Clearance — in. (cm)	½ (I.3)/½ (I.3)	½ (I.3)/½ (I.3)	½ (I.3)/½ (I.3)	½ (I.3)/½ (I.3)	½ (1.3)/½ (1.3)	½ (I.3)/½ (I.3)
Total Refrigerator Capacity — cu. ft. (liters)	18.5 (523.9)	21.9 (620.2)	18.5 (523.9)	21.9 (620.2)	18.5 (523.9)	21.9 (620.2)
Fresh Food Capacity — cu. ft. (liters)	12.9 (365.3)	15.6 (441.8)	12.9 (365.3)	15.6 (441.8)	12.9 (365.3)	15.6 (441.8)
Frozen Food Capacity — cu. ft. (liters)	5.6 (158.6)	6.3 (178.4)	5.6 (158.6)	6.3 (178.4)	5.6 (158.6)	6.3 (178.4)
A — Cabinet Height With Hinge Cover — in. (cm)	66 % (169.9)	69 % (177.5)	66 % (169.9)	69 % (177.5)	66 % (169.9)	69 % (177.5)
B — Cabinet Height Without Hinge — in. (cm)	65 % (166.7)	68 % (174.3)	65 % (166.7)	68 % (174.3)	65 % (166.7)	68 % (174.3)
C — Overall Depth With Door Handle — in. (cm)	32 ¾ (83.2)	32 ¾ (83.2)	32 ¾ (83.2)	32 ¾ (83.2)	32 ¾ (83.2)	32 ¾ (83.2)
D — Overall Depth Without Door — in. (cm)	28 (71.1)	28 (71.1)	28 (71.1)	28 (71.1)	28 (71.1)	28 (71.1)
E — Cabinet Depth Without Door Handle — in. (cm)	30 ¾ (78.1)	30 ¾ (78.1)	30 ¾ (78.1)	30 ¾ (78.1)	30 ¾ (78.1)	30 ¾ (78.1)
F — Cabinet Width — in. (cm)	29 % (75.3)	32 % (82.9)	29 % (75.3)	32 % (82.9)	29 % (75.3)	32 % (82.9)
Door Width* — in. (cm)	29 % (75.3)	32 % (82.9)	29 % (75.3)	32 % (82.9)	29 % (75.3)	32 % (82.9)
G — Depth With Door @ 90° — in. (cm)	59 (149.9)	62 (157.5)	59 (149.9)	62 (157.5)	59 (149.9)	62 (157.5)
H — Water Line Location, Facing Back Of Unit						
& Distance From Left Side — in. (cm)	2 (5.1)	5 (12.7)	2 (5.1)	5 (12.7)	2 (5.1)	5 (12.7)
I — Water Line Location, From Bottom — in. (cm)	6 (15.2)	6 (15.2)	6 (15.2)	6 (15.2)	6 (15.2)	6 (15.2)
J — Power Cord Location, Facing Back Of Unit						
& Distance From Left Side — in. (cm)	14 ¼ (36.2)	17 ¼ (43.8)	14 ¼ (36.2)	17 ¼ (43.8)	14 ¼ (36.2)	17 ¼ (43.8)
K — Power Cord Location, From Bottom — in. (cm)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)
L — Side Wall Clearance For 90° Door Opening — in. (c	rm) 2 ¼ (5.7)	2 ¼ (5.7)	2 ¼ (5.7)	2 ¼ (5.7)	2 ¼ (5.7)	2 ¼ (5.7)

\*Door width increases with addition of side-mounted handle/trim.











# AMANA® EASY REACH™ PLUS REFRIGERATORS

MODELS	ARB1914C	ARB2214C	ARB1917C	ARB2217C	ARB2517C
Colors					
White	•	•	•	•	•
Bisque	•	•	•	•	•
Black	•	•	•	•	•
Black Cabinet With Stainless Designer Bar Handles			•	•	•
ENERGY STAR®	•	•	•	•	•
Fresh Food Interior					
Covered Lights (2)	•	•	•	•	•
Temp-Assure® Control System	•	•	•	•	•
Adjustable Spillsaver™ Glass Shelves (Total)	4 Half-Width				
EasyGlide™ Shelves	2	2	2	2	2
Clear Snack Drawer	•	•	L		
	•	•	With Divider	With Dividor	With Divider
Temperature-Controlled Chef's Pantry™	•	•		With Divider	
Humidity-Controlled Garden Fresh™ Crisper Drawers (2)	•		Framed	Framed	Framed
Dairy Center		•		•	•
Gallon Door Storage	•	•	•	•	•
Adjustable Door Buckets	4	4	4 Clear	4 Clear	4 Clear
Bucket Grip Pads	Optional With Coupon	Optional With Coupon	•	•	•
FreshNest™ Covered Egg Storage	Optional With Coupon				
Bottle Caddy	Optional With Coupon	Optional With Coupon	•	•	•
Freezer Interior					
Covered Light (I)	•	•	•	•	•
EasyFreezer™ Pull-Out Drawer	•	•	•	•	•
Slide-Out Upper Basket	•	•	•	•	•
Glide-Out Lower Basket With QuickSplit™ Organizer	•	•	•	•	•
Ice Cube Trays And Ice Bucket	•	•	•	•	•
Ice Service Rack	•	•	•	•	•
Icemaker And Ice Bucket	Optional ICIIB				
General Features					
SofSound™ Quiet Package	•	•	•	•	•
Consumer-Reversible Door Swing	•	•	•**	•**	•**
Customizable Accessory Coupon	\$10	\$10	\$20	\$20	\$20
Capacities And Unit Dimensions					
Kitchen Cabinet Opening — in. (cm)	30 (76.2)	33 (83.8)	30 (76.2)	33 (83.8)	36 (91.5)
Top/Back Air Clearance — in. (cm)	½ (I.3)/½ (I.3)	½ (1.3)/½ (1.3)	½ (1.3)/½ (1.3)	½ (1.3)/½ (1.3)	
				21.9 (620.2)	½ (1.3)/½ (1.3)
Total Refrigerator Capacity — cu. ft. (liters)	18.5 (523.9)	21.9 (620.2)	18.5 (523.9)		25.1 (710.8)
Fresh Food Capacity — cu. ft. (liters)	12.9 (365.3)	15.6 (441.8)	12.9 (365.3)	15.6 (441.8)	17.8 (503.8)
Frozen Food Capacity — cu. ft. (liters)	5.6 (158.6)	6.3 (178.4)	5.6 (158.6)	6.3 (178.4)	7.3 (207.0)
A — Cabinet Height With Hinge Cover — in. (cm)	66 % (169.9)	69 % (177.5)	66 % (169.9)	69 % (177.5)	69 % (177.5)
B — Cabinet Height Without Hinge — in. (cm)	65 % (166.7)	68 % (174.3)	65 % (166.7)	68 % (174.3)	68 % (174.3)
C — Overall Depth With Door Handle — in. (cm)	31 % (81.0)	31 % (81.0)	31 % (81.0)	31 % (81.0)	32 % (83.5)
D — Overall Depth Without Door — in. (cm)	28 (71.1)	28 (71.1)	28 (71.1)	28 (71.1)	29 (73.7)
E — Cabinet Depth Without Door Handle — in. (cm	) 30 ¾ (78.1)	30 ¾ (78.1)	30 ¾ (78.1)	30 ¾ (78.1)	31 ¾ (80.6)
F — Cabinet Width — in. (cm)	29 % (75.3)	32 % (82.9)	29 % (75.3)	32 % (82.9)	35 % (90.5)
Door Width* — in. (cm)	29 ¾ (75.6)	32 ¾ (83.2)	29 ¾ (75.6)	32 ¾ (83.2)	35 ¾ (90.8)
G — Depth With Door @ 90° — in. (cm)	59 (149.9)	62 (157.5)	59 (149.9)	62 (157.5)	66 ¼ (167.9)
H — Water Line Location, Facing Back Of Unit					
& Distance From Left Side — in. (cm)	2 (5.1)	5 (12.7)	2 (5.1)	5 (12.7)	6 ¼ (15.9)
I — Water Line Location, From Bottom — in. (cm)	6 (15.2)	6 (15.2)	6 (15.2)	6 (15.2)	8 (20.3)
J — Power Cord Location, Facing Back Of Unit					
& Distance From Left Side — in. (cm)	14 ¼ (36.2)	17 ¼ (43.8)	14 ¼ (36.2)	17 ¼ (43.8)	20 ¼ (51.4)
K — Power Cord Location, From Bottom — in. (cm)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)
L — Side Wall Clearance For 90° Door Opening — in.		I ¾ (3.5)	I ¾ (3.5)	I ¾ (3.5)	I ¾ (3.5)
M — Depth With Freezer Drawer Extended — in. (cr		51 ¾ (131.4)	51 3/4 (131.4)	51 ¾ (131.4)	52 3/4 (133.9)
Approximate Shipping Weight — Ibs. (kg)	273 (123.8)	313 (142)	273 (123.8)	313 (142)	350 (158.8)
.TL	2.0 (123.0)	7.7 (11 <u>2</u> )	(123.0)	(112)	150.0)

 $<sup>^{\</sup>star}$  Door width increases with addition of side-mounted handle/trim.

<sup>\*\*</sup>Except stainless steel, which must be ordered as left- or right-hand door swing.







# AMANA® EASY REACH™ PLUS WATER-DISPENSING REFRIGERATORS

FreshRest™ Covered Egg Storage Optional With Coupon Optional With Coupon Sortic Caddy • • • • • • • • • • • • • • • • • •	
Miles	
Miles	
Black	•
Black	•
Black Calibrate With Stainless Designer Bar Handles	•
Freeh Food Interior	•
Fresh Food Interior	•
Convered Lights (2)	
Clean 'n clean' Retractable Water Filter   300-Gallon	•
Clean 'n cleaps' Betractable Water Filter   300-Gallon   4 Half-Width   2   2   2   2   2   2   2   2   2	•
Adjustable Spillarer" Glass Shelves (Total)  4 Half-Width  4 Half-Width  4 Half-Width  4 Half-Width  5 2 2  2 2  4 Mid Divider  4 Humidity-Controlled Garden Fresh" Crisper Drawers (2)  Framed  6 Framed  6 Framed  6 Framed  7	•
EasyGilde* Shelves   2   2   2   Emperator-Controlled Carden Festh** (Frisper Drawers (2))   Framed   Framed	300-Gallon
Temperature Controlled Carden Fresh" Crisper Drawers (2)	4 Half-Width
Humidity-Controlled Garden Fresh" Crisper Drawers (2)   Framed	2
Dairy Center	With Divider
Adjustable Clear Door Buckets	Framed
Adjustable Clear Door Buckets   4   4   4	•
Bucket Grip Pads   • • • • • • • • • • • • • • • • • •	•
FreshNext™ Covered Egg Storage	4
Freezer Interior	•
Covered Light (1)	Optional With Coupon
Covered Light (I)   -     -	•
Covered Light (I)   -   -   -     -	
EarlyFreezer" Pull-Out Drawer   • • • • • • • • • • • • • • • • • •	•
Slide-Out Upper Basket   Side-Out Lower Basket With QuickSplit" Organizer   Side-Out Capacities   Side-Out Ca	•
Glide-Out Lower Basket With QuickSplit™ Organizer   Factory-Installed   Factory-Installed	•
	•
General Features           SofSound™ Quiet Package         •         •           Customizable Accessory Coupon         \$20         \$20           Customizable Accessory Coupon         \$20         \$20           Capacities And Unit Dimensions           Kitchen Cabinet Opening — in. (cm)         33 (83.8)         33 (83.8)           Top/Back Air Clearance — in. (cm)         ½ (13)½ (1.3)         ½ (13)½ (1.3)           Total Refrigerator Capacity — cu. ft. (liters)         21.9 (620.2)         21.9 (620.2)           fresh Food Capacity — cu. ft. (liters)         15.6 (441.8)         15.6 (441.8)           Frozen Food Capacity — cu. ft. (liters)         6.3 (178.4)         6.3 (178.4)           A — Cabinet Height With Hinge Cover — in. (cm)         69 ½ (177.5)         69 ½ (177.5)           B — Cabinet Height Without Hinge — in. (cm)         68 ½ (174.3)         68 ½ (174.3)           C — Overall Depth With Door Handle — in. (cm)         31 ½ (81.0)         33 ½ (85.7)           D — Overall Depth Without Door — in. (cm)         28 (71.1)         28 (71.1)           E — Cabinet Depth Without Door Handle — in. (cm)         30 ½ (82.9)         32 ½ (82.6)           F — Cabinet Width — in. (cm)         32 ½ (82.9)         32 ½ (82.6)           F — Cabinet Depth With Doo	Factory-Installed
Corsound™ Quiet Package         •         •           Consumer-Reversible Door Swing         •***         •           Customizable Accessory Coupon         \$20         \$20           Capacities And Unit Dimensions           Kitchen Cabinet Opening — in. (cm)         33 (83.8)         33 (83.8)           Top/Back Air Clearance — in. (cm)         ½ (1.3)½ (1.3)         ½ (1.3)½ (1.3)           Total Refrigerator Capacity — cu. ft. (liters)         21.9 (620.2)         21.9 (620.2)           Fresh Food Capacity — cu. ft. (liters)         15.6 (441.8)         15.6 (441.8)           Frozen Food Capacity — cu. ft. (liters)         6.3 (178.4)         6.3 (178.4)           A — Cabinet Height With Hinge Cover — in. (cm)         69 ½ (177.5)         69 ½ (177.5)           B — Cabinet Height Without Hinge — in. (cm)         68 ½ (174.3)         68 ½ (174.3)           C — Overall Depth With Door Handle — in. (cm)         31 ½ (81.0)         33 ½ (85.7)           D — Overall Depth Without Door — in. (cm)         28 (71.1)         28 (71.1)           E — Cabinet Depth Without Door Handle — in. (cm)         30 ½ (78.1)         32 ½ (82.6)           F — Cabinet Width — in. (cm)         32 ½ (82.9)         32 ½ (83.5)           G — Depth With Door @ 90° — in. (cm)         62 (157.5)         62 ½ (158.8)	Tuctor j motumen
Consumer-Reversible Door Swing         ***         •           Customizable Accessory Coupon         \$20         \$20           Capacities And Unit Dimensions           Kitchen Cabinet Opening — in. (cm)         33 (83.8)         33 (83.8)           Top/Back Air Clearance — in. (cm)         ½ (1.3)½ (1.3)         ½ (1.3)½ (1.3)           Total Refrigerator Capacity — cu. ft. (liters)         21.9 (620.2)         21.9 (620.2)           Fresh Food Capacity — cu. ft. (liters)         15.6 (441.8)         15.6 (441.8)           Frozen Food Capacity — cu. ft. (liters)         6.3 (178.4)         6.3 (178.4)           A — Cabinet Height With Hinge Cover — in. (cm)         69 ½ (177.5)         69 ½ (177.5)           B — Cabinet Height Without Hinge — in. (cm)         68 ½ (174.3)         68 ½ (174.3)           C — Overall Depth With Door Handle — in. (cm)         31 ½ (81.0)         33 ½ (85.7)           D — Overall Depth Without Door — in. (cm)         28 (71.1)         28 (71.1)           E — Cabinet Width — in. (cm)         30 ½ (82.9)         32 ½ (82.9)           Door Width* — in. (cm)         32 ½ (83.2)         32 ½ (82.9)           Door Width* — in. (cm)         62 (157.5)         62 ½ (158.8)           H — Water Line Location, Facing Back Of Unit         6 (15.2)         6 (15.2) <td></td>	
Customizable Accessory Coupon         \$20         \$20           Capacities And Unit Dimensions           Kitchen Cabinet Opening — in. (cm)         33 (83.8)         33 (83.8)           Top/Back Air Clearance — in. (cm)         ½ (1.3)½ (1.3)         ½ (1.3)½ (1.3)           Total Refrigerator Capacity — cu. ft. (liters)         21.9 (620.2)         21.9 (620.2)           Fresh Food Capacity — cu. ft. (liters)         15.6 (441.8)         15.6 (441.8)           Frozen Food Capacity — cu. ft. (liters)         6.3 (178.4)         6.3 (178.4)           A — Cabinet Height With Hinge Cover — in. (cm)         69 ½ (177.5)         69 ½ (177.5)           B — Cabinet Height Without Hinge — in. (cm)         68 ½ (174.3)         68 ½ (174.3)           C — Overall Depth With Door Handle — in. (cm)         31 ½ (81.0)         33 ½ (85.7)           D — Overall Depth Without Door — in. (cm)         28 (71.1)         28 (71.1)           E — Cabinet Depth Without Door Handle — in. (cm)         30 ½ (78.1)         32 ½ (82.6)           F — Cabinet Width — in. (cm)         32 ½ (82.9)         32 ½ (82.9)           Door Width* — in. (cm)         32 ½ (83.2)         32 ½ (83.5)           G — Depth With Door @ 90° — in. (cm)         5 (15.7)         5 (12.7)           H — Water Line Location, Facing Back Of Unit         5 (12.7)         5	•
Capacities And Unit Dimensions         Kitchen Cabinet Opening — in. (cm)       33 (83.8)       33 (83.8)         Top/Back Air Clearance — in. (cm)       ½ (1.3)½ (1.3)       ½ (1.3)½ (1.3)         Total Refrigerator Capacity — cu. ft. (liters)       21.9 (620.2)       21.9 (620.2)         Fresh Food Capacity — cu. ft. (liters)       15.6 (441.8)       15.6 (441.8)         Frozen Food Capacity — cu. ft. (liters)       6.3 (178.4)       6.3 (178.4)         A — Cabinet Height With Hinge Cover — in. (cm)       69 ½ (177.5)       69 ½ (177.5)         B — Cabinet Height Without Hinge — in. (cm)       68 ½ (174.3)       68 ½ (174.3)         C — Overall Depth With Door Handle — in. (cm)       31 ½ (81.0)       33 ½ (85.7)         D — Overall Depth Without Door — in. (cm)       28 (71.1)       28 (71.1)         E — Cabinet Depth Without Door Handle — in. (cm)       30 ½ (82.9)       32 ½ (82.6)         F — Cabinet Width — in. (cm)       32 ½ (82.9)       32 ½ (82.9)         Door Width* — in. (cm)       32 ½ (83.2)       32 ½ (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 ½ (158.8)         H — Water Line Location, Facing Back Of Unit       5 (12.7)       5 (12.7)         L — Water Line Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.8)	•**
Kitchen Cabinet Opening — in. (cm)       33 (83.8)       33 (83.8)         Top/Back Air Clearance — in. (cm)       ½ (1.3)½ (1.3)       ½ (1.3)½ (1.3)         Total Refrigerator Capacity — cu. ft. (liters)       21.9 (620.2)       21.9 (620.2)         Fresh Food Capacity — cu. ft. (liters)       15.6 (441.8)       15.6 (441.8)         Frozen Food Capacity — cu. ft. (liters)       6.3 (178.4)       6.3 (178.4)         A — Cabinet Height With Hinge Cover — in. (cm)       69 ½ (177.5)       69 ½ (177.5)         B — Cabinet Height Without Hinge — in. (cm)       68 ½ (174.3)       68 ½ (174.3)         C — Overall Depth With Door Handle — in. (cm)       31 ½ (81.0)       33 ½ (85.7)         D — Overall Depth Without Door — in. (cm)       28 (71.1)       28 (71.1)         E — Cabinet Depth Without Door Handle — in. (cm)       30 ¾ (78.1)       32 ½ (82.6)         F — Cabinet Width — in. (cm)       32 ½ (82.9)       32 ½ (82.9)         Door Width* — in. (cm)       32 ½ (83.2)       32 ½ (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 ½ (158.8)         H — Water Line Location, Facing Back Of Unit       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.	\$20
Kitchen Cabinet Opening — in. (cm)       33 (83.8)       33 (83.8)         Top/Back Air Clearance — in. (cm)       ½ (1.3)½ (1.3)       ½ (1.3)½ (1.3)         Total Refrigerator Capacity — cu. ft. (liters)       21.9 (620.2)       21.9 (620.2)         Fresh Food Capacity — cu. ft. (liters)       15.6 (441.8)       15.6 (441.8)         Frozen Food Capacity — cu. ft. (liters)       6.3 (178.4)       6.3 (178.4)         A — Cabinet Height With Hinge Cover — in. (cm)       69 ½ (177.5)       69 ½ (177.5)         B — Cabinet Height Without Hinge — in. (cm)       68 ½ (174.3)       68 ½ (174.3)         C — Overall Depth With Door Handle — in. (cm)       31 ½ (81.0)       33 ½ (85.7)         D — Overall Depth Without Door — in. (cm)       28 (71.1)       28 (71.1)         E — Cabinet Depth Without Door Handle — in. (cm)       30 ¾ (78.1)       32 ½ (82.6)         F — Cabinet Width — in. (cm)       32 ½ (82.9)       32 ½ (82.9)         Door Width* — in. (cm)       32 ½ (83.2)       32 ½ (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 ½ (158.8)         H — Water Line Location, Facing Back Of Unit       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.	
Top/Back Air Clearance — in. (cm)         ½ (1.3)½ (1.3)         ½ (1.3)½ (1.3)           Total Refrigerator Capacity — cu. ft. (liters)         21.9 (620.2)         21.9 (620.2)           Fresh Food Capacity — cu. ft. (liters)         15.6 (441.8)         15.6 (441.8)           Frozen Food Capacity — cu. ft. (liters)         6.3 (178.4)         6.3 (178.4)           A — Cabinet Height With Hinge Cover — in. (cm)         69 ½ (177.5)         69 ½ (177.5)           B — Cabinet Height Without Hinge — in. (cm)         68 ½ (174.3)         68 ½ (174.3)           C — Overall Depth With Door Handle — in. (cm)         31 ½ (81.0)         33 ½ (85.7)           D — Overall Depth Without Door — in. (cm)         28 (71.1)         28 (71.1)           E — Cabinet Depth Without Door Handle — in. (cm)         30 ½ (78.1)         32 ½ (82.6)           F — Cabinet Width — in. (cm)         32 ½ (82.9)         32 ½ (82.9)           Door Width* — in. (cm)         32 ½ (83.2)         32 ½ (83.5)           G — Depth With Door @ 90° — in. (cm)         62 (157.5)         62 ½ (158.8)           H — Water Line Location, Facing Back Of Unit         5 (12.7)         5 (12.7)           I — Water Line Location, From Bottom — in. (cm)         6 (15.2)         6 (15.2)           J — Power Cord Location, Facing Back Of Unit         17 ½ (43.8)         17 ½ (43.8)	36 (91.5)
Total Refrigerator Capacity — cu. ft. (liters)       21.9 (620.2)       21.9 (620.2)         Fresh Food Capacity — cu. ft. (liters)       15.6 (441.8)       15.6 (441.8)         Frozen Food Capacity — cu. ft. (liters)       6.3 (178.4)       6.3 (178.4)         A — Cabinet Height With Hinge Cover — in. (cm)       69 % (177.5)       69 % (177.5)         B — Cabinet Height Without Hinge — in. (cm)       68 % (174.3)       68 % (174.3)         C — Overall Depth With Door Handle — in. (cm)       31 % (81.0)       33 % (85.7)         D — Overall Depth Without Door — in. (cm)       28 (71.1)       28 (71.1)         E — Cabinet Depth Without Door Handle — in. (cm)       30 % (78.1)       32 % (82.6)         F — Cabinet Width — in. (cm)       32 % (82.9)       32 % (82.9)         Door Width* — in. (cm)       32 % (83.2)       32 % (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 % (158.8)         H — Water Line Location, Facing Back Of Unit       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 % (43.8)       17 % (43.8)	½ (1.3)/½ (1.3)
Fresh Food Capacity — cu. ft. (liters)       15.6 (441.8)       15.6 (441.8)         Frozen Food Capacity — cu. ft. (liters)       6.3 (178.4)       6.3 (178.4)         A — Cabinet Height With Hinge Cover — in. (cm)       69 % (177.5)       69 % (177.5)         B — Cabinet Height Without Hinge — in. (cm)       68 % (174.3)       68 % (174.3)         C — Overall Depth With Door Handle — in. (cm)       31 % (81.0)       33 % (85.7)         D — Overall Depth Without Door — in. (cm)       28 (71.1)       28 (71.1)         E — Cabinet Depth Without Door Handle — in. (cm)       30 % (78.1)       32 % (82.6)         F — Cabinet Width — in. (cm)       32 % (82.9)       32 % (82.9)         Door Width* — in. (cm)       32 % (83.2)       32 % (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 % (158.8)         H — Water Line Location, Facing Back Of Unit       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 % (43.8)       17 % (43.8)	25.1 (710.8)
Frozen Food Capacity — cu. ft. (liters)       6.3 (178.4)       6.3 (178.4)         A — Cabinet Height With Hinge Cover — in. (cm)       69 % (177.5)       69 % (177.5)         B — Cabinet Height Without Hinge — in. (cm)       68 % (174.3)       68 % (174.3)         C — Overall Depth With Door Handle — in. (cm)       31 % (81.0)       33 % (85.7)         D — Overall Depth Without Door — in. (cm)       28 (71.1)       28 (71.1)         E — Cabinet Depth Without Door Handle — in. (cm)       30 % (78.1)       32 % (82.6)         F — Cabinet Width — in. (cm)       32 % (82.9)       32 % (82.9)         Door Width* — in. (cm)       32 % (83.2)       32 % (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 % (158.8)         H — Water Line Location, Facing Back Of Unit       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 % (43.8)       17 % (43.8)	17.8 (503.8)
A — Cabinet Height With Hinge Cover — in. (cm) 69 % (177.5) 69 % (177.5)  B — Cabinet Height Without Hinge — in. (cm) 68 % (174.3) 68 % (174.3)  C — Overall Depth With Door Handle — in. (cm) 31 % (81.0) 33 % (85.7)  D — Overall Depth Without Door — in. (cm) 28 (71.1) 28 (71.1)  E — Cabinet Depth Without Door Handle — in. (cm) 30 % (78.1) 32 % (82.6)  F — Cabinet Width — in. (cm) 32 % (82.9) 32 % (82.9)  Door Width* — in. (cm) 32 % (83.2) 32 % (83.5)  G — Depth With Door @ 90° — in. (cm) 62 (157.5) 62 % (158.8)  H — Water Line Location, Facing Back Of Unit & Distance From Left Side — in. (cm) 5 (12.7) 5 (12.7)  I — Water Line Location, From Bottom — in. (cm) 6 (15.2) 6 (15.2)  J — Power Cord Location, Facing Back Of Unit 17 % (43.8) 17 % (43.8)	7.3 (207.0)
B — Cabinet Height Without Hinge — in. (cm) 68 % (174.3) 68 % (174.3)  C — Overall Depth With Door Handle — in. (cm) 31 % (81.0) 33 % (85.7)  D — Overall Depth Without Door — in. (cm) 28 (71.1) 28 (71.1)  E — Cabinet Depth Without Door Handle — in. (cm) 30 % (78.1) 32 % (82.6)  F — Cabinet Width — in. (cm) 32 % (82.9) 32 % (82.9)  Door Width* — in. (cm) 32 % (83.2) 32 % (83.5)  G — Depth With Door @ 90° — in. (cm) 62 (157.5) 62 % (158.8)  H — Water Line Location, Facing Back Of Unit & Distance From Left Side — in. (cm) 5 (12.7) 5 (12.7)  I — Water Line Location, From Bottom — in. (cm) 6 (15.2) 6 (15.2)  J — Power Cord Location, Facing Back Of Unit 17 % (43.8) 17 % (43.8)	69 % (177.5)
C — Overall Depth With Door Handle — in. (cm) 31 ¼ (81.0) 33 ¾ (85.7)  D — Overall Depth Without Door — in. (cm) 28 (71.1) 28 (71.1)  E — Cabinet Depth Without Door Handle — in. (cm) 30 ¾ (78.1) 32 ½ (82.6)  F — Cabinet Width — in. (cm) 32 ½ (82.9) 32 ½ (82.9)  Door Width* — in. (cm) 32 ½ (83.2) 32 ½ (83.5)  G — Depth With Door @ 90° — in. (cm) 62 (157.5) 62 ½ (158.8)  H — Water Line Location, Facing Back Of Unit & Distance From Left Side — in. (cm) 5 (12.7) 5 (12.7)  I — Water Line Location, From Bottom — in. (cm) 6 (15.2) 6 (15.2)  J — Power Cord Location, Facing Back Of Unit 17 ¼ (43.8) 17 ¼ (43.8)	68 % (174.3)
D — Overall Depth Without Door — in. (cm) 28 (71.1) 28 (71.1)  E — Cabinet Depth Without Door Handle — in. (cm) 30 ⅓ (78.1) 32 ⅓ (82.6)  F — Cabinet Width — in. (cm) 32 ⅓ (82.9) 32 ⅓ (82.9) Door Width* — in. (cm) 32 ⅓ (83.2) 32 ⅓ (83.5)  G — Depth With Door @ 90° — in. (cm) 62 (157.5) 62 ⅓ (158.8)  H — Water Line Location, Facing Back Of Unit & Bistance From Left Side — in. (cm) 5 (12.7) 5 (12.7)  I — Water Line Location, From Bottom — in. (cm) 6 (15.2) 6 (15.2)  J — Power Cord Location, Facing Back Of Unit 17 ⅓ (43.8) 17 ⅓ (43.8)	32 ½ (83.5)
E — Cabinet Depth Without Door Handle — in. (cm) 30 ¾ (78.1) 32 ½ (82.6)  F — Cabinet Width — in. (cm) 32 ½ (82.9) 32 ½ (82.9)  Door Width* — in. (cm) 32 ½ (83.2) 32 ½ (83.5)  G — Depth With Door @ 90° — in. (cm) 62 (157.5) 62 ½ (158.8)  H — Water Line Location, Facing Back Of Unit & Distance From Left Side — in. (cm) 5 (12.7) 5 (12.7)  I — Water Line Location, From Bottom — in. (cm) 6 (15.2) 6 (15.2)  J — Power Cord Location, Facing Back Of Unit 17 ¼ (43.8) 17 ¼ (43.8)	29 (73.7)
F — Cabinet Width — in. (cm)       32 ½ (82.9)       32 ½ (82.9)         Door Width* — in. (cm)       32 ½ (83.2)       32 ½ (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 ½ (158.8)         H — Water Line Location, Facing Back Of Unit       8 Distance From Left Side — in. (cm)       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.8)	31 3/4 (80.6)
Door Width* — in. (cm)       32 ⅓ (83.2)       32 ⅓ (83.5)         G — Depth With Door @ 90° — in. (cm)       62 (157.5)       62 ⅓ (158.8)         H — Water Line Location, Facing Back Of Unit & Distance From Left Side — in. (cm)       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ⅓ (43.8)       17 ⅓ (43.8)	35 % (90.5)
G — Depth With Door @ 90° — in. (cm) 62 (157.5) 62 ½ (158.8)  H — Water Line Location, Facing Back Of Unit & Distance From Left Side — in. (cm) 5 (12.7) 5 (12.7)  I — Water Line Location, From Bottom — in. (cm) 6 (15.2) 6 (15.2)  J — Power Cord Location, Facing Back Of Unit 17 ½ (43.8) 17 ½ (43.8)	35 ¾ (90.8)
H — Water Line Location, Facing Back Of Unit       8 Distance From Left Side — in. (cm)       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.8)	66 1/4 (167.9)
& Distance From Left Side — in. (cm)       5 (12.7)       5 (12.7)         I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.8)	· (101.11)
I — Water Line Location, From Bottom — in. (cm)       6 (15.2)       6 (15.2)         J — Power Cord Location, Facing Back Of Unit       17 ½ (43.8)       17 ½ (43.8)	6 ¼ (15.9)
J — Power Cord Location, Facing Back Of Unit 17 ¼ (43.8) 17 ¼ (43.8)	8 (20.3)
	20 ¼ (51.4)
& Distance From Left Side — in. (cm)	4 (J1.4)
·	0 1/, /23 E/
	9 1/4 (23.5)
L — Side Wall Clearance For 90° Door Opening — in. (cm) 1 3/ (3.5) 2 (5.1)	1 ¾ (3.5)
M — Depth With Freezer Drawer Extended — in. (cm)       51 ½ (131.4)       53 ½ (135.9)         Approximate Shipping Weight — Ibs. (kg)       313 (142)       313 (142)	52 ¾ (133.9) 350 (158.8)

<sup>\*</sup> Door width increases with addition of side-mounted handle/trim.

<sup>\*\*</sup>Except stainless steel, which must be ordered as left- or right-hand door sw







## AMANA® EASY REACH™ PLUS CABINET-DEPTH REFRIGERATORS

MODELS	ARB8057C	ARB9058C	ARB9059C
Style	Freestanding	Built-In Look With Trim	Built-In Look With Trim
		And Full-Length Handles	And Full-Length Handles
Colors			
White	•	•	
Bisque	•		
Black	•	•	
Black Cabinet With Stainless Door	•		•
Door Trim And Handles — Factory-Installed	With Stainless Designer Bar Handles	White On White / Black On Black / Stainless On Black	Stainless Look
Door Panels — Factory-Installed		Requires Custom Panels	Stainless Steel
ENERGY STAR® RESSESS	•	•	•
Fresh Food Interior			
Covered Lights (2)	•	•	•
Temp-Assure® Control System	•	•	•
EasyFill™ Internal Water-Dispensing	•	•	•
Clean 'n clear® Retractable Water Filter	•	•	•
Adjustable Spillsaver™ Glass Shelves (Total)	4 Half-Width	4 Half-Width	4 Half-Width
EasyGlide™ Shelves	4	4	4
Temperature-Controlled Chef's Pantry™ With Self-Opening Lid	With Divider	With Divider	With Divider
Humidity-Controlled Garden Fresh™ Crisper Drawers (2)	•	•	•
Dairy Center	•	•	•
Gallon Door Storage	•	•	•
Adjustable Clear Door Buckets	3	3	3
Bucket Grip Pads	3	3	3
Bottle Caddy	•	•	•
FreshNest™ Covered Egg Storage	Optional With Coupon	Optional With Coupon	Optional With Coupon
	Optional With Coupon	Optional With Coupon	opuonai vitti coupon
Freezer Interior			
Covered Light (I)	•	•	•
EasyFreezer™ Pull-Out Drawer	•	•	•
Slide-Out Upper Basket	•	•	•
Glide-Out Lower Basket With QuickSplit <sup>™</sup> Organizer	•	•	•
Icemaker And Ice Bucket	Factory-Installed	Factory-Installed	Factory-Installed
General Features			
SofSound™ Quiet Package	•	•	•
Consumer-Reversible Door Swing	•**	•	•
Customizable Accessory Coupon	\$20	\$20	\$20
Front-Adjustable Four-Point Leveling	•	•	•
Capacities And Unit Dimensions	2/ (01.5)	2/ /01 [\	2/ 3/ /02 4)
Kitchen Cabinet Opening — in. (cm)	36 (91.5)	36 (91.5)	36 ¾ (92.4)
Top/Back Air Clearance — in. (cm)	0	0 (542.4)	0 (542.4)
Total Refrigerator Capacity — cu. ft. (liters)	19.9 (563.6)	19.9 (563.6)	19.9 (563.6)
Fresh Food Capacity — cu. ft. (liters)	14.4 (407.8)	14.4 (407.8)	14.4 (407.8)
Frozen Food Capacity — cu. ft. (liters)	5.5 (155.8)	5.5 (155.8)	5.5 (155.8)
A — Cabinet Height With Hinge Cover — in. (cm)	69 % (177.5)	70 (177.8)	70 (177.8)
B — Cabinet Height Without Hinge — in. (cm)	68 % (174.3)	68 % (174.3)	68 % (174.3)
C — Overall Depth With Door Handle — in. (cm)	27 ½ (70.8)	28 ¼ (71.8)	28 ¼ (71.8)
D — Overall Depth Without Door — in. (cm)	24 (61.0)	24 (61.0)	24 (61.0)
E — Cabinet Depth Without Door Handle — in. (cm)	26 ¾ (68.0)	27 ½ (68.9)	27 ½ (68.9)
F — Cabinet Width — in. (cm)	35 % (90.5)	35 % (90.5)	35 % (90.5)
Door Width* — in. (cm)	35 % (90.5)	36 ½ (92.7)	36 ½ (92.7)
G — Cabinet Depth, Door @ 90° — in. (cm)	61 ¼ (155.6)	61 ¾ (156.8)	61 ¾ (156.8)
I — Water Line Location, Facing Back Of Unit			
& Distance From Left Side — in. (cm)	6 ¼ (15.9)	6 ¼ (15.9)	6 ¼ (15.9)
— Water Line Location, From Bottom — in. (cm)	8 (20.3)	8 (20.3)	8 (20.3)
Mover Cord Location, Facing Back Of Unit			
& Distance From Left Side — in. (cm)	20 ¼ (51.4)	20 ¼ (51.4)	20 ¼ (51.4)
K — Power Cord Location, From Bottom — in. (cm)	9 ¼ (23.5)	9 ¼ (23.5)	9 ¼ (23.5)
L — Side Wall Clearance For 90° Door Opening — in. (c		I ½ (3.8)	I ½ (3.8)
M — Depth With Freezer Drawer Extended — in. (cm)	42 ¾ (108.6)	44 ½ (112.1)	44 % (112.1)

#### EASY REACH™ PLUS PANEL DIMENSION INFORMATION

#### Panel Size

Fresh Food Door — in. (cm) 35 ½. (90.58) × 42 ½. (106.83) × ½. (0.07) Freezer Door — in. (cm) 36 ½. (91.69) × 23 ½ (59.06) × ½. (0.07)


#### Cardboard Spacer Size


Fresh Food Door — in. (cm)
35 % (90.53) x 42 ½ (106.78) x ½ (0.51)
Freezer Door — in. (cm)
36 ¼ (91.64) x 23 ½ (59) x ¼ (0.51)


#### Maximum Weight

Fresh Food Panel — Ibs. (kg) 30 (13.6) Freezer Panel — Ibs. (kg) 15 (6.8)

Note: If raised panels are used, allow 2 ½" minimum clearance between raised edge of panel and handle.








# AMANA® TOP-FREEZER REFRIGERATORS

MODELS	ATB1915HR	ATB2115HR	ATB1935HR	ATB2135HR
Colors				
White	•	•	•	•
Bisque	•	•	•	•
Fresh Food Interior				
Covered Light (I)	•	•	•	•
Temp-Assure® Control System			•	•
Adjustable Spillsaver™ Glass Shelves			4	4
Temperature-Controlled Adjustable Snack Drawer			•	•
Clear Snack Drawer	•	•		
Humidity-Controlled Garden Fresh™ Crisper Drawers	2	2	2	2
Dairy Center	•	•	•	•
Adjustable Gallon Door Buckets	4	4	4	4
Freezer Interior				
Covered Light (I)	•	•	•	•
Wire Shelf	I	I	I	
cemaker And Ice Bucket	Optional UKI1500AXX	Optional UKII500AXX	Optional UKI1500AXX	Optional UKI1500AXX
Capacities And Unit Dimensions			·	•
Kitchen Cabinet Opening — in. (cm)	30 (76.2)	33 (83.8)	30 (76.2)	33 (83.8)
Top/Back Air Clearance — in. (cm)	½ (1.3)/½ (1.3)	½ (1.3)/ ½ (1.3)	½ (1.3)/½ (1.3)	½ (1.3)/ ½ (1.3)
Total Refrigerator Capacity — cu. ft. (liters)	19 (523)	21 (586)	19 (523)	21 (586)
Fresh Food Capacity — cu. ft. (liters)	13.1 (371.0)	14.7 (416.3)	13.1 (371.0)	14.7 (416.3)
Freezer Capacity — cu. ft. (liters)	5.4 (152.9)	6.1 (172.8)	5.4 (152.9)	6.1 (172.8)
A — Cabinet Height With Hinge Cover — in. (cm)	67 ¼ (170.8)	67 ¼ (170.8)	67 ¼ (170.8)	67 ¼ (170.8)
B — Cabinet Height Without Hinge — in. (cm)	66 (167.6)	66 (167.6)	66 (167.6)	66 (167.6)
C — Overall Depth With Door Handle — in. (cm)	31 ½ (79.1)	31 ½ (79.1)	31 ½ (79.1)	31 ½ (79.1)
D — Cabinet Depth Without Door — in. (cm)	26 ¼ (66.7)	26 ¼ (66.7)	26 ¼ (66.7)	26 ¼ (66.7)
E — Overall Depth Without Door Handle — in. (cm)	28 ½ (73.3)	28 ½ (73.3)	28 ½ (73.3)	28 ½ (73.3)
F — Cabinet Width* — in. (cm)	29 % (75.2)	32 % (82.9)	29 % (75.2)	32 % (82.9)
G — Depth With Door @ 90° — in. (cm)	57 ½ (145.1)	60 % (152.7)	57 ½ (145.1)	60 ½ (152.7)
H — Water Line Location, Facing Back Of Unit	<i>51. 70</i> (1.1511)	00 % (19211)	51 % (1.511)	00 % (13211)
& Distance From Right Side — in. (cm)	I ½ (3.8)	I ½ (3.8)	I ½ (3.8)	1 ½ (3.8)
Mater Line Location, From Bottom — in. (cm)	5 (12.7)	5 (12.7)	5 (12.7)	5 (12.7)
— Power Cord Location, Facing Back Of Unit	, /		, /	\ /
& Distance From Left Side — in. (cm)	I ½ (3.8)	I ½ (3.8)	I ½ (3.8)	I ½ (3.8)
K — Power Cord Location, From Bottom — in. (cm)	12 (30.5)	12 (30.5)	12 (30.5)	12 (30.5)
L — Side Wall Clearance For 90° Door Opening — in. (o		3 (7.6)	3 (7.6)	3 (7.6)
Approximate Shipping Weight — Ibs. (kg)	223 (101.2)	235 (106.6)	223 (101.2)	235 (106.6)

\*Doors overlap cabinet and add %" to these total widths.



48


<sup>\*</sup> Door width increases with addition of side-mounted handle/trim.

<sup>\*\*</sup>Except stainless steel, which must be ordered as left- or right-hand door swing. Order ARB8057CSR for right door swing or ARB8057CSL for left door swing.




# AMANA® DEEPFREEZE® UPRIGHT FREEZERS


MODELS	AFU1202BW	AFU1505BW	AFU1705BW	AFU2005BW	AFU1567BW	AFU1767BW	AFU2067BW
Color							
White	•	•	•	•	•	•	•
Deepfreeze® Freezer Interior							
Frozen Food Capacity — cu. ft. (liters)	11.8 (334.1)	15.2 (430.4)	16.8 (475.7)	19.6 (555.0)	15.2 (430.4)	16.8 (475.7)	19.6 (555.0)
Defrost Type	Manual	Manual	Manual	Manual	Free-O-Frost <sup>™</sup>	Free-O-Frost™	Free-O-Frost <sup>™</sup>
Adjustable Temperature Control	•	•	•	•	•	•	•
Cabinet Shelves	3	3	3	4	3	4	4
Door Shelves	5	4	5	6	4	5	6
Power "ON" Light					•	•	•
Interior Light			•	•	•	•	•
Lock With Key		•	•	•	•	•	•
Storage Gate	•	•			•		
Storage Basket			•	•		•	•
Fast-Freeze Settings		•	•	•	•	•	•
Temperature Alarm System							•
Defrost Drain	•	•	•	•			
Exterior Features							
Handle Type	Recessed	Recessed	Full	Full	Full	Full	Full
Flat Back					•	•	•
Seamless Interior Liner	•	•	•	•	•	•	•
Textured Cabinet	•	•	•	•	•	•	•
Square Door Style	•	•	•	•	•	•	•
Exterior Dimensions — in. (cm)							
A — Height	60 ½ (153.7)	60 ½ (153.7)	66 ½ (168.9)	66 ½ (168.9)	60 ½ (153.7)	66 ½ (168.9)	66 ½ (168.9)
B — Width	24 (61)	30 (76.2)	30 (76.2)	33 (83.8)	30 (76.2)	30 (76.2)	33 (83.8)
C — Overall Depth	27 % (69.7)	28 % (71.9)	28 % (71.9)	28 % (71.9)	28 % (71.9)	28 % (71.9)	28 5/16 (71.9)
D — Depth With Door Open 90°	50 ½ (128.3)	56 ½ (143.5)	56 ½ (143.5)	59 ½ (151.1)	56 ½ (143.5)	56 ½ (143.5)	59 ½ (151.1)
Air Clearance — Sides And Top	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)
Approximate Shipping Weight — Ibs. (kg)	164 (74.4)	192 (87.1)	202/206 (91.6/93.4)	210 (95.3)	192 (87.1)	202/206 (91.6/93.4)	210 (95.3)
Electrical Requirements							
V/Hz	115/60	115/60	115/60	115/60	115/60	115/60	115/60
Commercial Rating				•	•	•	•



# AMANA® DEEPFREEZE® CHEST FREEZERS

MODELS	AFC0507BW	AFC0503BW	AFC0703BW	AFC1005BW	AFC1505BW	AFC2207BW
Color						
White	•	•	•	•	•	•
Deepfreeze® Freezer Interior						
Frozen Food Capacity — cu. ft. (liters)	4.6 (130.3)	5.0 (141.6)	7.0 (198.2)	10.0 (283.2)	14.8 (419.1)	21.7 (614.5)
rozen Food Storage — Ibs. (kg)	145 (65.8)	150 (68.0)	210 (95.3)	315 (142.9)	410 (186.0)	545 (247.2)
Defrost Type		Manual	Manual	Manual	Manual	Manual
asy Find™ Storage Drawer	•					
EvenFreeze™ Food Preservation System	•	•	•	•	•	•
djustable Temperature Control	•	•	•	•	•	•
Removable Baskets	I	I	I	2	2	4
Basket Storage Levels	I	I			I	2
Power "ON" Light	•	•	•	•	•	•
nterior Light						•
ock With Key	•		•	•	•	•
ast-Freeze Switch	•					
Defrost Drain		•	•	•	•	•
lose Adapter		•			•	•
eamless Interior Liner	•	•	•	•	•	•
Exterior Features						
Handle Type	Grip		Grip	Grip	Grip	Grip
Rollers	•					
Type Of Cabinet	Square	Square	Square	Square	Square	Square
ype Of Lid	Curved	Flat	Flat	Flat	Flat	Flat
plit-Top Design						•
Exterior Dimensions — in. (cm)						
A — Height Including Lid	33 % (86.0)	31 11/16 (80.5)	35 (88.9)	35 (88.9)	35 (88.9)	35 (88.9)
B — Width	28 ½ (72.0)	29 3/6 (74.6)	31 ½ (80.0)	42 % (107.2)	46 % (117.2)	73 15//6 (187.7)
C — Overall Depth	26 % (67.5)	23 % (60)	24 1/6 (61.1)	24 1/6 (61.1)	29 % (74.6)	29 % (74.6)
O — Height With Lid Open 90° Or 75°	60 ½ (154.0)	55 ½ (141.0)	54 ¼ (137.8)	54 ¼ (137.8)	60 ¾ (153.4)	60 % (153.4)
lir Clearance — Sides And Back	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)	3 (7.6)
pproximate Shipping Weight — lbs. (kg)	110 (50.0)	95 (43.0)	115 (52.2)	136 (61.7)	164 (74.4)	220 (99.8)
Electrical Requirements						
//Hz	115/60	115/60	115/60	115/60	115/60	115/60
Commercial Rating					•	•







For the latest product information, visit www.amana.com.

