

THE INSIDE ADVANTAGE™



CHOOSE QUALITY.....

***ROPER® COMMERCIAL LAUNDRY PRODUCTS
by WHIRLPOOL CORPORATION***

***FEATURING
FACTORY EQUIPPED
COIN SLIDE AND COIN BOX***



Reliability, Flexibility, Durability, and Simplicity... From the Industry Leader in Laundry


RELIABILITY, FLEXIBILITY, DURABILITY, and SIMPLICITY

Whirlpool® Fabric Care technology provides a tried and true solution for consumers that prefer a top-load washer. Whirlpool Corporation has designed a top-load washer that is easy to use and delivers exceptional and dependable cleaning performance. Choose Roper® Commercial Laundry products by Whirlpool Corporation, for your coin store, multi-housing, and university projects.

Cha-Ching!

Water and energy savings. Bottom-service access.
A nationwide support network. Dependability
and simplicity you and your customers recognize.
It's all yours from the industry leader in laundry.
— Whirlpool Corporation

Roper® Commercial Laundry
Like Money in the Bank
1-800-NO-BELTS (1-800-662-3587)



Whirlpool Corporation has a Dedicated Sales and Service Staff Committed to the Success of your Commercial Laundry Business. Please Contact us at 1-800-NO-BELTS (1-800-662-3587).



Kent Walters
National Sales
Manager



Rick Trama
Technical Communications
Manager



Byron Hatch
Business and Innovation
Manager

MAXIMIZE REVENUE

Roper® Commercial Laundry Products featuring factory equipped coin slide and coin box are designed for simplicity, durability, and flexibility to meet a variety of needs. A simple mechanical timer and Direct-Drive, NO BELT Washing System offers years of reliable operation at a very competitive price.

A 10% owner adjustable water savings switch can reduce overall water consumption to 31 gallons per cycle!

A heavy gauge cabinet with powdered paint coat finish top and lid is difficult to dent and resists rust.

ROPER® BY WHIRLPOOL CORPORATION, DIRECT-DRIVE, NO-BELT WASHING SYSTEM



During the service lifetime of a typical Maytag® Speed Queen® or GE® commercial belt-driven top load washer, it is possible that many belts will need to be replaced. Belt driven washing machines rely on belt slippage to slowly build up spin speed.

Machines get overloaded — Belts wear — Belts break — and your machine is out of commission.

WHY SETTLE FOR 50 YEAR OLD BELT-DRIVEN TECHNOLOGY?

Roper® Direct-Drive, NO-BELT, enclosed clutch washers eliminate the need for belts. Roper® brand Direct-Drive washer motor coupler isolators feature a heavy duty automotive design. They have been tested to 20,000 cycles without failure!*

Newly designed motor couplers feature metal inserts and an improved material formulation that is 33% stronger than the previous design!**

No belts equate to less hassle, fewer repairs, and an uninterrupted income stream for you.



ROPER

VS



THE COMPETITION

One Durable Roper® Motor Coupler Isolator can be Equivalent to Many Competitive Product Belts!

Maximize the Efficiency and Profitability of your Laundry Area with Roper® Brand Commercial Laundry Products Featuring Factory Equipped Coin Slide and Coin Box

*Whirlpool Lab Testing, 2001. MAYTAG is a registered trademark of Maytag Corporation. GE is a registered trademark of General Electric Corporation. SPEED QUEEN is a registered trademark of Alliance Laundry Systems, LLC.

For warranty details, see information packed with your product. Call 1-800-NO-BELTS or visit www.coinop.com/warranty.asp.

**33% improved resistance to torque failure, Whirlpool Lab Testing, 2004.

STANDARD WASHER FEATURES



DIRECT DRIVE SYSTEM
27" Heavy-Duty Commercial Washers feature the Direct-Drive, No-Belt Washing System for greater reliability, reduced down time and increased profits.

LARGE CAPACITY WASH BASKET
Ideal for handling family size loads!

POWDERED PAINT FINISH
Resists rust, chipping and scratching.



10% WATER SAVINGS OPTION
Rear panel-mounted, owner adjustable water savings option increases energy efficiency by reducing water consumption to 31 gallons per cycle when selected.




TRIPOD SUSPENSION
Sturdy tripod suspension with active liquid-filled balance ring reduces product weight while balancing commercial size laundry loads.

STANDARD DRYER FEATURES

1/3 HP MOTOR
1/3 HP motor with overload protection.

THERMOSTAT
Single operating thermostat for simple accurate temperature control.

IMPROVED AIRFLOW SYSTEM
Roper® commercial dryers have a new Blower Housing Wave Insert to increase air velocity up to 10%. This increases efficiency and heating element lifespan.*



LARGE CAPACITY METERCASE (applies to washer and dryers) Larger coinbox for reduced collections.


LARGE 7.0 CU. FT. DRUM CAPACITY

The increased capacity allows for large loads of clothes to tumble and spread, saving you and your customers drying time and expense.



SIDE SWING DOOR
For convenient access, the wide-opening side-swing door can be opened a full 180°.

ROPER® BRAND COMMERCIAL WASHER & DRYERS



RAK2751K—27" 1-Speed Washer with Factory Installed Coin Slide & Coin Box

EXCLUSIVE 90-DAY FACTORY LABOR FULL WARRANTY!!

- 2.5 Cu. Ft. Wash Basket, 14 Lbs. UL
- Push Button Controls
- 3 Cycles: Cotton (Hot), Wrinkle Free (Warm), and Colorfast (Cold)
- Powdered Paint Cabinet, Top and Lid (Rust Proof Stainless Steel Hinges)
- Galvanized, Cabinet Back Panel
- Heavy Duty Motor Coupler Isolator Tested to 20,000 Cycles!
- 1/2 HP Motor with Built-In Overload Protector: 120-Volt, 60 Hz., A.C. Agitation Speed 180 spm
- Reliable, Direct-Drive NO BELTS Drive System, Bottom Serviceable
- High Speed Spin 640 rpm (approx.)
- Power Cord, Inlet Hoses and Drain Hose Included
- 3 Cycle Indicator Lamps
- 90 Days Full Warranty (Labor), 2-Year Limited Warranty (Parts)*
- 8 Quarter Coin Slide Capacity, Set Your Wash Price From \$0-\$2 Per Cycle



REK2950K—29" Electric Dryer RGK2951K—29" Gas Dryer with Factory Installed Coin Slide & Coin Box

EXCLUSIVE 90-DAY FACTORY LABOR FULL WARRANTY!!

- Large 7.0 Cu. Ft. Drum Capacity
- Push Button Controls
- 3 Cycles: Regular/Heavy (High Heat), Permanent Press (Medium Heat), and Knits/Delicates (Low Heat)
- Large, Removable, Top Mount Lint Screen
- 180 Degree Wide-Opening Side-Swing Door
- Powdered Paint Cabinet and Top
- Front-Service Accessibility
- Electric Model Features Element Rated at 5600 Watts, 240-Volts
- Gas Model Features a 22K BTU Burner
- Motor: 1/3 HP With Built-In Overload Protector; Centrifugal Switch Turns Off Heating Element When Motor Stops
- Easy-to-Follow Console Instructions
- Power Cord Sold Separately (Electric Model Only)
- 90 Days Full Warranty (Labor), 2-Year Limited Warranty (Parts)*
- 8 Quarter Coin Slide Capacity, Set Your Dry Price From \$0-\$2 Per Cycle From \$0-\$2 Per Cycle



BY WHIRLPOOL CORPORATION

*Results per Roper dryer testing conducted 7/03-8/04

*Call 1-800-NO-BELTS for warranty details.

WARRANTIES

EXCLUSIVE 90 DAY FACTORY LABOR FULL WARRANTY!!

WASHER WARRANTY

2-Year Limited (parts only)

Entire Product

For important information regarding warranty inclusions, exclusions and limitations, please call 1-800-N0-BELTS

COMMERCIAL WASHER SPECIFICATIONS


WASHER SPECIFICATIONS

MODEL NUMBER	RAK2751
GENERAL INFORMATION White Push Button console, powdered paint finish cabinet, top and lid, galvanized, extra thick back panel, improved meter case, reliable single piece agitator. Inlet hoses and corrugated drain hose included.	Metercase Model factory Installed Coin Slide and Coin Box, \$0-2 per Cycle, \$1.00 Factory Preset
MOTOR 120V 1/2 HP Direct-Drive with Built-In Overload Protector	One-Speed
AGITATION STROKES PER MINUTE/AMPERAGE Maximum Rated Amperage	180spm/High (5.0 amps no load) 9.8 amps (120V)
MOTOR RPM	1725 High
SPIN RPM	640 High
ELECTRICAL REQUIREMENTS	120V, 60 Hz., A.C. Standard 15-amp Breaker/Fuse Branch Circuit for Each Washer (subject to local codes)
DIMENSIONS See Illustrations	43"H (at metercase top) 35"H (at lid). 27"W, 25.5"D
SHIPPING WEIGHT (EST.)	184 Lbs.
BASKET VOLUME	2.5 Cu. Ft.


Energy information is available online at www.coinop.com/products, WP literature part #CWXL077

Dimensions are for planning purposes only. For complete information, see installation instructions packed with product.

NEW YORK CITY M.E.A.



WASHER FRONT VIEW



WASHER BACK VIEW

WARRANTIES

EXCLUSIVE 90 DAY FACTORY LABOR FULL WARRANTY!!

DRYER WARRANTY

2-Year Limited (parts only)

Entire Product

For important information regarding warranty inclusions, exclusions and limitations, please call 1-800-NO-BELTS

COMMERCIAL DRYER SPECIFICATIONS


SINGLE DRYER SPECIFICATIONS

MODEL NUMBER	REK2950K ^{††}	RGK2951K [†]
GENERAL INFORMATION White Push Button console, white enamel drum, powdered paint finish cabinet and top, removable lint filter, improved meter case.	Metercase Model Factory Installed Coin Slide and Coin Box, \$1.00 Factory Preset \$0-2 per Cycle,	Metercase Model Factory Installed Coin Slide and Coin Box, \$1.00 Factory Preset \$0-2 per Cycle,
ELECTRICAL REQUIREMENTS	3-Wire Nominal 240/208V, 60 Hz., A.C. Standard 30-amp Breaker/Fuse Branch Circuit per Dryer (subject to local codes)	Nominal, 120V, 60Hz., A.C., Standard 15-amp Breaker/Fuse Branch Circuit per Dryer (subject to local codes)
MOTOR	1/3 HP Single Speed Motor with Built-In Overload Protector 5.9-amps Max Rating	1/3 HP Single Speed Motor with Built-In Overload Protector 5.9-amps Max Rating
HEATER TYPE	ELECTRIC	GAS**
HEATER/BURNER RATING (Add 500 watts approx for motor on all dryer models)	Heater Rated at 5600 Watts	22,000 BTU/h Natural Gas
OPERATIONAL AMPERAGE (Does not include control or gas valve)	Motor — 4.0-amps No load Heater — 23.33-amps @ 240V 27.33 Total	Motor — 4.0-amps No load
DIMENSIONS See Illustrations	42.875"H*, 29"W, 27.75"D	42.875"H*, 29"W, 27.75"D
SHIPPING WEIGHT (EST.)	147 Lbs.	147 Lbs.
DRUM VOLUME	7.0 Cu. Ft.	7.0 Cu. Ft.

*(height at meter case top) **Burner orifices are available for manufactured, natural, mixed, and LP gas with varying BTU ratings. †LP Conversion Kit: 49572

††Power cords on electric models sold separately Energy information is available online at www.coinop.com/products. WP lit# CWXL077

Dimensions are for planning purposes only. For complete information, see installation instructions packed with product.




Exhaust Information

All dryers require the equivalent of a 4-inch diameter exhaust duct. Rigid metal duct is recommended. Failure to properly exhaust the dryer will result in improper operation.

# of 90° Turns	4" Hood	2 1/2" Hood
Maximum Length of 4" Diameter Rigid metal Duct		
0	64 Ft.	58 Ft.
1	54 Ft.	48 Ft.
2	44 Ft.	38 Ft.
3	35 Ft.	29 Ft.
4	27 Ft.	21 Ft.
Maximum Length of 4" Diameter Rigid metal Duct		
0	36 Ft.	28 Ft.
1	31 Ft.	23 Ft.
2	27 Ft.	19 Ft.
3	25 Ft.	17 Ft.
4	23 Ft.	15 Ft.

MONEY ACCEPTOR PARTS CROSS REFERENCE



Key	Part Name	Whirlpool Part No.	ESD Part No.	Greenwald Part No.
1	Door Service	3351138	N/A	N/A
2	Vertical 8 Coin Kit* (washer and dryer) (Includes 3, 4, 5, 6, 7, 8, 9)	3954807	72093	N/A
3	Key Service Door Lock	358288	Multiple Options	GR777
4	Money Box with Key	8316525	72101-XD	UG800B
5	Vertical 8 Coin Slide* (Slide Only)	8316520	V8-200 (71689)	20-3020
6	Coin Slide Extension Washer	8316522	21053	68-1164
7	Coin Slide Extension Dryer	8316523	21064	84-1135
8	Bolt Slide Mechanism	8316521	21749	77-83-8
9	Decal Kit	8316524	72097	1711
10	Insert, Blank	8316264	21216	Included with 20-3020
11	Insert \$.25	8316265	21193	
12	Dryer Timer Cams			
	3-Pin (60 minutes)	3387974	N/A	N/A
	4-Pin (45 minutes)	339855	N/A	N/A
	6-Pin (30 minutes)	343777	N/A	N/A
	9-Pin (20 minutes)**	338854	N/A	N/A
	12-Pin (15 minutes)**	359853	N/A	N/A

*State coinage type (US quarter, US dollar, Canadian dollar, Canadian quarter, etc.)

**Optional timer cams available through Whirlpool parts. Modifications may void the Whirlpool Corporation product warranty.

MONEY ACCEPTOR MANUFACTURER CONTACT INFORMATION

Manufacturer	ESD	Whirlpool	Greenwald
Address	270 New Jersey Drive Fort Washington, Pa 19034	150 Hilltop Rd. St. Joseph, MI 49085	212 Middlesex Ave. Chester, CT 06412
Phone	1-800-523-1510	1-800-662-3587, option 1	1-800-221-0982
Email	info@esdcoin.com	Byron_W_Hatch@whirlpool.com	sales@greenwaldindustries.com

To locate a distributor near you, please visit www.coinop.com/distributor, or call 1-800-NO-BELTS.



From Whirlpool Corporation — A World Leader in Laundry Products

www.coinop.com

®Registered trademark/™Trademark of Whirlpool, U.S.A.

©2005 Whirlpool Corporation. All rights reserved.

Whirlpool Corporation • Benton Harbor, Michigan 49022 U.S.A.