

ALPINE RESTYLE

2016 SOLUTIONS PRICE SHEET





ALPINE RESTYLE

A BIGGER OPPORTUNITY AWAITS.

Alpine Restyle is backed by a comprehensive
**sales and installation training
program** to ensure your staff is prepared for
Restyle success.

In-dash Alpine Restyle systems are
**covered under a
3-year warranty.**



The Alpine Restyle X110-SLV is an honoree in the
2016 CES Innovation awards.

JEEP WRANGLER SOLUTIONS



2011-up Jeep Wrangler

X109-WRA

NEW

9-Inch Restyle Dash System

• 9" Large WVGA Capacitive Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/FLAC playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • SiriusXM Ready • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • HDMI input and output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink Maestro® Ready • KAC-001 Accessory Controller ready • KCX-CZ50MC Multi-camera Switcher Ready • KCX-630HD HDMI Switcher Ready



2011-up Jeep Wrangler

X009-WRA

9-Inch Restyle Dash System

• 9" Large WVGA Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/DivX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • SiriusXM Ready • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink Maestro Ready

JEEP WRANGLER SOLUTIONS



2011-up Jeep Wrangler

i109-WRA

NEW

9-Inch Restyle Dash System With Apple CarPlay

• 9" Capacitive Touch WVGA Touch Screen Display • Apple CarPlay ready (requires iPhone 5, 5s, 5c, 6, or 6 plus) • 50W x 4 High Power Amp • Lightning to USB Apple CarPlay connection • 1.5m USB Cable Included • 3 Pre-Outs (2V) • Auxiliary 3.6mm AV input • Rear View Camera Ready • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready



Works with
Apple CarPlay

System Components

NEW



KCX-C250MC

Multi Camera Selector Interface

• 3M direct camera input cable included • Compatible with Alpine X110, X109, X108U, and INE-W967HD systems, along with Alpine direct connect camera • Allows up to 3 cameras to be added to INE-W967HD, X108U, X109 series, and X110 series.



NEW



KAC-001

External Accessory Control Module

• (8) 250mA (1) accessory outputs • i-Datalink Maestro required • pulsed, latched, or momentary output selection • adds touch-screen external accessory control to INE-W967HD, X108U, X109 series, and X110 series.



NEW



KCX-630HD

HDMI Selector Interface

• 2 HDMI In / 1 HDMI Out • 1.5M HDMI Cable Included • Needed when adding DVD player (DVE-5300) to X108U and INE-W967HD to retain HDMI input • Needed to add HDMI to X110 series and X109 series



GM SOLUTIONS



2014+ Chevrolet Silverado

NEW

X110-SLV

10-Inch Restyle Dash System

• 10" Large WXGA Capacitive Touch Screen Display with LED Backlighting • DVD/R/RW/CD-R/RW/MP3/WMA/AAC/FLAC playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • SiriusXM Ready • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • HDMI input and output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink® Maestro® Ready • KAC-001 Accessory Controller ready • KCX-C250MC Multi-camera Switcher Ready • KCX-630HD HDMI Switcher Ready



2014+ GMC Sierra

NEW

X110-SRA

10-Inch Restyle Dash System

• 10" Large WXGA Capacitive Touch Screen Display with LED Backlighting • DVD/R/RW/CD-R/RW/MP3/WMA/AAC/FLAC playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • SiriusXM Ready • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • HDMI input and output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink® Maestro® Ready • KAC-001 Accessory Controller ready • KCX-C250MC Multi-camera switcher ready • KCX-630HD HDMI Switcher Ready



PSS-31GM

3-Way Sound System for 2014+ GM Trucks

Direct-fit sound system package bolts in to 2014+ GMC Sierra or Chevy Silverado trucks • Front 3-way speaker set: 8" Door Woofer, Dash mounted 2.5" midrange + 1" silk dome tweeter for optimum imaging/staging • Rear: 6.5" Coaxial Speaker • Subwoofer: Zero-Space Subwoofer and GM truck-specific enclosure provides deep bass and takes up zero under-seat space • 5-Channel V-Power System Amplifier provides a clean 40W x 4 + 240W x 1 RMS System Power • All factory speaker location mounting adapters included • Vehicle specific wiring harness included



SPT-31GM

3-Way Speaker System for 2014+ GM Trucks

Direct-fit speaker system package bolts in to 2014+ GMC Sierra or Chevy Silverado trucks • Front 3-way Component Speakers: 8" Door Woofer, Dash mounted 3" midrange + 1" silk dome tweeter for optimum imaging/staging • Rear: 6.5" Coaxial Speakers • All factory speaker location mounting adapters included



HCE-TG130GM

Tailgate Handle Camera For 2007-2013 GM Trucks

• Direct bolt-in installation for 2007-2013 GM trucks • replaces stock tailgate surround bezel • integrated LED lighting for better low-light reverse visibility • High quality hair-line, chrome finish • Angle of field: horizontal 185 degree, vertical 144 degree • 4 viewing modes: corner view, ground view, panorama view, rear view • Codeable tailgate lock For use with your ignition key

GM SOLUTIONS



2007-2013 GM Trucks

X009-GM2

9-Inch Restyle Dash System

• 9" Large WVGA Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/DiX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink Maestro Ready

2007-2013 GM Trucks 2007-2014 GM SUVs

X009-GM

9-Inch Restyle Dash System

• 9" Large WVGA Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/DiX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink Maestro Ready



SPT-21GM

Sound System for 2007-2013 GM Trucks

Direct-fit sound system package bolts in to 2007-2013 GMC Sierra or Chevy Silverado trucks • Front 2-way speaker set: 6.5" Door Woofer, 1" pod-mounted silk dome tweeter for optimum imaging/staging • Rear: 6.5" Coaxial Speaker • Subwoofer, Zero-Space Subwoofer and GM truck-specific enclosure provides deep bass and takes up zero under-seat space • 5-Channel V-Power System Amplifier provides a clean 40W x 4 + 240W x 1 RMS System Power • All factory speaker location mounting adapters included • Vehicle specific wiring harness included



SPT-21GM

2-Way Speaker System for 2007-2013 GM Trucks

Direct-fit speaker system package bolts in to 2007-2013 GMC Sierra or Chevy Silverado trucks • Front 2-way speaker set: 6.5" Door Woofer, 1" pod-mounted silk dome tweeter for optimum imaging/staging • Rear: 6.5" Coaxial Speaker • All factory speaker location mounting adapters included

9-INCH RESTYLE SOLUTIONS



X009U

9-Inch In-Dash Restyle Receiver



• 9" Large WGA Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/DivX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDataLink Maestro Ready

Each X009 vehicle specific kit comes complete with the X009 AVN unit and all accessories necessary for installation.



2009-2014 select Ford F-150
X009-FD1



2013-2014 Ford F-150
X009-FD2



2013+ Ram Trucks
X009-RAM



2007-2013 Toyota Tundra
X009-TND

8-INCH RESTYLE SOLUTIONS


NEW

X108U

8-Inch In-Dash Restyle Receiver



• 8" Large WGA Capacitive Touch Screen Display with LED Backlighting • MP3/WMA/AAC/FLAC playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • Front/Rear 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ HD • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • HDMI input and output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 3.0 App Ready • iDatalink® Maestro® Ready • KAC-001 Accessory Controller ready • KCX-C250MC Multi-camera switcher ready • KCX-630HD HDMI switcher ready • DVE-5300 DVD player ready

All kits designed specifically for INE-Z928HD, X008U, & X108U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wiring harness, as the -K version

**Great for custom
Restyle solutions**



KTX-UTB8

Universal Trim Bezel

Bezel designed specifically for INE-Z928HD



2007-2014 Cadillac Escalade
KTX-ESD8 & KTX-ESD8-K



2007-2014 GM Truck and SUV
KTX-GM8-O & KTX-GM8-K



Select Ford Vehicles
KTX-FDB8



2014+ GM Full Size Truck
KTX-GM8K2 & KTX-GM8K2-K



2013+ Ram
KTX-RPU8 & KTX-RPU8-K



2007-2013 Toyota Tundra
KTX-TND8 & KTX-TND8-K



2012+ Toyota Camry
KTX-CMY8-S & KTX-CMY8-K



2013+ Nissan Altima
KTX-ALT58 & KTX-ALT58-K



2009-2013 Toyota RAV4
KTX-RV48-S & KTX-RV48-K

2-DIN HEAD UNITS


NEW

INE-W967HD

7-Inch Audio/Video/Navigation Receiver

• 7" Large WXGA Capacitive Touch Screen Display with LED Backlighting • MP3/WMA/AAC/FLAC playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • HDMI input and output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • TuneIt 3.0 App Ready • iDataLink® Maestro® Ready • KAC-001 Accessory Controller ready • KCX-C250MC Multi-camera switcher ready • KCX-630HD HDMI switcher ready • DVE-5300 DVD player ready



INE-W957HD

7-Inch Audio/Video/Navigation Receiver

• 7" WVGA Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/DiVX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • Siri Eyes Free Mode • App Direct Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Dual Zone Video Ready • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • TuneIt 3.0 App Ready • iDataLink Maestro Ready



INE-W960

6.1-Inch Audio/Video/Navigation Receiver

• 6.1" WVGA Touch Screen Display with LED Backlighting • DVD±R/RW/CD-R/RW/MP3/WMA/AAC/DiVX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone • App Direct Mode • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpander™ • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V) • Live Contrast Function • VisualEQ Function • 1 AUX Input / 1 AUX Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • TuneIt 3.0 App Ready



iLX-007

7-Inch In-Dash Receiver with Apple CarPlay

• 7" Capacitive Touch WVGA Touch Screen Display • Apple CarPlay ready (requires iPhone 5 or newer) • 50W x 4 High Power Amp • USB Apple CarPlay connection • 1.5m USB Cable Included • 3 PreOuts (2V) • Auxiliary 3.5mm AV input • Rear View Camera ready • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Steering Wheel Remote Control Ready • TuneIt 3.0 App Ready



CDE-W265BT

Advanced Bluetooth® CD Radio Receiver

• 50W x 4 High Power Amp • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SX/300 Ready • CD-R/RW/MP3/WMA Playback • Front USB port • Made for iPod and iPhone • Siri Eyes Free Mode • App Direct Mode • Front AUX Input (3.5mm mini jack) • 9-Band Parametric EQ • Preset EQ (10 modes) • 6-channel Time Correction • 3-way Crossover • Steering Wheel Remote Control Ready • Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • 2-Line Large LCD Display • Separate RGB Illumination for buttons and display • Clock • Hands-free Microphone Included • Radio Broadcast Data System (RBDs) Text Information • TuneIt 3.0 App Ready

1-DIN HEAD UNITS



CDE-HD149BT

Advanced Bluetooth® CD/HD Radio Receiver

• 50W x 4 High Power Amp • Tunelt App Ready • Android Pandora Control • HD Radio with Smart Reception Management • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • CD-R/RW/MP3/WMA/AAC Playback • Rear USB with included USB extension Cable • Made for iPod and iPhone • App Direct Mode • 9-Band Graphic EQ • 6-channel Time Correction • 3-way Crossover • MediaXpander • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • Quad-Illumination • 3-Line Display



CDE-HD148BT

Advanced Bluetooth® CD/HD Radio Receiver

• 50W x 4 High Power Amp • Tunelt App Ready • Android Pandora Control • HD Radio with Smart Reception Management • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • CD-R/RW/MP3/WMA/AAC Playback • Rear USB with included USB extension Cable • Made for iPod and iPhone • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 6-channel Time Correction • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • Quad-Illumination • Tunelt 3.0 App Ready



CDE-164BT

Advanced Bluetooth® CD Receiver

• 50W x 4 High Power Amp • Tunelt 2.0 App Ready • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • CD-R/RW/MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone • Siri Eyes Free Mode • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 6-channel Time Correction • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • RGB Illumination • 2 Line Display • Bass Engine SQ • Radio Broadcast Data System (RDS) Text Information • Tunelt 3.0 App Ready

NEW



CDE-163BT

Advanced Bluetooth® CD Receiver

• 50W x 4 High Power Amp • Tunelt 3.0 App Ready • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • FLAC/CD-R/RW/MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445) • Siri Eyes Free Mode • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • RGB Lighting • Bass Engine SQ • Opening Screen Customization • Tunelt 3.0 App Ready



CDE-153BT

Advanced Bluetooth® CD Receiver

• 50W x 4 High Power Amp • Tunelt 2.0 App Ready • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV300 Ready • CD-R/RW/MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445) • Siri Eyes Free Mode • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (2V) • Hands-free Microphone Included • Blue Illumination • Bass Engine SQ • Tunelt 3.0 App Ready



CDE-SXM145BT

Advanced Bluetooth® CD/SiriusXM Receiver

• 50W x 4 High Power Amp • Built-in Bluetooth Module • BT Audio Streaming • SiriusXM SXV300 included with Tune Start and Tune Scan • CD-R/RW/MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445) • Front AUX Input (3.5mm mini jack) • App Direct Mode • Front AUX Input (3.5mm mini jack) • 3-Band Parametric EQ • High-pass Filter • 24-Bit DAC • Steering Wheel Remote Control Ready • Remote Control Ready • KTP-445A Power Pack Ready • 2 PreOuts (2V) • Hands-free Microphone Included

NEW



UTE-62BT

Advanced Bluetooth® Mech-less Digital Receiver

• 50W x 4 High Power Amp • Tunelt 3.0 App Ready • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • Mech-less • SiriusXM SXV300 Ready • FLAC/MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445) • Siri Eyes Free Mode • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • RGB Lighting • Bass Engine SQ • Opening Screen Customization • Tunelt 3.0 App Ready



UTE-52BT

Advanced Bluetooth® Mech-less Digital Receiver

• 50W x 4 High Power Amp • Tunelt 2.0 App Ready • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • Mech-less • SiriusXM SXV300 Ready • MP3/WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445) • Siri Eyes Free Mode • Front AUX Input (3.5mm mini jack) • App Direct Mode • 9-Band Parametric EQ • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (2V) • Hands-free Microphone Included • Blue Illumination • Bass Engine SQ • Tunelt 3.0 App Ready



CDE-152

Advanced CD Receiver

• 50W x 4 High Power Amp • CD-R/RW/MP3/WMA/AAC Playback • High Speed Front USB port • Front AUX Input (3.5mm mini jack) • App Direct Mode • 3-Band Parametric EQ • High-pass Filter • 1-Bit DAC • KTP-445A Power Pack Ready • 3 PreOuts (2V) • Bass Engine SQ



CDE-143BT

Advanced Bluetooth® CD Receiver

• 50W x 4 High Power Amp • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • CD-R/RW/MP3/WMA/AAC Playback • High Speed USB Connection for iPod or USB sticks • Made for iPod and iPhone • App Direct Mode • 3-Band Parametric EQ • High-pass Filter • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 2 PreOut (2V)



CDE-151

Advanced CD Receiver

• 50W x 4 High Power Amp • CD-R/RW/MP3/WMA Playback • High Speed USB Connection for USB sticks • Front AUX Input (3.5mm mini jack) • App Direct Mode • 3-Band Parametric EQ • High-pass Filter • 1-Bit DAC • KTP-445A Power Pack Ready • 2 PreOut (2V) • Bass Engine SQ

DRIVE ASSIST



HCE-C305R Active View™ Rear Camera System

Ultra wide angle, multi-view camera with mounting kit • Active obstacle warning system that detects moving objects such as pedestrians and vehicles • Visual and acoustic driver warning • Adjustable multi-colour distance guides • 4 viewing modes: corner view, ground view, panorama view, rear view • Includes control switch, warning sound module and black-box • Angle of field: horizontal 190°, vertical 150° • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Includes direct camera connection and standard RCA connectivity



KTX-C10LP

License Plate Camera Mounting Kit

High quality cast metal frame with rust free coating • Adjustable Tilt Angle up to 45 degree • Built -in LEDs increase visibility • Mounts using factory screw holes • Works with all Alpine cameras



HCE-C104 Rear View Camera

Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Automatic view mode change (with optional VPX-B104R) • Angle of field: horizontal 132°, vertical 105° • Standard RCA connectivity



HCE-C125 Rear View Camera

Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23.6mm x H 23.6mm x D 23.9mm • Black-box dimensions: W 100mm x H 50mm x D 25mm • Angle of field: horizontal 130°, vertical 102° • Standard RCA and Direct connectivity • better low light performance



HCE-C252RD

Multi-View Rear View Camera System

4 viewing modes: corner view, ground view, panorama view, rear view • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Camera dimensions: W 23.6mm x H 23.6mm x D 23.9 • Angle of field: horizontal 188°, vertical 141°



HCE-C212F

Multi-View Front Camera Expansion Kit

Ultra wide angle camera with mounting kit • 3 viewing modes: corner view, ground view, panorama view • Includes control switch and black-box • Automatic imaging function: metering and white balance adjustment • Camera dimensions: W 23.4mm x H 23.4mm x D 21.3mm • Black-box dimensions: W 100mm x H 50mm x D 25mm • Angle of field: horizontal 185°, vertical 144°



HCE-C155

Wide View Rear View Camera

Ultra wide angle, wideview camera with mounting kit • Angle of field: horizontal 190°, vertical 150° • Automatic imaging function: Metering and white balance adjustment • Mirror image (NTSC) • Standard RCA connectivity



HCE-C157D

Wide View Rear View Camera

Ultra wide angle, wideview camera with mounting kit • Angle of field: horizontal 190°, vertical 150° • Automatic imaging function: Metering and white balance adjustment • Mirror image (NTSC) • Works with products featuring Direct Camera Input

System Components



PXA-H800

System Integration Audio Processor

New ImprintEQ sound tuning technology • Euphony/RoadEQ/MK+ Sound Processing • 6-Channel High/Low Voltage Inputs for both OEM and Aftermarket Installation • 24-Bit Sigma-Delta D/A Converter • 2 x 32-Bit Floating-Point DSP • 31/10 Band (Graphic/Parametric) EQ • 8-Channel Full-Range 4V Pre-Outs • 2 x Optical Input • S/N: 105dB/110dB (Analog/Digital)

RUX-C800

Controller For PXA-H800

Use this unit to perform PXA-H800 configuration and setup.



NEW



DVE-5300

Accessory DVD Player

Adds DVD playback to X108U, INE-W967HD, or PKG-RSE4AP • HDMI Output • Works in Stand-Alone situations for system expansion • Optical output for optional processor (Note: does not control processor)

REAR SEAT ENTERTAINMENT


NEW

PKG-RSE4AP

11.4" Mech-less RSE system With Plasmacluster

11.4" High Definition WSVGA Display 1024 x 600 • Mech-less with HDMI input • 2 Pair of Wireless IR Headphones (SHS-N106) Included • 1 Aux Input • Universal Remote Control Included • Ion Plasmacluster™ technology removes contaminants and odors from the inside air via charged particle attraction • 16.5 ft HDMI cable included • Universal Trim Ring Included • Built-in IR Transmitter

NEW


PKG-RSE3HDMI

10.1" DVD/HDMI/USB Rear Seat Entertainment System

10.1" High Definition WSVGA Display 1024 x 600 • Built-in durable, automotive-grade DVD/CD Player • Dual HDMI Inputs • Dual USB Inputs (one for charging, one for media playback) • Built-in FM and IR Transmitter • 2 Pair of Wireless IR Headphones (SHS-N106) Included • 1 Aux Input / 1 Aux Out • Universal Remote Control Included • 3 High-Gloss Color Options (Gun Metal Black, Bright Gray, Champagne Gold) Included • MPEG-1/2, MP4V, Xvid, H.263, RMVB, MP3, WMA, AAC, JPEG Playback • DVD-R/RW, DVD-R/RW, CD-R/RW Disc Media Supported



PKG-RSE3DVD

10.1" DVD Rear Seat Entertainment System

10.1" High Definition WSVGA Display 1024 x 600 • Built-in durable, automotive-grade DVD/CD Player • Built-in FM and IR Transmitter • 2 Pair of Wireless IR Headphones (SHS-N106) Included • 2 Aux Input / 1 Aux Out • Universal Remote Control Included • 3 Color Options (Black, Grey, Tan) Included • DVD-Video, CD-DA, MP3, JPEG Playback • DVD-R/RW, DVD-R/RW, CD-R/RW Disc Media Supported

NEW


KCU-315UH
USB/HDMI Extension Cable
3 Meters • Extension for PKG-RSE3HDMI



SHS-N206
Dual Source Wireless IR Headphones
Independent Source Selection • For use with PKG-RSE3HDMI, PKG-RSE3DVD or PKG-RSE4AP • Fold-flat design • Additional headphones for PKG-RSE3DVD or PKG-RSE3HDMI

SHS-N106

Single Source Wireless IR Headphones
Additional headphone • For use with PKG-RSE3HDMI, PKG-RSE3DVD or PKG-RSE4AP • Fold-flat design



System Components



RUE-4202

Audio Remote Control

Remote control for any "Remote Ready" 2005-2011 Alpine head unit or AVN head unit.



RUE-4190

Universal Remote Control

Universal Audio/Nav/DVD/TV Tuner Multi Remote Control.



KCE-461iV

USB iPod/iPhone AV Cable

USB iPod/iPhone AV cable for use with INE-S920HD, IVE-W535HD, and IVE-W530 • 1-Amp charging capability



KCE-SP2R

Speaker To RCA Adapter

Speaker to RCA adapter for PDR amplifiers • 2-channel capability



KCA-121B

Versatile Link Audio Adapter

For Versatile Link compatible Ai-NET head-units • makes RCA audio signal input from any audio source possible (TV tuner, game, etc).



KCU-471i

USB To Lightning Cable

USB iPod/iPhone AV cable for use with INE-S920HD, IVE-W535HD, and IVE-W530 • 1-Amp charging capability



KCE-220UB

USB Extension Cable


KCU-445i

USB iPod/iPhone AV Cable

Connect your iPod or iPhone to the CDA-105 for USB iPod Connection • 1-Amp charging capability compatible with all 2012 models.



KCU-230NK

USB to Micro USB Cable

Connect your compatible Android device to 2012+ Alpine head units.



KCU-610HD

USB Micro HDMI Cable

1.5m HDMI to HDMI Type-D / MiniUSB Cable



KCU-610MH

HDMI to MHL+MiniUSB Conversion Cable

HDMI to MHL+MiniUSB Conversion Cable

SPEAKERS & SUBS



SPR-50C

5-1/4" Component 2-Way Speaker
CTA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 70Hz-29kHz • 1" Silk Tweeter

SPR-50

5-1/4" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 90W RMS, 270W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 70Hz-29kHz

SPR-68

6x8" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 63Hz-29kHz

SPR-10TW

Type-R 1" Silk Tweeter Set
CTA-2031 Speaker rating: 150W RMS, 450W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 1kHz-29kHz

SPR-60C

6-1/2" Component 2-Way Speaker
CTA-2031 Speaker rating: 110W RMS, 330W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 65Hz-29kHz • 1" Silk Tweeter

SPR-60

6-1/2" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 65Hz-29kHz

SPR-69

6x9" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 60Hz-29kHz



SPE-6000

6-1/2" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 60W Maximum RMS, 200W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 68Hz-20kHz

SPE-5000

5-1/4" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 50W RMS, 200W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 82Hz-20kHz

SPE-6090

6x9" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 75W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 65Hz-18kHz



SPS-619

6x9" Coaxial 3-Way Speaker
CTA-2031 Speaker rating: 85W RMS, 260W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 65Hz-23kHz

SPS-510

5-1/4" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 55W RMS, 170W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 80Hz-23kHz



SPS-110TW

Type-S 1" Silk Dome Tweeter Set
CTA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 1kHz-22kHz

SPS-610C

6-1/2" Component 2-Way Speaker
CTA-2031 Speaker rating: 80W RMS, 240W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 70Hz-22kHz

SPS-410

4" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 45W RMS, 140W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 97Hz-22kHz

SPS-610

6-1/2" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 80W RMS, 240W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 70Hz-22kHz

SPS-517

5x7" Coaxial 2-Way Speaker
CTA-2031 Speaker rating: 75W RMS, 230W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 73Hz-22kHz

KTE-S619G

Speaker Grille
Speaker Grille pair for the SPS-619 speakers

KTE-S610G

Speaker Grille
Speaker Grille pair for the SPS-610 speakers

KTE-S510G

Speaker Grille
Speaker Grille pair for the SPS-510 speakers

Subwoofers



SWR-1522D/SWR-1542D**

15" Subwoofer (*2Ω+2Ω) (4Ω+4Ω)**
CTA-2031 Speaker Specifications: 750W RMS, 2000W Peak Power Handling • Frequency Response: 18Hz-200Hz • Mounting Depth 9-1/4"

SWR-10D2/SWR-10D4**

10" subwoofer (*2Ω+2Ω) (4Ω+4Ω)**
CTA-2031 Speaker Specifications: 1000W RMS, 3000W Peak Power Handling • Frequency Response: 26Hz-200Hz • Mounting Depth 5-7/8"

SWR-T10

10" Thin Subwoofer (4Ω)
CTA-2031 Speaker Specifications: 600W RMS, 1800W Peak Power Handling • Frequency Response: 28Hz-200Hz • Mounting Depth 3-1/4"



SWS-15D2/SWS-15D4**

15" Subwoofer (*2Ω+2Ω) (4Ω+4Ω)**
CTA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 7"

SWS-12D2/SWS-12D4**

12" Subwoofer (*2Ω+2Ω) (4Ω+4Ω)**
CTA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 5-7/8"

SWS-10D2/SWS-10D4**

10" Subwoofer (*2Ω+2Ω) (4Ω+4Ω)**
CTA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 28Hz-200Hz • Mounting Depth 5-7/16"

BASS LINE



SWA-12S4

12" Subwoofer (4Ω)
CTA-2031 Speaker Specification: 250W RMS, 750W Peak Power Handling • Frequency Response: 30Hz-200Hz • Mounting Depth 5-9/16"

SWA-10S4

10" Subwoofer (4Ω)
CTA-2031 Speaker Specification: 250W RMS, 750W Peak Power Handling • Frequency Response: 32Hz-200Hz • Mounting Depth 5-5/16"

KTE-12PG

12" Woofer Grille Systems
Compatible with SWA-12S4 subwoofers.

KTE-10PG

10" Woofer Grille Systems
Compatible with SWA-10S4 subwoofers.



SWT-10S4

10" Shallow Mount Subwoofer (4Ω)
CEA-2031 Speaker Specification: 350W RMS, 1000W Peak Power Handling • Frequency Response: 30Hz-200Hz • Mounting Depth 4-1/8"

SWT-10S2

10" Shallow Mount Subwoofer (2Ω)
CA-2031 Speaker Specification: 350W RMS, 1000W Peak Power Handling • Frequency Response: 30Hz-200Hz • Mounting Depth 4-1/8"



SBR-S8-4

Pre-loaded Type-R 8" Subwoofer Enclosure

Includes SWR-8D2 Wired In Series • Ported Enclosure Design • Frequency Response: 28Hz-200Hz • Dimensions 11-1/2" Wide x 19-1/4" Long x 5-1/2" Deep



PWA-S10V

Powered Bassline 10" Subwoofer Enclosure

Loaded With 2Ω Bassline Sub • Ported Enclosure Design • Frequency Response: 26Hz-400Hz • MRV-M250 Mounted On Box (250W RMS) • RUX-KNOB Compatible • Dimensions 21-1/2" Wide x 13-25/32" Tall x 11-13/16" Deep



SBT-S10V

Pre-loaded SWT-10 For Trucks

2Ω Impedance • Ported Enclosure Design • Frequency Response: 28Hz-200Hz • Dimensions 22" Wide x 16" Tall x 7" Deep



PWE-S8

Compact Powered 8" Subwoofer

RCA and speaker level inputs • 120 watt amp • Frequency Response: 32Hz-150Hz • Dimensions 13-1/2" Wide x 9" Long x 3" Deep



KTE-12G

12" Woofer Grille Systems
Compatible with 12" Type-R and Type-S subwoofers.

KTE-10G

10" Woofer Grille Systems
Compatible with 10" Type-R and Type-S subwoofers.

KTE-8G

8" Woofer Grille Systems
Compatible with 8" Type-R subwoofers

AMPLIFIERS & MARINE



PDX-M12

Mono Power Density Amplifier

1200W RMS x 1 (40/20, 14.4V, ≤1% THD+N) • 92dB S/N (ref: 1W into 4Ω)

PDX



PDX-F6

4/3/2 Channel Power Density Amplifier

150W RMS x 4 (40/20, 14.4V, ≤1% THD+N) • 94dB S/N (ref: 1W into 4Ω)

PDR



PDR-M65

Mono Power Density Reference Amplifier

650W RMS x 1 (20, 14.4V, ≤0.07% THD+N) • 450W RMS x 1 (40, 14.4V, ≤1% THD+N) • 87dB S/N (ref: 1W into 4Ω)

X-POWER



MRX-M110

Mono X-Power Amplifier

1100W RMS x 1 (20, 14.4V, ≤1% THD+N) • 650W RMS x 1 (40, 14.4V, ≤1% THD+N) • 90dB S/N (ref: 1W into 4Ω)

V-POWER™



MRV-M500

Mono V-Power Amplifier

500W RMS x 1 (20, 14.4V, ≤1% THD+N) • 300W RMS x 1 (40, 14.4V, ≤1% THD+N) • 85dB S/N (ref: 1W into 4Ω)

PDX-M6

Mono Power Density Amplifier

600W RMS x 1 (40/20, 14.4V, ≤1% THD+N) • 95dB S/N (ref: 1W into 4Ω)

PDX-F4

4/3/2 Channel Power Density Amplifier

100W RMS x 4 (40/20, 14.4V, ≤1% THD+N) • 95dB S/N (ref: 1W into 4Ω)

PDR-F50

4/3/2 Channel Power Density Reference Amplifier

125W RMS x 4 (20, 14.4V, ≤0.07% THD+N) • 85W RMS x 4 (40, 14.4V, ≤1% THD+N) • 87dB S/N (ref: 1W into 4Ω)

MRV-M250

Mono V-Power Amplifier

250W RMS x 1 (20, 14.4V, ≤1% THD+N) • 150W RMS x 1 (40, 14.4V, ≤1% THD+N) • 85dB S/N (ref: 1W into 4Ω)



KTP-445U

Universal Head Unit Power Pack

45W RMS x 4 (40/20, 14.4V, ≤1% THD+N) • 80dB S/N (ref: 1W into 4Ω) • Compact size (fits easily inside dashboard of most vehicles) • Works with any aftermarket and most OEM head units • Bridgeable • Gain, high-pass crossovers and input select

PDX-V9

5-Channel Power Density Amplifier

100W RMS x 4 + 500 RMS x 1 (40/20, 14.4V, ≤1% THD+N) • 94dB S/N (ref: 1W into 4Ω)

PDR-V75

5-Channel Power Density Reference Amplifier

100W RMS x 4 + 350 RMS x 1 (20, 14.4V, ≤1% THD+N) • 75W RMS x 4 + 250 RMS x 1 (40, 14.4V, ≤1% THD+N) • 87dB S/N (ref: 1W into 4Ω)



KTP-190U

Universal Mono Head Unit Power Pack

90W RMS x 1 (10, 14.4V, ≤1% THD+N) • 60W RMS x 1 (20, 14.4V, ≤1% THD+N) • 30W RMS x 1 (40, 14.4V, ≤1% THD+N) • 80dB S/N (ref: 1W into 1Ω) • Compact size (fits easily inside dashboard of most vehicles) • Speaker level inputs with L+R summing • Auto Turn-on • selectable low-pass crossover 80Hz, 100Hz, 120Hz

MRV-F300

4/3/2 Channel V-Power Amplifier

75W RMS x 4 (20, 14.4V, ≤1% THD+N) • 50W RMS x 4 (40, 14.4V, ≤1% THD+N) • 81dB S/N (ref: 1W into 4Ω)

MRV-V500

5-Channel V-Power Amplifier

60W RMS x 4 + 250 RMS x 1 (20, 14.4V, ≤1% THD+N) • 40W RMS x 4 + 150 RMS x 1 (40, 14.4V, ≤1% THD+N) • 81dB S/N (ref: 1W into 4Ω)



RUX-KNOB

Remote Bass Knob For PDX, MRX, PDR, & MRV Amplifiers

Add on remote bass level control for PDX-M12, PDX-M6, PDX-V9, MRX-M110, PDR-M65, PDR-V75, MRV-M500, MRV-250, PWA-S10V, & KTP-190U.

Marine System Solutions



SPR-M700

7" Coaxial 2-Way Marine Speaker

CTA-2031 Speaker rating: 50W Maximum RMS, 150W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 45Hz-22kHz • Swivel Tweeter Mount Design • 1" Titanium Dome Tweeter • IPx5 water resistant design • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested • Silver Grilles



RUE-M1RF

RF Remote Control for Marine Applications

Includes transmitter and receiver • IPx6 waterproof design • Up to 100ft range • Compatible with all steering wheel remote ready HU's • Controls up to 8 remotes • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

RUE-M1EX

Extra Remote for RUE-M1RF

Add on remote for RUE-M1RF • IPx6 waterproof design • Up to 100ft range • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested



SPS-M601

6-1/2" Coaxial 2-Way Marine Speaker

CTA-2031 speaker rating: 35W Maximum RMS, 110W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 60Hz-22kHz • Ultra UV Resistant Grill • Water Resistant Cone • Rubber Surround • IPx5 water resistant design • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested • Silver Grilles



SWR-M100

10" Marine Subwoofer

CTA-2031 Speaker rating: 300W Maximum RMS, 900W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 35Hz-700Hz • Infinite baffle design • Gold-plated 2-way spade/insert terminals • IPx5 water resistant design • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested • Silver Grilles



SPS-M601W

6-1/2" Coaxial 2-Way Marine Speaker

Same specs as SPS-M601 • White Grilles

HEAD UNIT STEP CHART



	CDE-HD149BT	CDE-164BT	CDE-HD148BT	CDE-SXM145BT	CDE-163BT	CDE-153BT
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4
Display	3 Line LCD	2 Line LCD	2 Line LCD	1 Line LCD	1 Line LCD	1 Line LCD
Bluetooth®	Built-In	Built-In	Built-In	Built-In	Built-In	Built-In
BT Audio Streaming	Yes	Yes	Yes	Yes	Yes	Yes
HD Radio®	Built-In	No	Built-In	No	No	No
TuneIt App 3.0 Ready	Yes	Yes	Yes	No	Yes	Yes
Works with iPhone®	Yes	Yes	Yes	Yes	Yes	Yes
Smartphone Voice Control Operation	Yes	Yes	Yes	Yes	Yes	Yes
App Direct Mode	Yes	Yes	Yes	Yes	Yes	Yes
USB Input	Rear Panel	Front Panel	Rear Panel	Front Panel	Front Panel	Front Panel
FLAC Playback	No	No	No	No	Yes	No
Full Android Pandora® Control	Yes	Yes	Yes	No	Yes	Yes
Full iPhone Pandora® Control	Yes	Yes	Yes	No	Yes	Yes
Wireless Remote Ready	Ready	Ready	Ready	Ready	Ready	Ready
Steering Wheel Remote Ready	Yes	Yes	Yes	Yes	Yes	Yes
iTunes® Tagging	Yes	Yes	Yes	No	Yes	Yes
Preset Button Illumination	Quad-Illumination	RGB	Quad-Illumination	Blue	RGB	Blue
Main Illumination	Quad-Illumination	RGB	Quad-Illumination	Blue	RGB	Blue
Pre-Outs	3 Pre-Out (4V)	3 Pre-Out (4V)	3 Pre-Out (4V)	2 Pre-Out (2V)	3 Pre-Out (4V)	3 Pre-Out (2V)
DAC	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit
EQ	9-Band Parametric	9-Band Parametric	9-Band Parametric	3-Band Parametric	9-Band Parametric	9-Band Parametric
Crossover	High Pass/Low Pass	3-Way	High Pass/Low Pass	High Pass	3-Way	High Pass/Low Pass
Time Correction	Yes	Yes	Yes	No	Yes	No
MediaXpander	Yes	Yes	Yes	No	Yes	Yes
Bass Engine SQ	No	Yes	No	No	Yes	Yes
iPod® Cable Included	No	No	No	No	No	No
Aux In	Rear Panel	Front Panel	Front Panel	Front Panel	Front Panel	Front Panel
KTP-445A Ready	Yes	Yes	Yes	Yes	Yes	Yes
SiriusXM SXV300 Ready	Yes	Yes	Yes	Included	Yes	Yes



	UTE-62BT	UTE-52BT	CDE-152	CDE-143BT	CDE-151	CDE-W265BT
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4
Display	1 Line LCD	1 Line LCD	1 Line LCD	1 Line LCD	1 Line LCD	2 Line LCD
Bluetooth®	Built-In	Built-In	No	Built-In	No	Built-In
BT Audio Streaming	Yes	Yes	No	Yes	No	Yes
HD Radio®	No	No	No	No	No	No
TuneIt App 3.0 Ready	Yes	Yes	No	No	No	Yes
Works with iPhone®	Yes	Yes	Yes	Yes	Yes	Yes
Smartphone Voice Control Operation	Yes	Yes	No	Yes	No	Yes
App Direct Mode	Yes	Yes	Yes	Yes	Yes	Yes
USB Input	Front Panel	Front Panel	Front Panel	Front Panel	Front Panel	Front Panel
FLAC Playback	Yes	No	No	No	No	No
Full Android Pandora® Control	Yes	Yes	No	No	No	Yes
Full iPhone Pandora® Control	Yes	Yes	No	No	No	Yes
Wireless Remote Ready	Ready	Ready	Ready	Ready	Ready	Ready
Steering Wheel Remote Ready	Yes	Yes	No	Yes	No	Yes
iTunes® Tagging	Yes	Yes	No	No	No	Yes
Preset Button Illumination	RGB	Blue	Blue	Blue	Red	RGB
Main Illumination	RGB	Blue	Blue	Blue	Blue	RGB
Pre-Outs	3 Pre-Out (4V)	3 Pre-Out (2V)	3 Pre-Out (2V)	2 Pre-Out (2V)	2 Pre-Out (2V)	3 Pre-Out (4V)
DAC	24 Bit	24 Bit	1 Bit	24 Bit	1 Bit	24 Bit
EQ	9-Band Parametric	9-Band Parametric	3-Band Parametric	3-Band Parametric	3-Band Parametric	9-Band Parametric
Crossover	3-Way	High Pass/Low Pass	High Pass	High Pass	High Pass	3-Way
Time Correction	Yes	No	No	No	No	Yes
MediaXpander	Yes	Yes	No	No	No	Yes
Bass Engine SQ	Yes	Yes	Yes	No	Yes	Yes
iPod® Cable Included	No	No	No	No	No	No
Aux In	Front Panel	Front Panel	Front Panel	Front Panel	Front Panel	Front Panel
KTP-445A Ready	Yes	Yes	Yes	Yes	Yes	Yes
SiriusXM SXV300 Ready	Yes	Yes	No	No	No	Yes

AV/AVN STEP CHART



	INE-W967HD	INE-W957HD	INE-W960	iLX-007
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4
Display	7" WXGA	7" WWGA	6.5" WWGA	7" WWGA
Bluetooth®	Built-In	Built-In	Built-In	No
BT Audio Streaming	Yes	Yes	Yes	No
HD Radio®	Built-In	Built-In	No	No
TuneIt App 3.0 Ready	Yes	Yes	Yes	Yes
Works with iPhone®	Yes	Yes	Yes	Yes
Siri Eyes Free Mode	Yes	Yes	Yes	Yes
USB Input	Yes	Yes	Yes	Yes
FLAC Playback	Yes	No	No	No
USB Video Playback	No	Yes	Yes	No
Basic iPhone App Control	Yes	Yes	Yes	Yes
Full Android Pandora® Control	Yes	Yes	Yes	No
Full iPhone Pandora® Control	Yes	Yes	Yes	No
Wireless Remote Ready	Ready	Ready	Ready	Ready
Steering Wheel Remote Ready	Yes	Yes	Yes	Yes
iTunes® Tagging	Yes	Yes	Yes	No
Button Illumination	White	White	White	White
Color Wallpaper Selection	5 Color Selectable*	5 Color Selectable*	5 Color Selectable*	-
Pre-Outs	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (2V)
DAC	24 Bit	24 Bit	24 Bit	24 Bit
EQ	F/R 9-Band Parametric	9-Band Parametric	9-Band Parametric	9-Band Parametric
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass
Album Artwork	Yes	Yes	Yes	Yes
iPod® Cable Included	No	No	No	No
Aux In	1 Aux In***	2 Aux In	1 Aux In	1 Aux In
DVD	DVE-5300 Ready	Yes	Yes	No
KTP-445A Ready	Yes	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	Yes	Yes	No
Navigation	Built-In	Built-In	Built-In	Apple Maps
Aux Out	1 Aux Out	1 Aux Out	1 Aux Out	No
Rear View Camera Input	Yes	Yes	Yes	Yes
iDataLink Integration	Yes	Yes	No	No
HDMI Input	Yes	Yes	No	No
HDMI Output	Yes	No	No	No
Optical Out	No	Yes	No	No
KCX-C250MC Compatible	Yes	No	No	No
KAC-001 Compatible	Yes	No	No	No
KCX-630HD Compatible	Yes	No	No	No

* Blue/Red/Amber/Green/Black

** Blue/Red/Amber/Green

*** No Aux In when using iDataLink Maestro module

RESTYLE STEP CHART



	X110	X109	X009U	i109	X108U
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4
Display	10" WXGA	9" WVGA	9" WVGA	9" WVGA	8" WVGA
Bluetooth®	Built-In	Built-In	Built-In	No	Built-In
BT Audio Streaming	Yes	Yes	Yes	No	Yes
HD Radio®	Built-In	Built-In	Built-In	No	Built-In
TuneIt App 3.0 Ready	Yes	Yes	Yes	Yes	Yes
Works with iPhone®	Yes	Yes	Yes	Yes	Yes
Siri Eyes Free Mode	Yes	Yes	Yes	Yes	Yes
USB Input	Yes	Yes	Yes	Yes	Yes
FLAC Playback	Yes	Yes	Yes	No	Yes
USB Video Playback	No	No	No	No	No
Basic iPhone App Control	Yes	Yes	Yes	Yes	Yes
Full Android Pandora® Control	Yes	Yes	Yes	No	Yes
Full iPhone Pandora® Control	Yes	Yes	Yes	No	Yes
Wireless Remote Ready	Ready	Ready	Ready	Ready	Ready
Steering Wheel Remote Ready	Yes	Yes	Yes	Yes	Yes
iTunes® Tagging	Yes	Yes	Yes	No	Yes
Button Illumination	Vehicle Specific	Vehicle Specific	White	Vehicle Specific	Blue
Color Wallpaper Selection	5 Color Selectable*	5 Color Selectable*	5 Color Selectable*	-	5 Color Selectable*
Pre-Outs	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (2V)	3 Pre-Outs (4V)
DAC	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit
EQ	F/R 9-Band Parametric	F/R 9-Band Parametric	F/R 9-Band Parametric	9-Band Parametric	F/R 9-Band Parametric
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass
Album Artwork	Yes	Yes	Yes	Yes	Yes
iPod® Cable Included	No	No	No	No	No
Aux In	No	No	1 Aux In	1 Aux In	1 Aux In***
DVD	Yes	Yes	Yes	No	DVE-5300 Ready
KTP-445A Ready	Yes	Yes	Yes	Yes	Yes
SiriusXM Ready (SXV300)	Yes	Yes	Yes	No	Yes
Navigation	Built-In	Built-In	Built-In	Apple Maps	Built-In
Aux Out	No	No	1 Aux Out	1 Aux Out	No
Rear View Camera Input	Yes	Yes	Yes	Yes	Yes
iDataLink Integration	Yes	Yes	Yes	No	Yes
HDMI Input	Yes	Yes	Yes	No	Yes
HDMI Output	Yes	Yes	No	No	Yes
Optical Out	No	No	Yes	No	No
KCX-C250MC Compatible	Yes	Yes	No	No	Yes
KAC-001 Compatible	Yes	Yes	No	No	Yes
KCX-630HD Compatible	Yes	Yes	No	No	Yes

* Blue/Red/Amber/Green/Black

** Blue/Red/Amber/Green

*** No Aux In when using iDataLink Maestro module

NOTES

Alpine, IMPRINT, V-Power, i-Personalize, MediaXpander, and Alpine Tunelt App are registered trademarks of Alpine Electronics, Inc. All rights reserved. iPod®, iPhone®, and Made for iPod® and iPhone® are trademarks of Apple, Inc, registered in the U.S. and other countries. SiriusXM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. "HD Radio" and HD Radio logos are registered trademarks of iBiquity Digital Corporation. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Alpine Electronics, Inc. is under license. Windows Media and the Windows logo are registered trademarks of Microsoft Corporation in the United States and/or other countries. PANDORA, the PANDORA logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc., used with permission. Android is a trademark of Google, Inc. Incorporated. Chevrolet, GMC, Silverado, GMC, Avalanche, Sierra, Yukon, Cadillac, Escalade and OnStar are registered trademark of General Motors Corporation. Ford and F-150 are registered trademarks of Ford Motors Corporation. Toyota, Camry, RAV4 and Tundra are registered trademarks of Toyota Motor Corporation. Altima is a registered trademark of Nissan. iDatalink and Maestro are registered trademarks of Automotive Data Solutions, Inc. HERE is a registered trademark of HERE Global B.V. Other trademarks and trade names are those of their respective owners. The zero space subwoofer has been developed based on Blueprint Acoustics fresh air speaker technology. Other trademarks and trade names are those of their respective owners. Product information listed in this brochure is based upon current information at the time of printing, but cannot be guaranteed. All designs, features, specifications, and delivery dates are subject to change without notice. For updated product information, please visit www.alpine-usa.com. Printed in the United States of America.



ALPINE RESTYLE

www.alpine-usa.com



Web: alpine-usa.com/restyle
Twitter: alpine-usa.com/twitter
Instagram: alpine-usa.com/instagram
Facebook: alpine-usa.com/facebook
YouTube: alpine-usa.com/youtube